

US ENVIRONMENTAL PROTECTION AGENCY  
OFFICE OF PESTICIDES PROGRAMS  
REGISTRATION DIVISION (75-767)  
WASHINGTON, DC 20460

EPA REGISTRATION NO.  
55392-1

DATE OF ISSUANCE  
SEP 23 1988

NOTICE OF PESTICIDE:  REGISTRATION  
 REREGISTRATION  
(Under the Federal Insecticide, Fungicide,  
and Rodenticide Act, as amended)

TERM OF ISSUANCE  
Until Reregistration

NAME OF PESTICIDE PRODUCT  
Manta Pro Rabon Mineral Block

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

Manta Pro Corporation  
P.O. Box 92959, Worldway Station  
Los Angeles, CA 90009

160 / 201087  
18 / 2

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA section 3(c)(7)(C) pending the year.

1. Applicant shall have required for registration registration of your product under FIFRA section 3(c)(2) when the Agency receives an registration of similar product so as to such date.

2. Must be... (faded text)

...

...

...

...

...

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL

DATE

9/23/88

- e. Under Precautionary Statements, revise the sentence "If in eyes, wash with plenty of water for 15 minutes" to "If in eyes, flush eyes with plenty of water."
- f. Update the Environmental Hazards section as follows:

This product is toxic to fish. Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters.

3. Please provide the chemical identity of all components, the Material Safety Data Sheets, and Chemical Abstract Service Numbers of:

- a. Mineral Products, and
- b. Vitamin Products.

The supplier may contact us directly referencing your EPA Registration Number in their response.

4. Sections 1 to 3, 16, and 18 to 21 were not completed on the Confidential Statement of Formula (CSF) submitted with the subject application for registration. Further, the names and addresses of your inert ingredient suppliers must be specified in column 11 of the CSF. Please resubmit.

5. A Discussion of Formation of [Unintentional] Ingredients is required to complete the data matrix for this product. Please submit a brief description of impurities formed during the manufacturing/formulation process, in packaging, or during storage. If you do not expect any impurities during these stages, please so state.

6. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

George T. LaRocca  
Product Manager (15)  
Insecticide-Rodenticide Branch  
Registration Division (TS-767C)

Enclosures

374

07533

Net Weight Shown on Bag



# RABON<sup>®</sup> MINERAL BLOCK

To prevent the development of Horn Flies, Face Flies, House Flies and Stable Flies in the manure of treated cattle.

ACTIVE INGREDIENT	BY WEIGHT
2-chloro-1-(2,4,5-trichlorophenyl) dimethyl vinyl phosphate .....	0.8% *
Inert ingredients .....	99.2% **
<b>TOTAL</b>	<b>100.00%</b>

\* Each pound contains 3.63 grams RABON.  
 \*\* Refers only to ingredients which are not larvicidal.

### GUARANTEED FEED ANALYSIS

Calcium (Min.)	11.00%
Calcium (Max.)	13.00%
Salt (Min.)	14.00%
Salt (Max.)	16.00%
Phosphorus (Min.)	12.00%
Potassium (Min.)	1.00%
Magnesium (Min.)	4.00%
Vitamin A (Min.)	80,000 IU/lb.
Vitamin D (Min.)	20,000 IU/lb.
Vitamin E (Min.)	60 IU/lb.

### INGREDIENTS

Monocalcium phosphate, dicalcium phosphate, salt, cane molasses, magnesium oxide, ground limestone, potassium chloride, magnesium mica, iron oxide, vitamin A supplement, stabilized D-activated animal sterol (source of vitamin D3), vitamin E supplement, vitamin B12 supplement, riboflavin supplement, niacin supplement, calcium pantothenate, choline chloride, ethoxyquin (a preservative), manganese oxide, zinc oxide, ferrous carbonate, ferrous sulfate, copper sulfate, copper oxide, calcium iodate, cobalt carbonate, sulfur.

FEEDING DIRECTIONS ON BACK OF TAG.  
 KEEP OUT OF REACH OF CHILDREN. CAUTION.  
 See reverse of tag for additional precautionary statements.

EPA Reg. No. 55392  
 EPA Reg. No. 55392-KS-001



Manufactured By  
**MANNA PRO CORPORATION**  
 P.O. Box 92959, Worldway Station  
 Los Angeles, CA 90009



P.I. Code: 80-00-7533-05

RABON<sup>®</sup> MINERAL BLOCK

RABON<sup>®</sup> MINERAL BLOCK

07533

ACCEPTED  
 with COMMENTS  
 in EPA Letter Dated:

SEP 23 1988

Under the Federal Insecticide,  
 Fungicide, and Rodenticide Act as  
 amended, for the pesticide  
 registered under EPA Reg. No.

55392-1

MANNA PRO<sup>(®)</sup>  
RABON<sup>(®)</sup> MINERAL BLOCK

PRECAUTIONARY STATEMENTS: HAZARDS TO HUMANS, CAUTION. Keep out of reach of children. Harmful if swallowed. Avoid contact with skin and eyes. Avoid breathing dust. Wash thoroughly with soap and water after handling and before eating or smoking. If in eyes, wash with plenty of water for 15 minutes. If irritation persists, see a physician.

ENVIRONMENTAL HAZARDS: This product is toxic to fish. Keep out of lakes, streams and ponds. Do not contaminate water by cleaning of equipment or disposal of wastes.

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Provide one block per 15-20 head of cattle. Add an additional block when each block has been one-half consumed. Cattle should consume an average of 0.6 lb. of the block per 100 lbs. of body weight per month. This will supply the recommended average daily intake of 70 mg. RABON<sup>(®)</sup> Oral Larvicide per hundred pounds of body weight. Animals should not be starved for minerals before initiation of the RABON<sup>(®)</sup> Cattle Mineral Block program but omit all salt from other feed after the program is started. **DO NOT** feed free choice sources of salt or mineral containing salt in any form. Place near watering and loafing areas. Protect from rain.

If consumption of MANNA PRO<sup>(®)</sup> RABON<sup>(®)</sup> MINERAL BLOCK is above 0.6 lb. of the block per 100 lbs. of body weight per month, reduce the number of feeding locations or relocate. If consumption is below 0.6 lb. of the block per 100 lbs. of body weight per month, increase the number of feeding locations. Start feeding MANNA PRO<sup>(®)</sup> RABON<sup>(®)</sup> MINERAL BLOCK early in the spring before flies begin to appear, and continue feeding throughout the summer and the fall.

MANNA PRO<sup>(®)</sup> RABON<sup>(®)</sup> MINERAL BLOCK may be fed up to slaughter and to lactating dairy cows.

MANNA PRO<sup>(®)</sup> RABON<sup>(®)</sup> MINERAL BLOCK prevents the development of horn flies, face flies, house flies and stable flies in the manure of treated cattle but is not effective against existing adult flies. When starting a feeding program, during the fly season, it may be necessary to use other control measures to reduce the population of existing adult flies.

Supplement fly control measures may be needed in and around cattle lots and buildings to control adult house flies and stable flies which can breed not only in cattle manure but in other decaying vegetable matter or silage on the premises.

In order to achieve optimum fly control, MANNA PRO<sup>(®)</sup> RABON<sup>(®)</sup> MINERAL BLOCK should be used in conjunction with other good management and sanitation practices.

STORAGE AND DISPOSAL: Do not contaminate water, food, or feed by storage or disposal. STORAGE: Store in a dry place in original container. CONTAINER DISPOSAL: Dispose of empty wrapper in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke. PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on-site or at an approved waste disposal facility.