

55392-3

02/03/2009

1/4



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460-0001

OFFICE OF
PREVENTION, PESTICIDES
AND TOXIC SUBSTANCES

February 3, 2009

Ms. Carolyn Brady, Brand Manager
Manna Pro Products, LLC
707 Spirit 40 Park Drive, Suite 150
Chesterfield, MO 63005-1137

**Subject: Revised Labeling in Response to Agency Letter Dated November 6, 2008
Manna Pro Fly-B-Gone Mineral Block, EPA Registration No. 55392-3
Your Resubmission Dated January 23, 2009**

Dear Ms. Brady:

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable.

A copy of your label stamped "Accepted" is enclosed for your records. If you have any questions regarding the label review, please contact Mr. Carmen Rodia at (703) 306-0327 or via e-mail at Rodia.Carmen@epa.gov.

Sincerely yours,

FOR
Handwritten signature of Richard J. Gebken in cursive script.

Richard J. Gebken,
Product Manager (10)
Insecticide Branch,
Registration Division (7505P)

Enclosure: Copy of label stamped "Accepted"

055392-00003 D-402481

2/4

Fly B Gone Mineral Block

With RABON® Oral Larvicide for Weaned Cattle and Horses on Pasture

Controls flies in the manure of treated cattle and maintenance horses on pasture.

Prevents development of face flies, horn flies, house flies and stable flies in the manure of treated cattle and horses.

Active Ingredient:

Tetrachlorvinphos* [(Z)-2-Chloro-1-(2,4,5-trichlorophenyl)ethenyl dimethyl ester, phosphoric acid]	0.30%
Other Ingredients**	99.70%
Total	100.00%

*Each pound contains 1.36 grams RABON®

**Refers only to ingredients which are not larvicidal

GUARANTEED ANALYSIS

Crude Protein	(Min)	14.00%
Crude Fat	(Min)	1.00%
Crude Fiber	(Max)	5.00%
Calcium	(Min)	5.50%
Calcium	(Max)	6.50%
Phosphorus	(Min)	1.00%
Salt	(Min)	17.00%
Salt	(Max)	20.40%
Magnesium	(Min)	1.00%
Potassium	(Min)	2.00%
Copper	(Min)	300 PPM
Selenium	(Min)	4.40 PPM
Zinc	(Min)	2,300 PPM
Vitamin A	(Min)	30,000 IU/LB
Vitamin D ₃	(Min)	7,500 IU/LB
Vitamin E	(Min)	25 IU/LB

NON-PESTICIDAL FEED ANALYSIS

FEED INGREDIENTS: Soybean meal, Salt, Wheat middlings, Distillers dried grains with solubles, Cane molasses, Sunflower meal, Dehydrated alfalfa meal, Calcium carbonate, Monocalcium phosphate, Dicalcium phosphate, Potassium chloride, Magnesium mica, Magnesium oxide, Calcium hydroxide, Sulfur, Iron oxide, Ferrous carbonate, Ferrous sulfate, Copper sulfate, Copper oxide, Manganous oxide, Manganese sulfate, Zinc oxide, Zinc sulfate, Cobalt carbonate, Calcium iodate, Sodium selenite, Vitamin A supplement, Vitamin D₃ supplement, Vitamin E supplement, Thiamine mononitrate, Riboflavin supplement, Niacin supplement, Choline chloride, Calcium pantothenate, Pyridoxine hydrochloride, Folic acid, Biotin, Vitamin B₁₂ supplement, Artificial flavor.

ACCEPTED
February 3, 2009
 Under the Federal Insecticide, Fungicide,
 and Rodenticide Act, as amended, for the
 pesticide registered under:

EPA. Reg. No. **55392-3**


Keep Out of Reach of Children

CAUTION

[See back panel for First Aid and additional Precautionary Statements]

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals



3/4

CAUTION: Harmful if swallowed or absorbed through the skin. Causes moderate eye irritation. Avoid breathing dust. Prolonged or frequently repeated skin contact may cause an allergic reaction in some individuals.

**First Aid
Organophosphate**

If swallowed	<ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by a poison control center or doctor. • Do not give anything by mouth to an unconscious person.
If on skin or clothing	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.
If in eyes	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.

Hot Line Number

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For additional information on this pesticide product (including health concerns, medical emergencies or pesticide incidents) you may call 1-800-530-5432 or the National Pesticide Information Center at 1-800-858-7378.

Note to Physician or Veterinarian

Poisoning Symptoms: Symptoms include weakness, headache, tightness in chest, blurred vision, non-reactive pinpoint pupils, salivation, sweating, nausea, vomiting, diarrhea and abdominal cramps.

Treatment: Tetrachlorvinphos is an organophosphate insecticide. If symptoms of cholinesterase inhibition are present, atropine sulfate by injection is antidotal. 2-PAM is also antidotal and may be administered, but only in conjunction with atropine. Atropine is antidotal only if symptoms of cholinesterase inhibition are present.

Personal Protective Equipment (PPE)

Mixers and handlers must wear:

- a long-sleeved shirt
- shoes and socks
- pants
- and chemical-resistant gloves

User Safety Recommendations

Users should wash hands thoroughly with plenty of soap and water before eating, drinking, chewing gum, using tobacco or using the toilet. Users should remove clothing immediately if pesticide gets inside, then wash thoroughly and put on clean clothing. Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

Environmental Hazards

This pesticide is toxic to fish. Do not apply directly to any body of water. Do not contaminate water by cleaning of equipment or disposal of waste.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

USE RESTRICTIONS: RABON® may not be used in combination with other cholinesterase inhibitors.

Fly B Gone Mineral Block prevents the development of face flies, horn flies, house flies and stable flies in the manure of treated cattle and horses. This product is not effective against existing adult flies. When starting a **Fly B Gone Mineral Block** feeding program during the fly season, it is advisable to use other control measures to reduce the population of

4/4

existing adult flies. To achieve optimum fly control, use **Fly Be Gone Mineral Block** in conjunction with other good management/sanitation practices and other supplemental fly control practices as determined to be necessary.

Fly B Gone Mineral Block may be fed to beef cattle (up to slaughter), dairy cattle and horses at the approved rate of 0.83 oz. of block per 100 lbs. body weight per day.

This product is not to be used in horses destined for slaughter. This product contains tetrachlorivnphos, which is a cholinesterase inhibitor. The most frequently reported clinical signs of cholinesterase inhibition in the horse are abnormal pain, lethargy, sweating, tearing and excessive salivation. If these signs are seen in horses, consult your veterinarian immediately. Do not use this product simultaneously or within a week before or after treatment with cholinesterase-inhibiting drugs, pesticides or chemicals. Consult a veterinarian before using this product on debilitated, aged, pregnant or nursing animals. This product has not been tested in breeding horses.

Provide one block per 15-20 head of cattle or horses. Add an additional block when each block has been one-half consumed. Consumption should average 0.83 oz. of the block per 100 lbs. of body weight per head per day. This will supply the recommended average daily intake of 70 mg. RABON® oral larvicide per hundred pounds of body weight. Animals should not be starved for minerals before initiation of the **Fly B Gone Mineral Block** program. Omit all salt from other feed after initiation of the program. Do not feed free choice sources salt or mineral-containing salt in any form. Place near watering and loafing areas. Protect the **Fly B Gone Mineral Block** from rain.

If consumption of the **Fly B Gone Mineral Block** is above 0.83 oz. of the block per 100 lbs. of body weight per day, reduce the number of feeding locations or relocate the blocks. If consumption of the **Fly B Gone Mineral Block** is below 0.83 oz. of the block per 100 lbs. of body weight per day, increase the number of feeding locations. Start feeding **Fly B Gone Mineral Block** early in the spring before flies begin to appear. Continue feeding the block throughout the summer and fall.

Storage and Disposal

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage: Store in a dry place in original container. **Pesticide Disposal:** Wastes resulting from the use of this product may be disposed of on-site or at an approved waste disposal facility. **Container Disposal:** Non-refillable container; do not reuse or refill this container. Offer container for recycling, if available, otherwise dispose of empty wrapper or container in a sanitary landfill or by incineration.

Batch [Lot] Code [Number]: _____

Manufactured by
Manna Pro Corporation
707 Spirit 40 Park Drive, Suite 150
St. Louis, MO 63005

EPA Reg. No. 55392-3 EPA Est. 55392-KS-1

Net Weight: 33 1/3 lbs.

RABON® is a Registered trademark of Boehringer Ingelheim

[] Denotes alternate/optional copy

