 <p>U.S. ENVIRONMENTAL PROTECTION AGENCY Office of Pesticide Programs Registration Division (H7505C) 401 M St., S.W. Washington, D.C. 20460</p> <p><b>NOTICE OF PESTICIDE Registration</b></p> <p>(under FIFRA, as amended)</p>	EPA Reg. Number: <b>55392-4</b>	Date of Issuance: <b>MAR 19 2003</b>
	Term of Issuance: <b>Conditional Registration</b>	
	Name of Pesticide Product: <b>Rabon® Mineral Block for Cattle and Horses</b>	
Name and Address of Registrant (include ZIP Code): <b>Manna Pro Corporation 707 Spirit 40 Park Drive Suite 150 St. Louis, MO 63005</b>		
<b>Note:</b> Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.		
On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act. Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.		

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:

1. Submit and/or cite all data required for registration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for reregistration of your product under FIFRA section 4.

2. Make the following label changes:

- a. Revise the EPA Registration Number to read, EPA Reg. No.55392-4
- b. The Agency requires PPE language for all Rabon products, therefore the following statements must be added to the label:

After the existing Hazards to Humans statements, add the statement,

**“Follow manufacturer’s instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.”**

Insert a new boxed section as follows directly below the Hazards to Humans and Domestic Animals:

<p><b>USER SAFETY RECOMMENDATIONS</b></p> <p><b>Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.</b></p>
---


Signature of Approving Official:	Date:
----------------------------------	-------

3. Submit two copies of the revised final printed label for the record.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Sincerely,

  
George LaRocca  
Product Manager 13  
Insecticide Branch  
Registration Division (7505C)

enclosure

Signature of Approving Official:	Date:
----------------------------------	-------

### RABON® MINERAL BLOCK FOR CATTLE AND HORSES

FOR CONTROL OF FECAL FLIES IN MANURE OF TREATED CATTLE. PREVENTS DEVELOPMENT OF FACE FLIES, HORN FLIES, HOUSE FLIES AND STABLE FLIES IN THE MANURE OF TREATED CATTLE.

FOR CONTROL OF FECAL FLIES IN MANURE OF TREATED HORSES. PREVENTS DEVELOPMENT OF HOUSE FLIES AND STABLE FLIES IN MANURE OF TREATED HORSES.

ACTIVE INGREDIENT	BY WEIGHT
TETRACHLORVINPHOS (CAS #22248-79-9)	0.495%
OTHER INGREDIENTS**	99.505%
<b>TOTAL</b>	<b>100.00%</b>

EACH POUND CONTAINS 2.24 GRAMS RABON®  
\*\*REFERS ONLY TO INGREDIENTS WHICH ARE NOT LARVICIDAL.

#### GUARANTEED ANALYSIS

CRUDE PROTEIN	MIN	10.00 %
CRUDE FAT	MIN	1.00 %
CRUDE FIBER	MAX	5.00 %
CALCIUM	MIN	5.50 %
CALCIUM	MAX	6.50 %
PHOSPHORUS	MIN	4.00 %
SALT	MIN	23.00 %
SALT	MAX	28.00 %
MAGNESIUM	MIN	1.00 %
POTASSIUM	MIN	2.00 %
COPPER	MIN	300 PPM
SELENIUM	MIN	20 PPM
ZINC	MIN	2,300 PPM
VITAMIN A	MIN	100,000 IU/LB
VITAMIN D <sub>3</sub>	MIN	25,000 IU/LB
VITAMIN E	MIN	30 IU/LB

#### INGREDIENTS

SALT, MONOCALCIUM PHOSPHATE, DICALCIUM PHOSPHATE, CORN DISTILLERS DRIED GRAINS WITH SOLUBLES, WHEAT MIDLINGS, CANE MOLASSES, SOYBEAN MEAL, CALCIUM CARBONATE, SUNFLOWER MEAL, CALCIUM HYDROXIDE, YEAST CULTURE, MAGNESIUM MICA, MAGNESIUM OXIDE, MAGNESIUM SULFATE, POTASSIUM CHLORIDE, POTASSIUM SULFATE, FERROUS SULFATE, FERROUS CARBONATE, COPPER SULFATE, MANGANOUS OXIDE, MANGANESE SULFATE, ZINC OXIDE, ZINC SULFATE, COBALT CARBONATE, CALCIUM IODATE, ETHYLENEDIAMINE DIHYDROCHLORIDE, SODIUM SELENITE, VITAMIN A SUPPLEMENT, VITAMIN D<sub>3</sub> SUPPLEMENT, VITAMIN E SUPPLEMENT, THIAMINE MONONITRATE, RIBOFLAVIN SUPPLEMENT, NIACIN SUPPLEMENT, CHOLINE CHLORIDE, CALCIUM PANTOTHENATE, PYRIDOXINE HYDROCHLORIDE, FOLIC ACID, BIOTIN, VITAMIN B<sub>12</sub> SUPPLEMENT, ANISE OIL.

FEEDING DIRECTIONS ON BACK OF TAG  
SEE REVERSE OF TAG FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

**CAUTION: KEEP OUT OF REACH OF CHILDREN.**

**ACCEPTED**  
with COMMENTS  
In EPA Letter Dated:  
MAR 19 2003

*Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No.*

MANUFACTURED BY: 55392-4  
MANNA PRODUCTIONS  
707 SPIRIT 40 PARK DRIVE, SUITE 150  
ST. LOUIS, MO 63005

**PRECAUTIONARY STATEMENTS: HAZARDS TO HUMANS AND DOMESTIC ANIMALS:** HARMFUL IF SWALLOWED OR ABSORBED THROUGH SKIN. CAUSES MODERATE EYE IRRITATION. AVOID CONTACT WITH EYES, SKIN, OR CLOTHING. AVOID BREATHING DUST. PROLONGED OR FREQUENTLY REPEATED SKIN CONTACT MAY CAUSE ALLERGIC REACTION IN SOME INDIVIDUALS. WASH HANDS BEFORE EATING, DRINKING, CHEWING GUM, USING TOBACCO OR USING THE TOILET.

SHOULD NOT BE STARVED FOR MINERALS BEFORE INITIATION OF THE RABON® MINERAL BLOCK PROGRAM. OMIT ALL SALT FROM OTHER FEED AFTER INITIATION OF THE PROGRAM. DO NOT FEED FREE CHOICE SOURCES SALT OR MINERAL CONTAINING SALT IN ANY FORM. PLACE NEAR WATERING AND LOAFING AREAS. PROTECT THE BLOCK FROM RAIN.

IF CONSUMPTION OF THE MINERAL BLOCK IS ABOVE 0.50 OZ OF THE BLOCK PER 100 LBS OF BODY WEIGHT PER DAY, REDUCE THE NUMBER OF FEEDING LOCATIONS OR RELOCATE THE BLOCKS. IF CONSUMPTION OF RABON® MINERAL BLOCK IS BELOW 0.50 OZ OF THE BLOCK PER 100 LBS OF BODY WEIGHT PER DAY, INCREASE THE NUMBER OF FEEDING LOCATIONS. START FEEDING RABON® MINERAL BLOCK EARLY IN THE SPRING BEFORE FLIES BEGIN TO APPEAR. CONTINUE FEEDING THE BLOCK THROUGHOUT THE SUMMER AND FALL.

RABON® MINERAL BLOCK MAY BE FED TO BEEF CATTLE UP TO SLAUGHTER AND DAIRY CATTLE, AT THE APPROVED RATE OF 0.50 OZ OF BLOCK PER 100 LBS BODY WEIGHT PER DAY.

**WARNING:** THIS PRODUCT IS NOT TO BE USED ON HORSES DESTINED FOR SLAUGHTER.

RABON® MINERAL BLOCK PREVENTS THE DEVELOPMENT OF FACE FLIES, HORN FLIES, HOUSE FLIES, AND STABLE FLIES IN THE MANURE OF TREATED CATTLE OR HORSES. THIS PRODUCT IS NOT EFFECTIVE AGAINST EXISTING ADULT FLIES. WHEN STARTING A RABON® MINERAL BLOCK FEEDING PROGRAM DURING THE FLY SEASON, IT IS ADVISABLE TO USE OTHER CONTROL MEASURES TO REDUCE THE POPULATION OF EXISTING ADULT FLIES.

IN ORDER TO ACHIEVE OPTIMUM FLY CONTROL, RABON® MINERAL BLOCK SHOULD BE USED IN CONJUNCTION WITH OTHER GOOD MANAGEMENT, SANITATION PRACTICES, AND OTHER SUPPLEMENTAL FLY CONTROL PRACTICES AS DETERMINED TO BE NECESSARY.

**STORAGE AND DISPOSAL:** DO NOT CONTAMINATE WATER, FOOD, OR FEED BY STORAGE OR DISPOSAL. STORE IN A DRY PLACE IN ORIGINAL CONTAINER.

**CONTAINER DISPOSAL:** DISPOSE OF EMPTY WRAPPER OR CONTAINER IN A SANITARY LANDFILL, BY INCINERATION, OR, IF ALLOWED BY STATE AND LOCAL AUTHORITIES, BY BURNING. IF BURNED, STAY OUT OF SMOKE.

**PESTICIDE DISPOSAL:** WASTE RESULTING FROM THE USE OF THIS PRODUCT MAY BE DISPOSED OF ON-SITE OR AT AN APPROVED WASTE DISPOSAL FACILITY.

**WARNING:** THIS PRODUCT CONTAINS SUPPLEMENTAL COPPER. DO NOT FEED TO SHEEP OR OTHER COPPER-SENSITIVE SPECIES.

FIRST AID	
IF SWALLOWED	-CALL A POISON CONTROL CENTER OR DOCTOR IMMEDIATELY FOR TREATMENT ADVICE. -HAVE PERSON SIP A GLASS OF WATER IF ABLE TO SWALLOW. -DO NOT INDUCE VOMITING UNLESS TOLD TO DO SO BY A POISON CONTROL CENTER OR A DOCTOR. -DO NOT GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON.
IF ON SKIN OR CLOTHING	-TAKE OFF CONTAMINATED CLOTHING. -RINSE SKIN IMMEDIATELY WITH PLENTY OF WATER FOR 15-20 MINUTES. -CALL A POISON CONTROL CENTER OR DOCTOR FOR TREATMENT ADVICE.
IF IN EYES	-HOLD EYE OPEN AND RINSE SLOWLY AND GENTLY WITH WATER FOR 15-20 MINUTES. -REMOVE CONTACT LENSES, IF PRESENT, AFTER THE FIRST 5 MINUTES, THEN CONTINUE RINSING EYES. -CALL A POISON CONTROL CENTER FOR TREATMENT ADVICE.
IF INHALED	-MOVE PERSON TO FRESH AIR. -IF PERSON IS NOT BREATHING, CALL 911 OR AN AMBULANCE, THEN GIVE ARTIFICIAL RESPIRATION, PREFERABLY MOUTH-TO-MOUTH IF POSSIBLE. -CALL A POISON CONTROL CENTER OR DOCTOR FOR FURTHER TREATMENT ADVICE.
HOT LINE NUMBER	
HAVE THE PRODUCT CONTAINER OR LABEL WITH YOU WHEN CALLING A POISON CONTROL CENTER OR DOCTOR, OR GOING FOR TREATMENT. FOR INFORMATION ON THIS PESTICIDE PRODUCT (INCLUDING HEALTH CONCERNS, MEDICAL EMERGENCIES, OR PESTICIDE INCIDENTS), CALL THE NATIONAL PESTICIDE INFORMATION CENTER AT 1-800-858-7378.	

**ENVIRONMENTAL HAZARDS:** THIS PRODUCT IS TOXIC TO FISH. DO NOT APPLY DIRECTLY TO WATER.

**DIRECTIONS FOR USE:** IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING. RABON® MAY NOT BE USED IN COMBINATION WITH OTHER CHOLINESTERASE INHIBITORS. PROVIDE ONE BLOCK PER 15-20 HEAD OF CATTLE OR HORSES. ADD AN ADDITIONAL BLOCK WHEN EACH BLOCK HAS BEEN ONE-HALF CONSUMED. CONSUMPTION SHOULD AVERAGE 0.50 OZ. OF THE BLOCK PER 100 LBS OF BODY WEIGHT PER HEAD PER DAY. THIS WILL SUPPLY THE RECOMMENDED AVERAGE DAILY INTAKE OF 70 MG RABON® ORAL LARVICIDE PER 100 LBS OF BODY WEIGHT. ANIMALS

**MANUFACTURED BY:**  
MANNA PRO CORPORATION  
707 SPIRIT 40 PARK DRIVE, SUITE 150  
ST. LOUIS, MO 63005

PI CODE: 072602

EPA REG NO: 55392-U  
EPA EST. NO: 55392-KS-001