

55392-4

7/18/2007

Page 1 of 2 (2)

**RABON® MINERAL BLOCK
FOR CATTLE AND HORSES**

FOR CONTROL OF FECAL FLIES IN MANURE OF TREATED CATTLE. PREVENTS
DEVELOPMENT OF FACE FLIES, HORN FLIES, HOUSE FLIES AND STABLE FLIES IN THE
MANURE OF TREATED CATTLE.

FOR CONTROL OF FECAL FLIES IN MANURE OF TREATED HORSES. PREVENTS
DEVELOPMENT OF HOUSE FLIES AND STABLE FLIES IN MANURE OF TREATED HORSES.

ACTIVE INGREDIENT	BY WEIGHT
TETRACHLORVINPHOS (CAS #22248-79-9)	0.495%
OTHER INGREDIENTS**	99.505%

TOTAL 100.00%

EACH POUND CONTAINS 2.24 GRAMS RABON®

**REFERS ONLY TO INGREDIENTS WHICH ARE NOT LARVICIDAL.

GUARANTEED ANALYSIS		
CRUDE PROTEIN	MIN	10.00 %
CRUDE FAT	MIN	1.00 %
CRUDE FIBER	MAX	5.00 %
CALCIUM	MIN	5.50 %
CALCIUM	MAX	6.50 %
PHOSPHORUS	MIN	4.00 %
SALT	MIN	23.00 %
SALT	MAX	28.00 %
MAGNESIUM	MIN	1.00 %
POTASSIUM	MIN	2.00 %
COPPER	MIN	300 PPM
SELENIUM	MIN	20 PPM
ZINC	MIN	2,300 PPM
VITAMIN A	MIN	100,000 IU/LB
VITAMIN D ₃	MIN	25,000 IU/LB
VITAMIN E	MIN	30 IU/LB

INGREDIENTS

SALT, MONOCALCIUM PHOSPHATE, DICALCIUM PHOSPHATE, CORN DISTILLERS DRIED GRAINS WITH SOLUBLES, WHEAT MIDDINGS, CANE MOLASSES, SOYBEAN MEAL, CALCIUM CARBONATE, SUNFLOWER MEAL, CALCIUM HYDROXIDE, YEAST CULTURE, MAGNESIUM MICA, MAGNESIUM OXIDE, MAGNESIUM SULFATE, POTASSIUM CHLORIDE, POTASSIUM SULFATE, FERROUS SULFATE, FERROUS CARBONATE, COPPER SULFATE, MANGANOUS OXIDE, MANGANESE SULFATE, ZINC OXIDE, ZINC SULFATE, COBALT CARBONATE, CALCIUM IODATE, ETHYLENEDIAMINE DIHYDRIDIDE, SODIUM SELENITE, VITAMIN A SUPPLEMENT, VITAMIN D₃ SUPPLEMENT, VITAMIN E SUPPLEMENT, THIAMINE MONONITRATE, RIBOFLAVIN SUPPLEMENT, NIACIN SUPPLEMENT, CHOLINE CHLORIDE, CALCIUM PANTOTHENATE, PYRIDOXINE HYDROCHLORIDE, FOLIC ACID, BIOTIN, VITAMIN B₁₂ SUPPLEMENT, ANISE OIL.

FEEDING DIRECTIONS ON BACK OF TAG
SEE REVERSE OF TAG FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

CAUTION: KEEP OUT OF REACH OF CHILDREN.

EPA REG NO: 55392-4
EPA EST. NO: 55392-KS-001

MANUFACTURED BY:
MANNA PRO CORPORATION
707 SPIRIT 40 PARK DRIVE, SUITE 150
ST. LOUIS MO 63005
PI CODE: 80-01-7534-0433-031007

ACCEPTED

JUL 18 2007

Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under
EPA Reg. No. 55392-4

2 32 (3)

PRECAUTIONARY STATEMENTS: HAZARDS TO HUMANS AND DOMESTIC ANIMALS: HARMFUL IF SWALLOWED OR ABSORBED THROUGH SKIN. CAUSES MODERATE EYE IRRITATION. AVOID CONTACT WITH EYES, SKIN, OR CLOTHING. AVOID BREATHING DUST. PROLONGED OR FREQUENTLY REPEATED SKIN CONTACT MAY CAUSE ALLERGIC REACTION IN SOME INDIVIDUALS. WASH HANDS BEFORE EATING, DRINKING, CHEWING GUM, USING TOBACCO OR USING THE TOILET. FOLLOW MANUFACTURER'S INSTRUCTIONS FOR CLEANING/MAINTAINING PPE. IF NO SUCH INSTRUCTIONS FOR WASHABLES, USE DETERGENT AND HOT WATER. KEEP AND WASH PPE SEPARATELY FROM OTHER LAUNDRY.

USER SAFETY RECOMMENDATIONS
USERS SHOULD REMOVE PPE IMMEDIATELY AFTER HANDLING THIS PRODUCT. WASH THE OUTSIDE OF GLOVES BEFORE REMOVING. AS SOON AS POSSIBLE, WASH THOROUGHLY AND CHANGE INTO CLEAN CLOTHING.

FIRST AID	
IF SWALLOWED	-CALL A POISON CONTROL CENTER OR DOCTOR IMMEDIATELY FOR TREATMENT ADVICE. -HAVE A PERSON SIP A GLASS OF WATER IF ABLE TO SWALLOW. -DO NOT INDUCE VOMITING UNLESS TOLD TO DO SO BY A POISON CONTROL CENTER OR A DOCTOR.
IF ON SKIN OR CLOTHING	-TAKE OFF CONTAMINATED CLOTHING. -RINSE SKIN IMMEDIATELY WITH PLENTY OF WATER FOR 15-20 MINUTES. -CALL A POISON CONTROL CENTER OR DOCTOR FOR TREATMENT ADVICE.
IF IN EYES	-HOLD EYE OPEN AND RINSE SLOWLY AND GENTLY WITH WATER FOR 15-20 MINUTES. -REMOVE CONTACT LENSES, IF PRESENT, AFTER THE FIRST 5 MINUTES, THEN CONTINUE RINSING EYES. -CALL A POISON CONTROL CENTER FOR TREATMENT ADVICE.
IF INHALED	-MOVE PERSON TO FRESH AIR. -IF PERSON IS NOT BREATHING, CALL 911 OR AN AMBULANCE, THEN GIVE ARTIFICIAL RESPIRATION, PREFERABLY MOUTH-TO-MOUTH IF POSSIBLE. -CALL A POISON CONTROL CENTER OR DOCTOR FOR FURTHER TREATMENT ADVICE.
HOT LINE NUMBER	
HAVE THE PRODUCT CONTAINER OR LABEL WITH YOU WHEN CALLING A POISON CONTROL CENTER OR DOCTOR, OR GOING FOR TREATMENT. FOR INFORMATION ON THIS PESTICIDE PRODUCT (INCLUDING HEALTH CONCERNS, MEDICAL EMERGENCIES, OR PESTICIDE INCIDENTS), CALL THE NATIONAL PESTICIDE INFORMATION CENTER AT 1-800-858-7378.	

ENVIRONMENTAL HAZARDS: THIS PRODUCT IS TOXIC TO FISH. DO NOT APPLY DIRECTLY TO WATER.

DIRECTIONS FOR USE: IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING. RABON® MAY NOT BE USED IN COMBINATION WITH OTHER CHOLINESTERASE INHIBITORS. PROVIDE ONE BLOCK PER 15-20 HEAD OF CATTLE OR HORSES. ADD AN ADDITIONAL BLOCK WHEN EACH BLOCK HAS BEEN ONE-HALF CONSUMED. CONSUMPTION SHOULD AVERAGE 0.50 OZ. OF THE BLOCK PER 100 LBS OF BODY WEIGHT PER HEAD PER DAY. THIS WILL SUPPLY THE RECOMMENDED AVERAGE DAILY INTAKE OF 70 MG RABON® ORAL LARVICIDE PER 100 LBS OF BODY WEIGHT. ANIMALS SHOULD NOT BE STARVED FOR MINERALS BEFORE INITIATION OF THE RABON® MINERAL BLOCK PROGRAM.

OMIT ALL SALT FROM OTHER FEED AFTER INITIATION OF THE PROGRAM. DO NOT FEED FREE CHOICE SOURCES SALT OR MINERAL CONTAINING SALT IN ANY FORM. PLACE NEAR WATERING AND LOAFING AREAS. PROTECT THE BLOCK FROM RAIN.

IF CONSUMPTION OF THE MINERAL BLOCK IS ABOVE 0.50 OZ OF THE BLOCK PER 100 LBS OF BODY WEIGHT PER DAY, REDUCE THE NUMBER OF FEEDING LOCATIONS OR RELOCATE THE BLOCKS. IF CONSUMPTION OF RABON® MINERAL BLOCK IS BELOW 0.50 OZ OF THE BLOCK PER 100 LBS OF BODY WEIGHT PER DAY, INCREASE THE NUMBER OF FEEDING LOCATIONS. START FEEDING RABON® MINERAL BLOCK EARLY IN THE SPRING BEFORE FLIES BEGIN TO APPEAR. CONTINUE FEEDING THE BLOCK THROUGHOUT THE SUMMER AND FALL.

RABON® MINERAL BLOCK MAY BE FED TO BEEF CATTLE UP TO SLAUGHTER AND DAIRY CATTLE, AT THE APPROVED RATE OF 0.50 OZ OF BLOCK PER 100 LBS BODY WEIGHT PER DAY.

WARNING: THIS PRODUCT IS NOT TO BE USED ON HORSES DESTINED FOR SLAUGHTER.

THIS PRODUCT CONTAINS TETRACHLORVINPHOS, WHICH IS A CHOLINESTERASE INHIBITOR. THE MOST FREQUENTLY REPORTED CLINICAL SIGNS OF CHOLINESTERASE INHIBITION IN THE HORSE ARE ABDOMINAL PAIN, LETHARGY, SWEATING, TEARING AND EXCESSIVE SALIVATION. IF THESE SIGNS ARE SEEN IN HORSE, CONSULT YOUR VETERINARIAN IMMEDIATELY. DO NOT USE THIS PRODUCT SIMULTANEOUSLY OR WITHIN A WEEK BEFORE OR AFTER TREATMENT WITH CHOLINESTERASE INHIBITING DRUGS, PESTICIDES OR CHEMICALS. CONSULT A VETERINARIAN BEFORE USING THIS PRODUCT ON DEBILITATED, AGED, PREGNANT OR NURSING ANIMALS. THIS PRODUCT HAS NOT BEEN TESTED IN BREEDING HORSES.

RABON® MINERAL BLOCK PREVENTS THE DEVELOPMENT OF FACE FLIES, HORN FLIES, HOUSE FLIES, AND STABLE FLIES IN THE MANURE OF TREATED CATTLE OR HORSES. THIS PRODUCT IS NOT EFFECTIVE AGAINST EXISTING ADULT FLIES. WHEN STARTING A RABON® MINERAL BLOCK FEEDING PROGRAM DURING THE FLY SEASON, IT IS ADVISABLE TO USE OTHER CONTROL MEASURES TO REDUCE THE POPULATION OF EXISTING ADULT FLIES.

IN ORDER TO ACHIEVE OPTIMUM FLY CONTROL, RABON® MINERAL BLOCK SHOULD BE USED IN CONJUNCTION WITH OTHER GOOD MANAGEMENT, SANITATION PRACTICES, AND OTHER SUPPLEMENTAL FLY CONTROL PRACTICES AS DETERMINED TO BE NECESSARY.

STORAGE AND DISPOSAL: DO NOT CONTAMINATE WATER, FOOD, OR FEED BY STORAGE OR DISPOSAL. STORE IN A DRY PLACE IN ORIGINAL CONTAINER.

CONTAINER DISPOSAL: DISPOSE OF EMPTY WRAPPER OR CONTAINER IN A SANITARY LANDFILL, BY INCINERATION, OR, IF ALLOWED BY STATE AND LOCAL AUTHORITIES, BY BURNING. IF BURNED, STAY OUT OF SMOKE.

PESTICIDE DISPOSAL: WASTE RESULTING FROM THE USE OF THIS PRODUCT MAY BE DISPOSED OF ON-SITE OR AT AN APPROVED WASTE DISPOSAL FACILITY.

WARNING: THIS PRODUCT CONTAINS SUPPLEMENTAL COPPER. DO NOT FEED TO SHEEP OR OTHER COPPER-SENSITIVE SPECIES.

MANUFACTURED BY:
MANNA PRO CORPORATION
707 SPIRIT 40 PARK DRIVE, SUITE 150
ST. LOUIS, MO 63005

PI CODE: 80-01-7534-0433-031607

EPA REG NO: 55392-4
EPA EST. NO: 55392-KS-001