

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
WARNING**

May be fatal if swallowed. May be absorbed through skin. Harmful if inhaled. Causes eye and skin irritation. Do not get in eyes, on skin or on clothing.

Wash hands, arms, and face thoroughly with soap after handling and before eating or smoking. Routinely shave or bathe after working and wash all clothing with soap and hot water before re-use. During exposure in seed treatment and loading operations wear goggles, clean synthetic fiber gloves, protective clothing, and a pesticide respirator jointly approved by the Mining Enforcement and Safety Administration (formerly the U.S. Bureau of Mines) and by the National Institute for Occupational Safety and Health under the provisions of 30 CFR part 11.

Avoid contamination of feed and foodstuffs. Do not store with food. Do not store with feed or storage to be fed in dairy animals or to animals being finished for slaughter.

Treated seed must not be used for or mixed with food or animal feed, or processed for oil. Treat only those seeds needed for immediate use, minimizing the interval between treatment and planting. Do not store excess treated seeds beyond planting time. Seed commercially treated with this product must be labeled in accord with all applicable requirements of the Federal Seed Act.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds, and other wildlife. Exposed treated seeds may be fatal to birds and other wildlife. Dispose of all excess treated seeds by burial away from bodies of water. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Treated seed must not be used for or mixed with food or animal feed, or processed for oil. Treat only those seeds needed for immediate use, minimizing the interval between treatment and planting time.

Mix thoroughly before use or use entire container at one time. Haynes Flowable Lindane 40% may be tank mixed with V-Havex 200 Flowable Fungicide, at the respective labeled rate. All other tank mixes should be pre-tested to determine physical compatibility between formulations. Observe all cautions and limitations on labeling of all products used in mixtures.

This product is to be used in liquid or starchy treaters.

The Federal Food and Drug Administration has set official tolerances for certain pesticides. Since, in order that residues on food and foreign crops will not exceed established tolerances, use only at recommended rates.

Treated seed must not be used for or mixed with food or animal feed, or processed for oil. Seed commercially treated with Haynes Flowable Lindane 40% must be labeled in accordance with all applicable requirements of the Federal Seed Act.

STORAGE AND DISPOSAL

"Do not contaminate water, food or feed by storage or disposal."

STORAGE: Store in a cool place. Do not store in direct sunlight. Protect from freezing temperatures.

PESTICIDE DISPOSAL: Pesticides, spray mixtures, or rinse water that cannot be used according to label instructions must be disposed of according to Federal or approved state procedure under Subtitle C of the Resource Conservation and Recovery Act.

CONTAINER DISPOSAL: Triple rinse (2 quarts each). Then offer for recycling or incinerating, or dispose of in a sanitary landfill, or by incineration if allowed by state and local authorities.

ACCEPTED


March 7 1988

Received Under
EPA Reg. No. 91-46-3

SUPERSEDED
MAR 16 1984

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticides
registering under EPA Reg. No.

10912-23



ACTIVE INGREDIENT:

Lindane (Gamma Isomer of Benzene Hexachloride) 40%

INERT INGREDIENTS 60%

100%

This product contains 4 lbs. of Lindane per gallon.

KEEP OUT OF REACH OF CHILDREN

WARNING

STATEMENT OF PRACTICE TREATMENT

IF SWALLOWED: Call a physician or Poison Control Center immediately. Drink one or two glasses of water and induce vomiting by touching the back of throat with finger. Repeat until vomit fluid is clear. Do not induce vomiting or give anything by mouth to an unconscious person.

IF INHALED: Remove victim to fresh air. Apply artificial respiration if indicated.

IF ON SKIN: Remove contaminated clothing and wash affected areas with soap and water.

IF IN EYES: Flush eyes with plenty of water. Call a physician immediately.

**FOR AGRICULTURAL USE OR FOR USE BY
COMMERCIAL SEED TREATERS ONLY.**

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

EPA Reg. No. 10912 MN-1
EPA Reg. No. 10912-23

Manufactured by Haynes Chemical Co.
P.O. Box 30 — East Grand Forks, MN 56721

Net Contents 5 Gallons

DIRECTIONS

Haynes Flowable Lindane 40% will
from wireworms and seed corn ma-

Dosage Rate/100

Seed of S

Corn 4.0 fl.

Pea 2.0 fl.

Sorghum 1.0 fl.

Wheat, Rye, Oats 1.0 fl.

Cucumbers, Watermelons,

Cantaloupes, Squash 3.6 fl.

Sudan Grass 0.8 fl.

Cabbage, Cauliflower,

Broccoli, Brussels

Sprouts 3.6 fl.

Carrots Onions 2.0 fl.

NOTE: The purchaser of this prod
treated with this product are adequ
accidental use as food for man or fe
dye added to treated seed must be

Labels for commercially treated see
Environmental Hazards statements.

"Expose" treated seed may be
Dispose of all excess treated see
bodies of water."

WARRANTY

Haynes Chemical Co. warrants that t
tion on the label and is reasonably l
used in accordance with direction
Haynes Chemical Co. neither makes
to make any other warranty of any
representation, expressed or implied.

BEST AVAILABLE COPY