

OS-01-2012 DIMENTAL PROTECTION AGENCY

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

5.1-12

Robert Ridsdale Tenkoz 100 North Point Center E. Suite 330 Alpharetta, GA 30022-8242

Subject:

Supplemental Label Amendment / Buccaneer Glyphosate Herbicide

EPA Reg. No.: 55467-10

Dear Mr. Ridsdale:

The supplemental label referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable.

Submit one copy of the final printed label for the record before you release the product for shipment. A stamped copy of the label is enclosed for your records. This supplemental label must be incorporated within the master label within 18 months. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions. If you have any questions please call Erik Kraft at 703-308-9358 or email at Kraft.Erik@epa.gov.

Sincerely,

Kable Bo Davis Product Manager 25 Herbicide Branch

Registration Division (7505P)

SUPPLEMENTAL LABELING

READ THE ENTIRE LABEL FOR BUCCANEER GLYPHOSATE HERBICIDE BEFORE PROCEEDING WITH THE USE DIRECTIONS CONTAINED IN THIS SUPPLEMENTAL LABELING.

When using BUCCANEER GLYPHOSATE HERBICIDE as permitted according to this supplemental labeling, read and follow all applicable directions, restrictions, and precautions on the label booklet provided with the pesticide container and on this supplemental labeling. This supplemental labeling must be in the possession of the user at the time of pesticide application.

This supplemental label expires May 30, 2015 and may not be used beyond that date.

BUCCANEER GLYPHOSATE HERBICID

EPA Reg. No. 55467-10

Buccaneer is a trademark used under license.

5-1-12

registered under EPA Reg. No. S

Under the Federal Insecticide, Fungicide, and Redenticide Act.

as amended, for the pesticide

FOR USE IN DORMANT ALFALFA

Keep out of reach of children. WARNING! AVISO!

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.) In case of emergency involving this product, call day or night, 1-800-424-9300.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in any manner inconsistent with its labeling. This label must be in the possession of the user at the time of application. AVOID CONTACT OF HERBICIDE WITH FOLIAGE, GREEN STEMS, EXPOSED NON-WOODY ROOTS OR FRUIT OF CROPS, (EXCEPT AS SPECIFIED FOR INDIVIDUAL ROUNDUP READY® CROPS) DESIRABLE PLANTS AND TREES, BECAUSE SEVERE INJURY OR DESTRUCTION MAY RESULT.

See "PRODUCT INFORMATION" and "MIXING" sections of the label booklet for BUCCANEER GLYPHOSATE HERBICIDE for essential product performance information. See "Alfalfa, Clover, and other Forage Legumes" section of the label booklet for other uses in alfalfa.

USE DIRECTIONS

Use in Dormant Alfalfa

USE INSTRUCTIONS: This product will control or suppress many weeds including quackgrass, downy brome, and cheatgrass in dormant alfalfa. Apply 8 to 12 ounces per acre of this product. Apply in the spring to alfalfa that is dormant. Applications should be made after spring temperatures have warmed enough to encourage resumption of weed growth, but prior to initiation of trifoliate leaf expansion of the alfalfa. Applications made after expansion of the first trifoliate leaf of the alfalfa will cause growth reduction and reduced crop yield.

RESTRICTIONS: Do not use ammonium sulfate when spraying dormant alfalfa with BUCCANEER GLYPHOSATE HERBICIDE. Do not use this product where a slight yield reduction in the first cutting of alfalfa cannot be tolerated. Do not make more than one application per year. Allow 36 hours after application before grazing livestock or harvesting.

3

PRECAUTIONS: Slight discoloration of the alfalfa may occur, but the alfalfa will regreen and regrow under moist soil conditions as effects of this product wear off. Application of this product can cause crop injury. To the extent consistent with applicable law, any crop injury is the sole responsibility of the applicator.

Read the "LIMIT OF WARRANTY AND LIABILITY" in the label booklet for BUCCANEER GLYPHOSATE HERBICIDE before using. These terms apply to this supplemental labeling and if these terms are not acceptable, return the product unopened at once.

Tenkoz, Inc. 1725 Windward Concourse, Suite 410 Alpharetta, GA 30005

04/26/12