ATTACHMENT IS APPLICABLE
SIGNATURE OF APPROVING OFFICIAL

center immediately.

2/4

A stamped copy of the product label is enclosed for your records. Submit one copy of the final printed label before releasing the product in channels of trade with the revised labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

C

Ruth G. Douglas Product Manager (32) Antimicrobial Program Branch Registration Division (7505C)

# B's Pool Supply Sodium Hypochlorite Solution

## "FOR SWIMMING POOL CHLORINATION AND SANITIZING"

ACTIVE INGREDIENT:
SODIUM HYPOCHLORITE 12.5%
INERT INGREDIENTS 87.6%

# DANGER

"Statement of Practical Treatment (First Aid)

. "If swallowed, drink large amounts of water. Do not induce vomiting. Call a physician or poison control center immediately."

See additional precautions on side panel.

## NET CONTENTS 1 GALLON

with CONTOURS for Please and the

SEP 30 1994

7

#### **DIRECTIONS FOR USE**

## IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.

#### SWIMMING POOL WATER DISINFECTION

For a new pool or spring start-up, superchlorinate with 52 to 104 oz. of product for each 10,000 gallons of water to yield 5 to 10 ppm available chlorine by weight. Clieck the level of available chlorine with a test kit. Adjust and maintain pool water pH to between 7.2 to 7.8. Adjust and maintain the alkatinity of the pool to between 50 to 100 ppm.

To maintain the pool, add manually or by a feeder device 11 oz. of this product for each 10,000 gallons of water to yield an available chlorine residual between 0.6 to 1.0 ppm by weight. Stabilized pools should maintain a residual of 1.0 to 1.5 ppm available chlorine. Test the pH, available chlorine residual and alkalinity of the water frequently with appropriate test kits. Frequency of water treatment will depend upon temperature and number of awimmers.

Every 7 days, or as necessary, superchiorinate the pool with 52 to 104 oz, of product for each 10,000 gallons of water to yield 5 to 10 ppm available chiorine by weight. Check the level of available chiorine with a test kit. Do not reenter pool until the chiorine residual is between 1.0 to 3.0 ppm.

At the end of the swimming pool season or when water is to be drained from the pool, chlorine must be allowed to dissipate from treated pool water before discharge. Do not chlorinate the pool within 24 hours prior to discharge.

Winterizing Pools — While water is still clear and clean, apply 3 oz. of product per 1000 gallons, white filter is running, to obtain a 3 ppm available chlorine residual, as determined by a suitable test kit. Cover pool, prepare heater, filter and heater components for winter by following manufacturers' instructions.

See manufacturer for additional uses and directions.

NOTE: This product degrades with age. Use a chlorine test kit and increase dosage, as nacessary, to obtain the required level of available chlorine.

STORAGE AND DISPOSAL: Store in a cool, dry area away from direct sunlight. In case of splil, flood area with large quantities of water. Rinse empty container thoroughly with water and either return to manufacturer or discard by placing in trash collection.

Product or rinsate that cannot be used should be diluted with water and disposed of in a senitary sewer. Do not contaminate food, or feed by storage, disposal or cleaning of equipment.

#### STORE IN UPRIGHT POSITION

# PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: Corrosive, may cause severe skin irritation or chemical burns to broken skin. Causes eye damage. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling this product. Wash after handling. Avoid breathing vapors. Vacate poorly ventilated areas as soon as possible. Do not return until odors have dissipated.

#### **ENVIRONMENTAL HAZARDS:**

This pesticide is toxic to fish and aquatic organisms. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or public waters unless this product is specifically indentified and adressed in an NPDES permit. Do not discharge effluent containing this product to sewer systems without previously notifying the sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

### PHYSICAL AND CHEMICAL HAZARDS:

STRONG OXIDIZING AGENT: Mix only with water according to label directions. Mixing this product with gross filth such as feces, urine, etc., or with ammonia, acids, detergents or other chemicals may release hazardous gases irritating to eyes, lungs and mucous membranes.

Manufactured By

B's Pool Supply

Untario, CA 91761

EPA REG. NO. 55487-20001

EPA EST. NO. 55487-CA-001

**DOT SHIPPING NAME:** 

12.5% SODIUM HYPOCHLORITE SOLUTION UN1791 CORROSIVE MATERIAL. DOT-E-6614

SEP 30 1994

35489-20c6

