LATEN 3501

ACCEPTED

MAR 1 4 1986

Under the Federal Insecticide, Funginitie, and Rodenticide Act, as amended, for the posticide regulated under 54497

ACTIVE INGREDIENTS: Disodium cyanodithioimidocarbonate 3.68 % Potassium N-methyldithiocarbamate 5.07 % INERT INGREDIENTS 91.25 % TOTAL 100.0 %

This product contains $\underline{0.77}$ lb. of active ingredients per gallon and weighs $\underline{8.81}$ lb. per gallon.

KEEP OUT OF REACH OF CHILDREN

WARNING

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING: Causes eye damage and skin irritation. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed. Avoid contamination of food.

STATEMENT OF PRACTICAL TREATMENT: In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse at syallowed, call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce yorkiting by touching tack of the at with linger. Do not induce vomiting or give anything by mouth to an unconscious person.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish. Do not discharge effluent containing this active ingredient into lakes, streams, gonds estuaties, oceans, or public waters unless this product is specifically identified and addressed in an APDES permit. Do not discharge effluent containing this product to sewer systems without previously notifying the sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a ma sistent with its labeling.	ınner incon-

_Laten 3501	is used to control algae and bacteria
systems must be cleaned to remother deposits. An initial slug add	dustrial water cooling towers. Prior to its use, nove algal growth, microbiological slime, and lition of 6.9 to 13.9 fluid ounces per 1000 gallons of water is record
mended. Repeat initial dosage un Subsequent slug additions of	
every 1 to 5 days, or as needed.	The frequency of addition depends upon the eseverity of the microbiological problem. Slug

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

STORAGE: Do not expose to extreme temperatures. Do not stack more than five drums high. Drums should be opened in well-ventilated areas. Leaking or damaged drums should be placed in overpack drums for disposal. Spills should be absorbed in sawdust or sand and disposed of in a sanitary landfill. Keep container closed when not in use.

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Wastepresentative at your EPA Regional Office for guidance.

CONTAINER DISPOSAL:

- ☐ METAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.
- ☐ PLASTIC: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

Manufactured by:				
	Laten Chemical Corp.			
_	2525 American Lane	•		
	Elk Grove Village, IL	60007		
EPA REG	. NO	EPA EST. NO		
				-

NET CONTENTS.