SIGNATURE OF APPROVING OFFICIAL

DATE

EPA Form 8570-6 (Rev. 5-76)

PREVIOUS EDITION MAY BE USED UNTIL SUPPLY IS EXHAUSTED.

manner inconsistent with its labeling." (Refer to 162.10(i)(2)).

Under the heading "Directions for Use" insert the statement "It is a violation of Federal law to use this product in a

(Refer to 162.10(i)(D)).

- e. Insert on the front panel the statement "Keep Out of Reach of Children." (Refer to 162.10(h)(1)(ii)).
- f. Incorporate on the front panel the Ingredient Statement as follows:

Refer to 162.10(g)(1) and (2).

- g. Include on the front panel the net weight of contents. (Refer to 162.10(d)).
- h. Zinc is active as a "fungistat" rather than as a "fungicide."
  The label claims "Killer" and "Kills" must be deleted. These claims should read, "Moss inhibitor" and "Inhibits growth of moss and fungi."
- 3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Lois A. Rossi Acting Product Manager (21) Fungicide-Herbicide Branch Registration Division (TS-767C)

Enclosures

Finder the Fee: Progressed and to senended, for senender under 555 00

STOP

LIFETIME ZINC

FOR WOOD, COMPOSITION OR TILE ROOFS

Rain water time-releases zinc oxide, a 100° natural tungistat

Won't harm plants keeps root beautiful

Sox 46337 • Seattle WA 98146 IN U.S.A.



Apply Z-STOP along each side of ridge cap and below anything that blocks rain water flow, like chimney, gables vents, pipes, skylights. Nad at high points, approximately even toot with neoprene-washered galvanized or aluminum nails. On rook with heavy moss growth remove moss by pressure water blasting or brushing, then install Z-STOP to keep it from growing back.