

REG # 545 11-2
12/15
P 1/5

US ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (15-767) WASHINGTON, DC 20460	EPA REGISTRATION NO. 50092	DATE OF ISSUANCE DEC 15 1986
	TERM OF ISSUANCE	
	NAME OF PESTICIDE PRODUCT	

NOTICE OF PESTICIDE: REGISTRATION
 (Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended)

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

[]

[]

160 / 170731
15 / 1

NOTE: Changes in labeling, formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an endorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

The product is conditionally registered in accordance with FIFRA section 2(c)(2)(c) provided that you:

1. submit/continue to submit requests for registration/reregistration every second year under FIFRA section 2(c)(2) until the Agency requires alternative data and/or products to submit such data.

2. file a copy of the label with the Agency in accordance with the FIFRA regulations.

3. file a copy of the label with the State of [State Name].

4. place a separate label as required by "Product Labeling" of 40 CFR 155.24.

5. place the wording "Ecozing Directions" in its place and "Directions for Use."

6. add a "1" to the word "spray," second page, seventh paragraph.

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL	DATE 12/15/86
---------------------------------	------------------

- e. Preceding the word "CAUTION" on the cond page, add the following heading and statement:

Precautionary Statements
Hazards to Humans

- f. Delete "Keep out of lakes, streams" In its place, add "Do not apply directly to water or wetlands."

3. The following comments pertain to our chemistry review.

- a. Please provide certified limits for all ingredients listed on the Confidential Statement of Formula Form (new CSF Form enclosed).
- b. Provide the analytical method for analysis of Rabon or cite a method with an Accession Number.

4. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

George T. LaRocca
Product Manager (15)
Insecticide-Rodenticide Branch
Registration Division (TS-767C)

Enclosures

PS. Change "Ingredients" to "Feed Ingredients" on second page

1 3/5

SPRINT 12 ROL

HORSE FEED

(CONTAINS RABON ORAL LARVICIDE)

To prevent the development of House Flies and Stable Flies in the manure of treated horses.

<u>ACTIVE INGREDIENT:</u>	<u>BY WEIGHT</u>
2-chloro-1-(2,4,5-trichlorophenyl) vinyl dimethyl phosphate	0.04%*
INERT INGREDIENTS	99.96%**
TOTAL	100.00%

* RABON Insecticide - contains 18.2 g of RABON per pound.
**Refers only to ingredients which are not larvicidal.

RABON is the registered trademark of Shell Oil Company.

GUARANTEED ANALYSIS

Crude Protein	Minimum	12.00%
Crude Fat	Minimum	1.00%
Crude Fiber	Maximum	9.00%
Vitamin A	Minimum USP Units/lb.	4,000
Vitamin D3	Minimum USP Units/lb.	1,000
Vitamin E	Minimum INT Units/lb.	8

INGREDIENTS

Grain products, plant protein products, processed grain by-products, cane molasses, dicalcium phosphate, monocalcium phosphate, calcium carbonate, salt, potassium sulfate, magnesium sulfate, zinc oxide, manganous oxide, copper oxide, iron carbonate, cobalt carbonate, ethylenediamine dihydriodide, yeast culture, vitamin A supplement, vitamin D3 supplement, vitamin E supplement, menadione sodium bisulfite complex, choline chloride, riboflavin supplement, calcium pantothenate, niacin, vitamin B12 supplement, sodium selenite.

KEEP OUT OF REACH OF CHILDREN

CAUTION

See reverse of tag for additional precautionary statements.

EPA Reg. No. _____

EPA Est. No. _____

Registered under EPA Reg. No. 55591-2

1-11/8

Product Number 415

FEEDING DIRECTIONS

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Sprin 12 ROL horse feed is specially formulated with Rabon to prevent the development of house fly and stable fly larvae in the manure of treated horses. When fed, this product passes through the digestive system into the animal's manure where it kills fly larvae on contact shortly after fly eggs hatch. Start feeding this larvicidal feed early in the spring before flies begin to appear and continue feeding throughout the summer and into the fall until cold weather restricts fly activity.

This horse feed is to be fed at a rate to provide 70mg. of Rabon per 100 pounds of bodyweight. The optimum larvicidal quantity of Rabon will be provided by feeding 1 pound of this product per 250 pounds of body weight per day. (Equivalent of 2 lbs./500 lb. horse; 3 lbs./750 lb. horse; 4 lbs./1000 lb. horse; 6 lbs./1500 lb. horse.) Supplement the horse's ration with non-larvicidal feeds or roughages as needed. All horses should be treated.


This horse feed is not effective against existing adult flies. In some cases, supplemental fly control measures may be needed in and around the stable area to control adult flies which breed in decaying vegetable matter or in other localities. To achieve optimum fly control, this product should be used in conjunction with other good management and sanitation practices.

CAUTION

Keep out of reach of children. Harmful if swallowed. Avoid contact with skin and eyes. Avoid breathing dust. Wash thoroughly with soap and water after handling and before eating or smoking. If in eyes, wash with plenty of water. If irritation persists, see a physician.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Keep out of lakes, streams and ponds. Do not contaminate water by cleaning of equipment or disposal of wastes.



STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. STORAGE: Store in a dry place in original container. CONTAINER DISPOSAL: Completely empty bag. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke. PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on-site at an approved waste disposal facility.

