

Unconditional

NAME OF PESTICIDE PRODUCT

Condor® G Bioinsecticide

NOTICE OF PESTICIDE:  REGISTRATION  
 REREGISTRATION

(Under the Federal Insecticide, Fungicide,  
and Rodenticide Act, as amended)

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

Ecogen Inc.  
2005 Cabot Blvd. West  
Langhorne, PA 19047

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is unconditionally registered in accordance with FIFRA section 3(c)(5). Once a pesticide is registered, however, it is not regarded as permanently acceptable. Registration does not eliminate the need for continual reassessment of pesticides. If EPA determines, at any time, that additional data are required to maintain in effect an existing registration, the Agency will require submission of such data under section 3(c)(2)(B) of FIFRA.

A stamped copy of the label is enclosed for your records.

**BEST AVAILABLE COPY**

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL

DATE

5/11/93

# CONDOR G

## GRANULAR BIOINSECTICIDE

### Active Ingredient:

*Bacillus thuringiensis* subspecies *kurstaki* strain EG2348

Lepidopteran active toxin .....0.50%  
Inert Ingredients .....99.50%  
TOTAL .....100.00%  
0.005 lbs. active ingredient per pound

CONDOR® G bioinsecticide is a biological insecticide for the control of European corn borer larvae on corn and tobacco budworm on tobacco.

**KEEP OUT  
OF REACH OF  
CHILDREN**

**CAUTION**

### STATEMENT OF PRACTICAL TREATMENT

**If Swallowed:** Call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.

**If Inhaled:** Remove to fresh air. Get medical attention.

**If In Eyes:** Flush with plenty of water. Call a physician if irritation persists.

**If On Skin:** Wash with soap and water.

## PRECAUTIONARY STATEMENTS

**Hazards to Humans and Domestic Animals**  
Harmful if inhaled. Avoid breathing dust. Harmful if swallowed. Causes eye irritation. Avoid contact with skin, eyes or clothing. In case of contact immediately flush eyes or skin with plenty of water. Get medical attention if irritation persists. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

## ENVIRONMENTAL HAZARDS

Do not contaminate water when disposing of equipment washwaters.

## STORAGE AND DISPOSAL:

Do not contaminate water, food or feed by storage or disposal.

**Storage:** Store in a cool, dry place inaccessible to children.

**Pesticide Disposal:** Do not contaminate water when disposing of equipment washwaters. Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

**Container Disposal:** Completely empty bag in application equipment, then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

**BEST AVAILABLE COPY**

**ACCEPTED**

MAY 11 1993

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 55638-13

**ECOLET.**

EPA REG. No. 55638-13  
EPA Est. No. 788-GA-1  
Net Contents: 50 pound bags

Ecogen Inc.  
2005 Cabot Blvd. West, Langhorne, PA 19047  
215/767-1890 or 800/290-2196

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

CONDOR® G bioinsecticide is a highly selective insecticide for control of European corn borer. Larvae must consume deposits of CONDOR G to be affected.

**Mode of Action:** After consuming a lethal dose of CONDOR G, larvae will cease to feed, but may remain alive on foliage for several days before disappearing. Immediately after ingestion of CONDOR G, larvae begin to move slowly, become discolored, shrivel and blacken prior to death.

**APPLICATION RATE TABLE**

(Ground or Aerial Equipment)

Crops	Pest	Rate
Seed Corn Field Corn Popcorn Sweet corn	European corn borer ( <i>Ostrinia nubilalis</i> ) First and Second Generation Southwestern corn borer	10 lbs./acre 5-10 lbs/acre banded over-row with ground application

**FIRST GENERATION**

CONDOR G should be applied directly to whorls when larvae are present. Field corn should be scouted and treated when 35 percent of whorls show shot hole feeding. Seed corn should be treated when approximately 25 percent of plants show shot hole feeding. Corn must be treated when early instar larvae are observed and before they have begun stalk boring.

**SECOND GENERATION**

Always follow State Extension Service recommendations; usually 50 egg masses per 100 plants. A second application may be necessary under conditions of intense population.

**APPLICATION RATE TABLE**

(Ground Equipment)

Crops	Pest	Rate
Tobacco	Tobacco budworm ( <i>Heliciothia virescens</i> )	5-10 lbs/acre

**APPLICATION INSTRUCTIONS**

CONDOR® G bioinsecticide is a selective insecticide for use against the lepidopteran larvae listed in the APPLICATION RATE TABLE. Larvae must consume deposits of CONDOR G to be affected. Always follow these directions:

- Careful scouting and attention to infestations are essential to good control.
- Make applications when larvae are still small (early instars) and actively feeding on foliage or other plant parts.
- Applications should be repeated at an interval sufficient to maintain control, depending upon plant growth, insect pressure and weather conditions after treatment. (Refer to APPLICATION RATE TABLE)
- Local conditions may affect the use of CONDOR G. Consult your State Agriculture Extension Specialist for specific recommendations related to local crop protection problems.

**WARRANTY AND CONDITIONS FOR SALE**

Ecogen warrants that this product conforms to the description on this label and is reasonably fit for the purposes stated on this label when used in accordance with the directions on this label under normal conditions of use.

EOGEN MAKES NO WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE NOR ANY OTHER EXPRESS OR IMPLIED WARRANTY EXCEPT AS STATED ABOVE.

If this product is defective, Buyer's exclusive remedy shall be the replacement of the product, or if replacement is impracticable, refund of the purchase price.

**BEST AVAILABLE COPY**