



United States
 Environmental Protection Agency
 Washington, DC 20460

Registration
 Amendment
 Other

OPP Identifier Number
 222398

Application for Pesticide - Section I

1. Company/Product Number 55638-13	2. EPA Product Manager Janet Andersen	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) Condor G Bioinsecticide	PM#	
5. Name and Address of Applicant (Include ZIP Code) Ecogen Inc. 2005 Cabot Blvd. West Langhorne, PA 19047 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

Section - II

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

Reduction in REI as per PR Notice 95-3

Section - III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes* <input checked="" type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		<input type="checkbox"/> Metal	<input type="checkbox"/> Plastic
* Certification must be submitted		If "Yes" Unit Packaging wgt.	No. per container	If "Yes" Package wgt.	No. per container
				<input checked="" type="checkbox"/> Paper	<input type="checkbox"/> Other (Specify) _____
3. Location of Net Contents Information <input checked="" type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container 50 lbs.		5. Location of Label Directions <input checked="" type="checkbox"/> On Label <input type="checkbox"/> On Labeling accompanying product	
6. Manner in Which Label is Affixed to Product <input checked="" type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled				<input type="checkbox"/> Other _____	

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name David L. Olson	Title Director, Regulatory Affairs	Telephone No. (Include Area Code) 215-757-1590
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment both under applicable law.		6. Date Application Received (Stamped)
2. Signature 	3. Title Director, Regulatory Affairs	
4. Typed Name David L. Olson	5. Date October 23, 1995	

Condor® G granular bioinsecticide is a biological insecticide for the control of European corn borer larvae on corn and tobacco budworm on tobacco.

Active Ingredient:

Bacillus thuringiensis subspecies *kurstaki* strain EG2348
Lepidopteran active toxin0.50%

Inert Ingredients99.50%

TOTAL100.00%
0.005 lbs. active ingredient per pound

CAUTION

KEEP OUT OF REACH OF CHILDREN

STATEMENT OF PRACTICAL TREATMENT

If Swallowed: Call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.

If Inhaled: Remove to fresh air. Get medical attention.

If In Eyes: Flush with plenty of water. Call a physician if irritation persists.

If On Skin: Wash with soap and water.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Harmful if inhaled. Avoid breathing dust. Harmful if swallowed. Causes eye irritation. Avoid contact with skin, eyes or clothing. In case of contact immediately flush eyes or skin with plenty of water. Get medical attention if irritation persists.

Personal Protective Equipment (PPE):

Applicators and other handlers must wear:

- Long sleeved shirt and long pants
- Shoes plus socks

EPA REG. No. 55638-13
EPA EST. No. 769-GA-1 03 , 39578-TX-1 07
(Subscript refers to last 2 digits of the lot number on container.)
Net Contents: 50 U.S. Pound bags

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

USER SAFETY RECOMMENDATIONS
User should wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.

ENVIRONMENTAL HAZARDS

Do not contaminate water when disposing of equipment washwaters.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Storage: Store in a cool, dry place inaccessible to children.

Pesticide Disposal: Do not contaminate water when disposing of equipment washwaters. Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal: Completely empty bag in application equipment, then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.



Ecogen Inc.
2005 Cabot Blvd. West, P.O. Box 3023
Langhorne, PA 19047-3023
215/757-1590 or 800/220-2135

ECOGEN IS A REGISTERED TRADEMARK

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted-entry intervals. The requirements in this section only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 4 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is: coveralls, waterproof gloves, shoes plus socks.

CONDOR G is a highly selective insecticide for control of European corn borer and other lepidopteran pests. Larvae must consume deposits of CONDOR G to be affected.

Mode of Action: After consuming a lethal dose of CONDOR G, larvae will cease to feed, but may remain alive on foliage for several days before disappearing. Immediately after ingestion of CONDOR G, larvae begin to move slowly, become discolored, shrivel and blacken prior to death.

APPLICATION RATE TABLE

(Ground or Aerial Equipment)

Crops	Pest	Rate
Seed Corn Field Corn Popcorn Sweet Corn	European corn borer* (<i>Ostrina nubilalis</i>) Southwestern corn borer* (<i>Diatraea grandiosella</i>) *First and Second Generation	10 lbs/acre (5-10 lbs/acre when banded over the row with ground application)

FIRST GENERATION

CONDOR G should be applied directly to whorls when larvae are present. Field corn should be scouted and treated when 35 percent of whorls show shot hole feeding. Seed corn should be treated when approximately 25 percent of plants show shot hole feeding. Corn must be treated when early instar larvae are observed and before they have begun stalk boring.

SECOND GENERATION

Always follow State Extension Service recommendations; usually 50 egg masses per 100 plants. A second application may be necessary under conditions of intense population.

APPLICATION RATE TABLE

(Ground Equipment)

Crops	Pest	Rate
Tobacco	Tobacco budworm (<i>Heliothis virescens</i>)	5-10 lbs/acre

APPLICATION INSTRUCTIONS

CONDOR G is a selective insecticide for use against the lepidopteran larvae listed in the **APPLICATION RATE TABLE**. Larvae must consume deposits of CONDOR G to be affected. Always follow these directions:

- Careful scouting and attention to infestations are essential to good control.
- Make applications when larvae are still small (early instars) and actively feeding on foliage or other plant parts.
- Applications should be repeated at an interval sufficient to maintain control, depending upon plant growth, insect pressure and weather conditions after treatment. (Refer to APPLICATION RATE TABLE)
- Local conditions may affect the use of CONDOR G. Consult your State Agriculture Extension Specialist for specific recommendations related to local crop protection problems.

WARRANTY AND CONDITIONS OF SALE

Ecogen warrants that this product conforms to the description on this label and is reasonably fit for the purposes stated on this label when used in accordance with the directions on this label under normal conditions of use.

ECOGEN MAKES NO WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE NOR ANY OTHER EXPRESS OR IMPLIED WARRANTY EXCEPT AS STATED ABOVE.

If this product is defective, Buyer's exclusive remedy shall be the replacement of the product, or if replacement is impracticable, refund of the purchase price.