1

This product is conditionally registered in accordance with FIFRA section 3(c)(7)(A) provided that you:

- Submit/cite all data required for registration/reregistration of your product under FIPPA section 3(c)(5) when the Agency requires all registrants of similar products to submit such data.
- 2. Ad: the phrase "EPA Registration No. 55809-1" to your label before you release the product for shipment.
- Defore releasing this product for sale, submit a statement of corposition and give a brief description of the formulation process.
- As invalid storage stability study was submitted. Within 15 conths. of the date stamped on this Pogistration Motice, subwit a 1-year storage stability study conducted on your product.



	Ш	ATTACHM	ENT IS	APPL	ICABLE	
;	IGN	ATURE OF	деедс	VING	OFFICI	A L.

PREVIOUS EDITION MAY BE USED UNTIL SUPPLY IS EXHAUSTED.

5. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section  $\mathcal{E}(e)$ . Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Phil Hutton
Product Manager (17)
Insecticide-Rodenticide Branch
Registration Division (TS-767C)

Enclosures

15:00

## CRC WASP & HORNET KILLER

A SYNTHETIC PYRETHROID FOR CONTROLLING THE FOLLOWING FLYING AND CRAWLING I WASPS, HORNETS, YELLOW JACKETS, BEES, ANTS, COCKROACHES, SPIDERS, EARWIGS, GR SOWBUGS, CRICKETS, BEETLES, SILVERFISH, CENTIPEDES, MILLIPEDES, AND TENT CATE?

**JET STREAM UP TO 12 FOOT RANGE** Dielectric Strength-Non-Conducting up to 26,500 voits

*†•Resmeth	GREDIENTS: hrin[(5-(phenylmethyl)-3-furanyl]mothyl 2,2 yl-1-propenyl)cyclopropanecarboxylate	-
	REDIENTS:	
†U.S. Patent Nor «Penick" \$8P-13	ers ratio: max. 30% (+)cta and min. 70% (+)trana. s. 3,485,007 and 3,542,928. 182* brand of resmethrin insecticide. 1050 Watt Street West, Lyndhurst N.J. 07071	$\sim$
	KEEP OUT OF REACH OF CHILDS	IEN ()

## CAUTION

SEE SIDE PANEL FOR ADDITIO PRECAUTIONARY STATEMENT

## DIRECTIONS TEAR US

For use in and around hotels, motels, homes, greenhouse commercial, industrial, offici establishments, packaging and processing plants, seedholess institutional and storage buildings, dairies, milk docage supermarkets, restaurants, bottling plants, canneres, iteur and feed mills, cabins and hospitals, in hospitals, patients should be removed prior to treatment in buses, automobiles, trucks, boxcars and ship cargo holds. Also for use in log agnnels horse stables. In horse stables, not for application if horses will be used for fo

EPA Reg. No.

EPA Est.

ACCEPTED with COMMENT in EPA Letter Dated:

**NET WEIGHT** 

DEC1 1987

Clade

LOT NO.:

CRC Chemicals USA 885 Louis Dr. Warminster, Pa. 18974

Fm.:

icide.

PRECAUTIONARY	RTATEM
HAZARDS TO	RUMAR

Harmful If swallowed or absorbed through skin. Avoid conti breathing mist. Coyet or remove exposed foods. Avoid cor riaces. Remove pets and cover fish aq food preparation STATEMENT OF PRACTICAL TR

edi**li**tely flush skin and ayes with pi attention intribition persists. PATRICAL & CHEMICAL HAZ pressure. Do not puncture, DO NOT USE the below ratures above 130°F men arrangement.

DIRECTIONS FOR USE violation of Baderal law to use this product in a r

STORAGE: Keep in locked storage area. CONTRINER DISPOSAL: Replace cap and disc

in food rending aleas, lood should be removed or cov proof sing surfaces should be covered or thoroughly cle scilling is not in operation.

Jim spray opening away from pe when insects are at real. Spray libera nder allers contacting as many insects as p

crevices in floors, baseboards, around p es. Spray these infested areas until thoroughly i TLL ANTS: Spray directly on Insects, and around wind KILL SPIDERS: Spray directly on these pests and use r and ail cracks and cravices which harbor spiders OUTDOORS: Apply as a contact spray. Spray directly on in

person. Avoid spraying plants or turf except to spray infe ANTS: Same as directed above for Indoor we. WASPS, HORNETS, YELLOW JACKETS, BEES: Come as d nest openings in trees, bushes, under eaves, chimneys, c

sround the nest openings. Contact as many in EARWIGS. SQWBUGS, CRICKETS, BEETLES, Apply as a contact spray, as for Indoor use. TO KILL TENT GATERPILLARS: Application should be mi

tents are first noticed. For best results apply in the late att have returned to their tents. Alm spray directly at tents, an se necessary.

Our recommendations for use of this product are based u use of this product being beyond the control of the manu implied, is made as to the effects of such or the results to t with directions or established sale practice. The buy including injury or demage, resulting from its misuse at