		MM 32 20 802-1 5	-98-98	Itofi	
	E ()	US ENVIRONMENTAL PROTECTION AGENCY	EPA REGISTRATION NO.	DATE OF ISSUANCE	
		OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (75-767) WASHINGTON, DC 20460	55852-1 TERM OF ISSUANCE	MAY 28 1998	
		NOTICE OF PESTICIDE. REGISTRATION	NAME OF PESTICIDE PRODUCT		
	۰ ۲	(Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended)	Sodium Hypochlorite Solut	tion 5.25%	
	H	NAME AND ADDRESS OF REGISTRANT (Include 21P code)	<u>,</u>		
		r i		•	
		Champion Packaging & Distributing, Inc. 1101 Lombard Road			
		Lombard, IL 50148		· · · ·	
		Loniourd, 20 contra	:		
			۰۰ <b>لہ</b>		
		NOTE: Changes in labeling formula differing in substan submitted to and accepted by the Registration Division. product always refer to the above U.S. EPA registration	prior to use of the label in commerce	with this registration must be "1 . In any correspondence on this	
$\mathcal{K}$		On the basis of information furnished by the registrant, the Federal Insecticide, Fungicide, and Rodenticide Ad	the above named pesticide is hereby ct.	Registered/Reregistered under	
		A conv of the labeling accepted in connection with this	ned herewith.		
	A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith. Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In on				
		bealth and the environment, the Administrator, on his m icide in accordance with the Act. The acceptance of an Act is not to be construed as giving the registrant a rig by others.	otion, may at any time suspend or ca y name in connection with the registr	ncel the registration of a pest- ration of a product under this	
	,,	This product is conditionally register FIFRA section 3(c)(7)(A) provided	red in accordance with I that you:		
10		<ol> <li>Submit and/or cite all data required for registration/reregistration of your product under FIFRA section 3(c)(5) and section 4 when the Agency requires all registrants to similiar products to submit such data.</li> </ol>			
X.,		2. Add the phrase "EPA Registration N release the product for shipment.	lo. 55852-1" to your label before	you	
		Totale the product to the product to			
		3. Revise the "Environmental Hazards	Statement" to read:		
-dian's'-	"This pesticide is toxic to fish and aquatic organisms. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries,				
	,	ocean or nublic waters unless in acc	cordance with the requirements of	ra 🛉	
	,	National Pollutant Discharge Elimit	nation Systèm (NPDES) permit a	na	
		the permitting authority has been no	otified in writing prior to discharge	ge.	
		Do not discharge effluent containin	g this product to sewer systems		
		without previously notifying the set guidance contact your State Water	Board or Regional Office of the	EPA.	
		ATTACHMENT IS APPLICABLE			
		SIGNATURE OF APPROVING OFFICIAL		I DATE	
		1 Kiter of what & Carlow to Retert &	Mennis		
		EFA FOR 53/0-6 (Rev. 5-76) PREVIOUS ED	TION MAY BE USED UNTIL SUPPLY 1	EFY-LANDERFR & A	

2

4. In the "Storage and Disposal" section, delete the phrase "or burying in an approved landfill."

Submit one copy of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling.

A stamped copy of the label is enclosed for your records.

ι

Į

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

Robert'S. Brennis Product Manager (32) Antimicrobial Program Branch Regulatory Division (7504C) ł

 $d_{i}$ 

## Active Ingredient: **SODIUM HYPOCHLORITE SOLUTION**

# KEEP OUT OF REACH OF CHILDREN DANGER

STATEMENT OF PRACTICAL TREATMENT (FIRST AID): IF CONTACT WITH EYES OCCURS, immediately flush with water for at least 15 minutes while kiting upper and lower eyelids. Do not use chemical antidote. Get medical attention intraediately. IF CONTACT WITH SKIN OCCURS, immediately flush with water at least 15 minutes. Do not use chemical antidote. Get medical attention immediately. Remove contaminated clothing and wash before reuse. Discard contaminated shoes.

IF SWALLOWED drink large quantities of water. DO NOT induce vomiting. Get medical attention immediately. Call physician or poision control center immediately.

# PRECAUTIONARY STATEMENTS: HAZARDS TO HUMANS AND DOMESTIC ANIMALS

NAZAROS TO HUMANS AND DOMESTIC ANIMALS DANGER: Comosive, may cause severe skin and eye irritation or chemical burns to broken skin. Causes eye damage. Do not get in eyes, on skin, or on clothing. Wear chemical splash goggles, face shield, nubber gloves, and other necessary protective equipment when handling this product. Wash throughly atter handling. May be fatal if swallowed. Avoid breathing vapors. Use with adequate ventilation, Vacate poorly ventilated areas as soon a possible. Do not return until odors have discipated. dissinated.

### ENVIRONMENT HAZARDS:

ENVIRONMENT HAZARDS: This pesticide is toxic to fish and aquatic organisms. Do not discharge effluent containing this product into lakes, streams, ponds estuaries, oceans or public waters unless this product is specifically identified and addressed in an NPDES permit. Do not discharge effluent containing this product to sewer systems without previously notifying the sewage treatment plant authority. For guidance contact your state water board or regional office of the EPA. Chlorine must be allowed to dissipate from treated pool water before discharge. Do not make any chlorine application within 24 hours of discharge.

PHYSICAL AND CHEMICAL HAZARDS: STRONG OXIDIZING AGENT: Mix only with water according to label directions. Mixing this product with chemicals (e.g. ammonia, acids, detergents, etc.) or organic matter (e.g. urine, faces, etc.) will refease chlorine gas which is irritating to eyes, lungs and mucous membranes, which can also be fatal. Mixing this product with cyanide compounds will release cyanogen chloride which is irritating to eyes, lungs and mucous membranes, which can also be fatal.

## STORAGE AND DISPOSAL:

STORAGE AND DISPOSAL: Shore this product in a cool dry area, away from direct sunfight and heat to avoid deterioration. In case of spill, flood areas with large quantities of water. Product of insates that cannot be used should be diluted with water before disposal in a sanitary sever. Do not contaminate food or feed by storage, disposal or cleaning of equipment. Empty containers may contain trazardous product residues. Rinse empty container thoroughly with water and either return to manufacturer or discard by placing this container in trash collection or burying in an approved landfill.

FOR DISINFECTING faces, walls ceilings, and other similar hard, non-porous surfaces. Use 11 1/4 ounces of Bleach to 5 gallons of water. Dosage must be maintained between 600 to 1000 PPM

SANITIZATION OF NON-POROUS FOOD CONTACT SURFACES - RINSE METHOD - A solution of 100 PPM available chlorine may be used in the sanitizing solution if a chlorine test kit is available. Solutions containing an initial concentration of 100 PPM available chlorine must be tested and adjusted periodically to insure that the available chlorine does not drop below 50 PPM. Propare a 100 PPM sanitizing solution by thoroughly mixing 2.5 conces of bleach with 10 gallons of water. If no test kit is available, prepare a sanitizing solution by thoroughly mixing 5 conces of bleach with 10 gallons of water to provide approximately 200 PPM available chlorine, by weight. by weight

Clean equipment surfaces in the normal manner. Prior to use, thise all surfaces thoroughly with the sanitizing solution, maintaining contact with the sanitizer for at least 2 minutes. If solution contains less than 50 PPM available chlorine, as determined by a suitable test kit, either discard the solution or add sufficient product to establish a 200 PPM residual. Do not rinse equipment with water after treatment and do not soak equipment overnight. Bleach that is used in automated systems may be used for general cleaning but may not be reused for sanitizing purposes.

**NET CONTENTS:** GALS.

DIRECTIONS FOR USE: It is a violation to Federal law to use this product in a manner inconsistent with its labeling. Do not transfer to unmarked containers. Keep containers closed with closure end up. Use in a well ventilated area. Before use review material safety data sheet for other information, including possible chronic health effects. When opening loosen closure carefully.

Sodium Hypochlorite .....

CAS NO. 7681-52-9

5.25%

Chicolic field in the fractice. When opening loosen closure carefully. NOTE: Sodium hypochlorite solutions degrade with age. Use a chicolice test kit and increase dosage, as necessary, to obtain the required level of available chicolice. DIRECTIONS FOR USE IN EATING ESTABLISHMENTS: (1) Scrape and prevash intensis and glasses whenever possible. (2) Wash with a good detergent or compatible cleaner. (3) Rinse with dean water. (4) Sanitize in a solution of 1/2 ounce to each gallon water (200 ppm). Immerse all utensis for at least two minutes or for contact time specified by governing sanitary code. (5) Place sanitized utensils on a rack or drainboard to air dy. Note: A clean potable water rinse following sanitization is not permitted under Section H 96.16 (2) (c) of the Wisconsin Administrative Code. DILUTION TABLE

100 PPM	1/2 ounce to 2 gallon water
200 PPM	1/2 ounce to 1 gallon water
400 PPM	1 ounce to 1 gallon water
1000 PPM	3 ounce to 1 gallon water

LAUNDRY: To bleach and sanifize white and colorfast cotton, linen, nylon daron, orlon, and rayon, use 1 cup bleach per load for conventional washing machine and 1/2 cup for front loading machine. Add to presoak, wash water or first hrse. If dothes are in machine, dilute bleach in one quart water before adding.

STAIN REMOVAL: For stubbon stains from grass, mildew, ink, scorch, colfee, fruit, beny, etc. nix 1/4 cup of bleach in one quart water, Immerse fabric for up to 5 to 10 minutes. Rinse well in clear water, Repeat if necessary. Use porchain, rubber, or glass container. TO WHITEN NYLON & OTHER SYNTHETICS that have turned yellow or gray. Use one tablespoon bleach per gallon of water. Soak clean fabric in solution 15 to 20 minutes, rinse well, Repeat if necessary.

DEODORIZING AND SANITIZING: For baby clothes, diapers, dish clothes, etc., first wash, then soak in solution of 1 tablespoon of bleach to 1 gallon of water for 5 minutes. Rinse well. For wooden utensils, floors, breadboards, sinks, etc., wash in normal manner, then soak or wet with a solution of 1/4 cup of bleach in 1 quart water. Let stand for 5 minutes. Air dry.

TO CLEAN BATHROOM AND KITCHEN: For refrigerator, tile, bathtub, etc., bleach to 1 quart water. Simply wash, rinse, apply bleach solution, let air dry. use two tablespoons

SPAS, HOT-TUBS, IMMERSION TANKS, ETC. SPAS / HOT-TUBS — Apply 5 oz. of product per 1000 gallons of water to obtain a free available chlorine concentration of 5 ppm, as determined by a suitable chlorine test kit. Adjust and maintain pool water pH to between 7.2 and 7.6. Some ovis, lotions, fragrances, cleaners, etc. may cause foaming or cloudy water as well as reduce the efficiency of the product. To maintain the water, apply 5 oz. of product per 1000 gallons of water over the surface to maintain a chlorine concentration of 5 ppm.

After each use, shock treat with 8 oz. of this product per 500 gattons of water to control odor and algae. During extended periods of disuse, add 4 oz. of product daily per 1000 gallons of water to maintain a 3 com chlorine concentration.

DIRECTIONS FOR DISINFECTION OF POTABLE WATER FOR HOME WELL WATER SYSTEMS Direct IONS FOR DISINFECTION OF POTABLE WATER FOR HOME WELL WATER SYSTEMS Direct this sodium hypochlorits solution in the ratio of one part solution to nine parts softened water. Mix thoroughly and begin feeding with a hypochlorinator (metering pump), Maintain a tree available chlorine residual of a teast 0.2 ppm and not more than 0.6 ppm throughout the distribution system, as determined by a DPD chlorine test kit. Bacteriological sampling must be conducted at a frequency no less than that prescribed by the National Interim Primary Drinking Water Regulations. Check water frequently with a DPD chlorine test kit. For further details, contact your local Health Department.


DIRECTIONS FOR SANITIZING FOOD PROCESSING OR DAIRY EQUIPMENT Clean equipment in the normal manner. Just before using, rinse all surfaces throughly with a sodium hypochtorite solution containing 200 ppm available chlorine. One curce (2 thiss), of this solution per four gallons of water with provide approx. 200 ppm available chlorine. Maintain contact with disinfectant for a minimum of two minutes. Do not rinse with water after treatment. Do not soak overnight. DIRECTIONS

Born directly into pool or feed through your mechanical chlorinator. Apply in evening or early morning as sunlight dissipates chloring rapidly.

Pool Capacity in gallons	Suggested Daily Dosages
10.000	11 Oz.
20,000	22 Oz.
30.000	33 Oz.
40,000	44 Oz.
50,000	55 Oz.
75,000	82 Oz.
100,000	110 UZ

For food contact surfaces available chlorine must be maintained between 100 PPM to 200 PPM

ź





20



EPA REG. NO. 33981-20001 EPA EST. NO. 55852 IL 001 FOR INDUSTRIAL USE ONLY UN 1791