

PM25

55947-7

10/21

MonDak® Herbicide**For Commercial or Agricultural Use Only****ACTIVE INGREDIENTS:**

Dimethylamine salt of dicamba
(3,6-dichloro-o-anisic acid) 16.0%
Dimethylamine salt of related acids 4.0%
Dimethylamine salt of 2-methyl-4-
chlorophenoxy-acetic acid 32.6%


INERT INGREDIENTS: 47.4%

TOTAL 100.0%

Contains: 1.25 Pounds Per Gallon Dicamba
2.50 Pounds Per Gallon MCPA

**SHAKE WELL BEFORE USING
READ THE LABEL
FOLLOW DIRECTIONS**

Keep Out of the Reach of Children

**DANGER****PELIGRO**

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

STATEMENT OF PRACTICAL TREATMENT

If in eyes, flush with water for 15 minutes.

See Back Panel for additional precautionary statements.

Net Contents: 2 1/2 Gallons

EPA Reg. No. 55947-7

EPA Est. No. 37507-MT-01

29/21

SANDOZ AGRO, INC.
1300 EAST TOUHY AVENUE
DES PLAINES, ILLINOIS 60018

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

DANGER PELIGRO

Corrosive, causes eye damage. Do not get in eyes, or on clothing. Harmful if swallowed. Wash thoroughly with soap and water after handling.

STATEMENT OF PRACTICAL TREATMENT

If in eyes, flush with water for 15 minutes Get medical attention.

If swallowed, drink 1 or 2 glasses of water and induce vomiting by sticking finger down back of throat. Never induce vomiting or give anything by mouth to an unconscious person.

If on skin, wash with plenty of soap and water. Get medical attention

Personal Protective Equipment:

WPS USES:

Applicators and other handlers who handle this pesticide for any use covered by the Worker Protection Standard (40 CFR Part 170) -- in general, agricultural-plant uses are covered -- must wear:

- Long-sleeved shirt and long pants
- Waterproof gloves
- Shoes plus socks
- Protective eyewear

NON-WPS USES:

Applicators and other handlers who handle this pesticide for any use NOT covered by the Worker Protection Standard (40 CFR Part 170) -- in general, agricultural-plant uses are covered -- must wear:

- Protective eyewear

30721

Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

Engineering controls statements:

When handlers use closed systems, enclosed cabs, or aircraft in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240 (d) (4-6)], the handler PPE requirements may be reduced or modified as specified in the WPS.

User Safety Recommendations:

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

Environmental Hazards

Keep out of lakes, streams or ponds. Drift or run-off may adversely affect nontarget plants. For terrestrial uses, do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters. When cleaning equipment, do not pour washwater on the ground; spray or drain over a large area away from wells and other water sources.

Most cases of groundwater contamination involving phenoxy herbicides such as MCPA have been associated with mixing/loading and disposal sites. Caution should be exercised when handling MCPA pesticides at such sites to prevent contamination of groundwater supplies. Use of closed systems for mixing and transferring this pesticide will reduce the probability of spills. Placement of the mixing/loading equipment on an impervious pad to contain spills will help prevent

40/21

groundwater contamination.

Apply this product only as directed on the label.

IMPORTANT

Do not apply MONDAK® herbicide directly to or allow spray drifts to come in contact with vegetables, flowers, grapes, tomatoes, potatoes, sugar beets, beans, or other desirable plants. (Coarse sprays are less likely to drift.). Do not contaminate domestic or irrigation water. Do not store in direct contact with fertilizer, seed, insecticides or fungicides. Thoroughly clean spray equipment with a suitable chemical cleaner before using for other purposes. When container is empty, immediately wash thoroughly and destroy. Do not graze treated areas or harvest for dairy feed prior to crop maturity. Do not apply (except as recommended) or clean equipment on or near desirable trees or other plants, or on areas where roots may extend, or in locations where the chemical may be washed or moved into contact with their roots.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 48 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water is:

- Coveralls
- Waterproof gloves
- Shoes plus socks
- Protective eyewear

60421

STORAGE AND DISPOSAL

PROHIBITIONS

Do not contaminate water, food or feed by storage or disposal.

STORAGE

Always use original container to store pesticides in a secured warehouse or storage building. Do not store near seeds, fertilizers, insecticides or fungicides. Store at temperature above 32° F. If allowed to freeze., warm to at least 40° and remix before using. Freezing does not alter this product. Containers should be opened in well-ventilated areas. Keep container tightly sealed when not in use. Do not stack cardboard cases more than two pallets high.

PESTICIDE DISPOSAL

Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If container is damaged or if pesticide has leaked, contain all spillage. Absorb and clean up all spilled material with granules or sand. Place in a closed labeled container for proper disposal. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL

Triple rinse (or equivalent), then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities. Plastic containers are also disposable by incineration, or if allowed by State and Local authorities, by burning. If burned, stay out of smoke.

7021

LIMITED WARRANTY AND LIABILITY

NOTICE: Read this Limited Warranty and Liability before buying or using this product. If the terms are not acceptable, return it at once unopened.

It is critical that this product be used and mixed only as specified on the label. The laws of a State may make some or all of this paragraph inapplicable or may give you rights in addition to your rights hereunder. Except, to the extent prohibited by applicable law, the exclusive remedy of the user or buyer and the limit of liability of this Company or any other Seller for any and all losses, personal injuries or damages resulting from the use of this product, shall be the purchase price paid by the user or buyer for the quantity of product involved. Except to the extent prohibited by State law, there is no warranty, and this Company and other Sellers disclaim all liability for losses, personal injury or damages: (i) arising from any use of this product in a manner or for a purpose not recommended in its label directions, or from mixing this product before use with any substance except as recommended by the product's label, (ii) arising from handling or storage in violation of label instructions, (iii) for all indirect, special or consequential damages, (iv) when not reported to this Company within one year of discovery, and (v) arising from product not used within the label-designated shelf life of four years from date of purchase, whichever first occurs. **THERE ARE NO IMPLIED WARRANTIES AND NO WARRANTIES OF MERCHANTABILITY OR FITNESS.**

8921

MonDak® Herbicide
For Commercial or Agricultural Use Only

ACTIVE INGREDIENTS:

Dimethylamine salt of dicamba
(3,6-dichloro-o-anisic acid) 16.0%
Dimethylamine salt of related acids 4.0%
Dimethylamine salt of 2-methyl-4-
chlorophenoxy-acetic acid 32.6%

INERT INGREDIENTS: 47.4%

TOTAL 100.0%

Contains: 1.25 Pounds Per Gallon Dicamba
2.50 Pounds Per Gallon MCPA

**SHAKE WELL BEFORE USING
READ THE LABEL
FOLLOW DIRECTIONS**

Keep Out of the Reach of Children

DANGER

PELIGRO

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

STATEMENT OF PRACTICAL TREATMENT

If in eyes, flush with water for 15 minutes.

See Back Panel for additional precautionary statements.

Net Contents: 2 1/2 Gallons
EPA Reg. No. 55947-7
EPA Est. No. 37507-MT-01

9 of 21

**SANDOZ AGRO, INC.
1300 EAST TOUHY AVE.
DES PLAINES, IL 60018
PRECAUTIONARY STATEMENTS**

Hazards to Humans and Domestic Animals

DANGER PELIGRO

Corrosive, causes eye damage. Do not get in eyes, or on Harmful if swallowed. Wash thoroughly with soap and water after handling.

STATEMENT OF PRACTICAL TREATMENT

If in eyes, flush with water for 15 minutes Get medical attention.

If swallowed, drink 1 or 2 glasses of water and induce vomiting by sticking finger down back of throat. Never induce vomiting or give anything by mouth to an unconscious person.

If on skin, wash with plenty of soap and water. Get medical attention

Personal Protective Equipment:

WPS USES:

Applicators and other handlers who handle this pesticide for any use covered by the Worker Protection Standard (40 CFR Part 170) -- in general, agricultural-plant uses are covered -- must wear:

- Long-sleeved shirt and long pants
- Waterproof gloves
- Shoes plus socks
- Protective eyewear

NON-WPS USES:

Applicators and other handlers who handle this pesticide for any use NOT covered by the Worker Protection Standard (40 CFR Part 170) -- in general, agricultural-plant uses are covered -- must wear:

- Protective eyewear

Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

Engineering controls statements:

When handlers use closed systems, enclosed cabs, or aircraft in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240 (d) (4-6)], the handler PPE requirements may be reduced or modified as specified in the WPS.

User Safety Recommendations:

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

Environmental Hazards

Keep out of lakes, streams or ponds. Drift or run-off may adversely affect nontarget plants. For terrestrial uses, do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters. When cleaning equipment, do not pour washwater on the ground; spray or drain over a large area away from wells and other water sources.

Most cases of groundwater contamination involving phenoxy herbicides such as MCPA have been associated with mixing/loading and disposal sites. Caution should be exercised when handling MCPA pesticides at such sites to prevent contamination of groundwater supplies. Use of closed systems for mixing and transferring this pesticide will reduce the probability of spills. Placement of the

11/01/21

mixing/loading equipment on an impervious pad to contain spills will help prevent groundwater contamination.

Apply this product only as directed on the label.

IMPORTANT

Do not apply MONDAK® herbicide directly to or allow spray drifts to come in contact with vegetables, flowers, grapes, tomatoes, potatoes, sugar beets, beans, or other desirable plants. (Coarse sprays are less likely to drift.). Do not contaminate domestic or irrigation water. Do not store in direct contact with fertilizer, seed, insecticides or fungicides. Thoroughly clean spray equipment with a suitable chemical cleaner before using for other purposes. When container is empty, immediately wash thoroughly and destroy. Do not graze treated areas or harvest for dairy feed prior to crop maturity. Do not apply (except as recommended) or clean equipment on or near desirable trees or other plants, or on areas where roots may extend, or in locations where the chemical may be washed or moved into contact with their roots.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application.

12/21/21

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 48 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water is:

- Coveralls
- Waterproof gloves
- Shoes plus socks
- Protective eyewear

WHEAT (not underseeded to legumes)

For the control of "hard to kill" weeds (phenoxy resistant) including:

Bedstraw	Henbit
Corn cockle	Knawel (German moss)
Cow cockle	Ladysthumb
Corn buttercup (crowfoot)	Miners lettuce
Dogfennel	Prickly lettuce
Fiddleneck (tarweed)	Smartweed
Gromwell	Wild buckwheat

And for control of other broadleaf weeds including:

Canada thistle (top growth)	Perennial Sowthistle
Cocklebur	(top growth)
Dandelion	Pigweed (redroot)
Dragonhead (mint)	Puncturevine
Field pennycress (fanweed)	Ragweed (common)
Field pepperweed	Russian thistle
Hempnettle	Shepherdspurse
Knotweed	Sunflower
Kochia	Vetch
Lambsquarters	Wild radish
Mustard (annual)	and others

For ground application use 5 to 20 gallons of water per acre.

For aerial application use 3 to 5 gallons of water per acre.

Spring Seed Wheat: For the control of the listed weeds, apply 0.8 pint of MONDAK® herbicide (1/8 pound of dicamba plus 1/4 pound of MCPA) per acre. One gallon of MONDAK® herbicide treats 10 acres. Apply as a foliar spray when the wheat is in the 2 to 5 leaf stage.

Fall Seeded Wheat: For control or suppression of the listed weeds, apply 0.8 to 1.2 pints of MONDAK® herbicide (1/8 to 3/16 pound of dicamba plus 1/4 to 3/8 pound of MCPA) per acre. One gallon of MONDAK® herbicide treats 7 to 10 acres. Use the higher rates on hard to kill or more mature weeds. Apply as a foliar spray immediately after winter dormancy and before the wheat begins to joint.

14 of 21

NONCROPLAND USE: (Roadsides, fence rows and similar areas.)

For top growth control of field bindweed, Canada thistle, perennial sowthistle, Russian knapweed and leafy spurge, apply 3.2 to 6.4 pints of MONDAK® herbicide (1/2 to 1 pound of dicamba and 1 to 2 pounds of MCPA) per acre. For spot treatment apply 1 teaspoonful of MONDAK® herbicide per 1 to 2 square rods. Apply as a foliar spray to actively growing plants.

GRASS SEED PRODUCTION

(Lawn-type fescues, perennial bentgrasses, perennial ryegrasses, and Kentucky bluegrass.)

FOR USE ONLY IN THE STATES OF IDAHO, OREGON AND WASHINGTON.

Apply to grass stands established at least one year prior to treatment.

For control of:

Corn cockle	Henbit
Cornflower	Knawel
(Bachelor's button)	Lambsquarters
Corn spurry	Pepperweed
Chickweed	Pineappleweed
Curly dock	Prickly lettuce
Dandelion	Red sorrel
Dogfennel	Shepherdspurse
False dandelion	Vetch (common)
Field pennycress (tarweed)	Wild radish
Filaree	

Apply 1 1/2 pints of MONDAK® herbicide (3 3/4 ounces dicamba acid equivalent plus 7 1/2 ounces MCPA acid equivalent) per acre. Apply to early seedling weeds (4" or less in height after winter dormancy up to the early boot stage of the grass. For ground application, use a minimum of 20 gallons of total spray per acre.

BRUSH AND BROADLEAF WEED CONTROL**SPECIES CONTROLLED**

When used as directed, MONDAK® Herbicide will control or suppress many herbaceous broadleaf weeds (annual, biennial, and perennial) as well as many unwanted woody plant and vine species. Species controlled include:

ANNUALS

Buckwheat,
Carpetweed
Chickweed
Clover
Cocklebur
Daisy, English
Henbit
Knawel

Wild Lambsquarters
Morningglory
Mustard
Pigweed
Purslane
Ragweed
Smartweed
Velvetleaf

BIENNIALS

Ragwort, Tansy

Thistle, Musk

PERENNIALS

Bindweed, Field
Carrot, Wild
(Queen Anne's Lace)
Dock, Curly
Dogfennel
Knapweed, Russian

Milkweed
Ragweed, Perennial
Sorrel, Sheep
Spurge, Leafy
Thistle, Canada
Toadflax, Dalmatian

WOODY BRUSH AND VINES

Alder
 Ash
 Aspen
 Basswood
 Beech
 Birch
 Blackberry
 Cherry
 Creeper, Virginia
 *Creosotebush
 Cucumbertree
 Dogwood
 Elderberry
 Elm
 Gum
 Hawthorn
 Hemlock
 Honeysuckle
 Ivy, Poison
 Kudzu
 Locust
 Maple
 Oak
 Olive, Russian

Persimmon
 Pine
 Plum, Wild
 Poplar
 Puncturevine
 Raspberry
 Redcedar, Eastern
 Redvine
 Rose, Multiflora
 Sagebrush
 Sassafras
 Schinus
 (Florida Holly,
 Brazil Peppertree,
 Christmas-berry)
 Serviceberry
 Snowberry
 Spruce
 Sumac
 Sycamore
 Trumpetcreeper
 Waxmyrtle
 Willow
 Witchhazel
 Yaupon

*Suppression

17021

APPLICATION DIRECTIONS

Regardless of the species to be controlled, spray volumes should be high enough to allow for good spray coverage. Make applications when weeds and brush are actively growing. The addition of surfactants can increase control. Biennials are best controlled when treated in the rosette stage. Regrowth may occur on resistant species. Retreatments may be made as needed; however, do not exceed a total of 4.8 gallons (6 lbs. a.i. dicamba + 12 lbs. a.i. MCPA) of MONDAK® Herbicide per treated acre during a growing season. For control of hard-to-kill woody species, a tankmix may be necessary. Tankmix recommendations are for use only in states where the tank mix product and application site are registered. Read and follow all label directions.

HERBACEOUS BROADLEAF WEED CONTROL

Apply $\frac{3}{4}$ to $3 \frac{1}{4}$ quarts MONDAK Herbicide in 20 to 100 gallons of water per treated acre. $\frac{3}{4}$ to 2 quarts of MONDAK® Herbicide is recommended for annuals, 2 to $3 \frac{1}{4}$ quarts for biennials and easy-to-kill perennials, and $3 \frac{1}{4}$ quarts for established perennials. Do not apply more than $2 \frac{1}{3}$ gallons of product per treated acre.

WOODY BRUSH AND VINE CONTROL

High Volume Foliar Spot Applications

Mix 1 to $2 \frac{1}{3}$ gallons of MONDAK® Herbicide in enough water to make 100 gallons of spray mix. Spray volume applied will depend on the size and density of the brush to be treated, but do not apply more than $2 \frac{1}{3}$ gallons of product per treated acre. Direct the spray to treat all foliage, stems, and root collars to wet.

WOODY BRUSH AND VINE CONTROL

Broadcast Applications with Ground Equipment

Apply 1 to $2 \frac{1}{3}$ gallons MONDAK® Herbicide in 20 to 100 gallons of water per treated acre. Spray volume applied will depend on the size and density of the brush to be treated, but do not apply more than $2 \frac{1}{3}$ gallons of product per treated acre. Spray all foliage, stems, and root collars to wet.

AERIAL APPLICATIONS

Aerial applications may be made to control either herbaceous or woody plants. Apply 1 to $3 \frac{1}{4}$ quarts MONDAK® Herbicide (for herbaceous weeds) or 1 to $2 \frac{1}{3}$ gallons MONDAK Herbicide (for woody brush and vines) in 5 to 40 gallons of water per treated acre. Coverage is important, so increase spray volume when treating dense stands of brush or weeds. Do not apply more than $2 \frac{1}{3}$ gallons of product per treated acre.

TANK MIX TREATMENTS

TANK MIX RECOMMENDATIONS ARE FOR USE ONLY IN STATES WHERE THE TANK MIX PRODUCT AND APPLICATION SITE ARE REGISTERED. READ AND FOLLOW THE LABEL OF EACH TANK MIX PRODUCT USED FOR PRECAUTIONARY STATEMENTS, DIRECTIONS FOR USE, AND OTHER RESTRICTIONS. For broader spectrum control, MONDAK® Herbicide may be tank mixed with one or more of the following Herbicides for noncropland uses (e.g. railroad, highway, pipeline, etc.) including forest management applications, if permitted by product labeling (e.g. MCPA). Add water to the spray tank prior to the addition of the tank mix products. Do not premix concentrates.

<u>Herbicide</u>	<u>Rate</u> <u>(lbs. a.i./treated acre)</u>
Asulam (Asulox®)	2.92 to 6.68
Bromacil (Hyvar®)	1.6 to 24.0
Chlorsulfuron (Telar®)	0.1875 to 2.25 oz. **
Dicamba (Banvel®)	0.25 to 8.0***
Diuron (Karmex®)	4.0 to 48.0
Fosamine ammonium (Krenite®)	6.0 to 12.0
Glyphosate (Roundup®)	0.75 to 3.75
Hexazinone (Velpar®)	0.675 to 10.8
+ Imazapyr (Arsenal®)	0.5 to 1.5
MSMA	1.0 to 2.475
Picloram* (Tordon®)	2.0 to 3.0
Simazine* (Princep®)	4.8 to 40.0
Sulfometuron methyl (Oust®)	0.75 to 9.0 oz. **
Tebuthiuron (Spike®)	1.0 to 16.0
Triclopyr (Garlon®)	0.75 to 12.0
2,4-D	0.475 to 16.92****
2,4-DP	0.5 to 11.1

Due to variations that may occur in formulated products and specific use ingredients (e.g. water supplies) a COMPATIBILITY TEST as described on this label is recommended prior to actual tank mixing.

*Restricted use pesticides limited to certified applicators

**Telar = 0.1875 to 2.25 oz. a.i./A (0.25 to 3.0 oz. product/A)

Oust = 0.75 to 9.0 oz. a.i./A (1.0 to 12.0 oz. product/A)

***Do not exceed a total of 8 lbs. a.i. dicamba per treated acre per growing season. (MONDAK® Herbicide contains 1.25 lb. a.i. dicamba per gallon).

****Use of extremely hard water (500 ppm) may cause this product to form a precipitate when used in a tank mix with MONDAK® Herbicide. Do not exceed 16 lbs. total MCPA acid equivalent per treated acre per growing season. (MONDAK® Herbicide contains the equivalent of 2.5 lbs./gal. MCPA acid).

+ Not registered for use in California.

190421

COMPATIBILITY TEST

Before mixing in the spray tank, it is advisable to test compatibility by mixing all components in a small container in proportionate quantities (see following table).

Amount of Herbicide to Add to
One Pint of Spray carrier
(Assuming Volume is 25 Gallons per Acre)

<u>HERBICIDE FORMULATIONS</u>	<u>RATE PER ACRE</u>	<u>LEVEL TEASPOONS</u>
Dry	1 lb.	1 ½
Liquid	1 Pt.	2

If herbicides do not ball-up or form flakes, sludge, gels, oily films or layers, or other precipitates, then the tested components are compatible. Usually incompatibility in any of the above described forms will occur within 5 minutes after mixing.

If components are incompatible, the use of a compatibility agent is recommended. Rerun the above COMPATIBILITY TEST with a suitable compatibility agent (¼ teaspoon is equivalent to 2 pints per 100 gallons of spray solution).

PROCEDURE FOR CLEANING SPRAY EQUIPMENT

The steps listed below are suggested for thorough cleaning of spray equipment following applications of MONDAK® Herbicide or tank mixes of MONDAK® Herbicide plus MCPA amine.

- 1) Hose down thoroughly the inside as well as outside surfaces of equipment while filling the spray tank half full of water. Flush by operating sprayer until the system is purged of the rinse water.
- 2) Fill tank with water while adding 1 quart of household ammonia for every 25 gallons of water. Operate the pump to circulate the ammonia solution through the sprayer system for 15 to 20 minutes and discharge a small amount of the ammonia solution through the boom and nozzles. Let the solution stand for several hours, preferable overnight.
- 3) Flush the solution out of the spray tank through the boom.
- 4) Remove the nozzles and screens and flush the system with two full tanks of water.

20921

The steps listed below are suggested for thorough cleaning of spray equipment used to apply MONDAK® Herbicide as a tank mix with wettable powders (WP), emulsifiable concentrates (EC), or other types of water-dispersible formulations. MONDAK® Herbicide tank mixes with water-dispersible formulations require the use of a water/detergent rinse.

- 5) Complete step 1.
- 6) Fill tank with water while adding 2 lbs. of detergent for every 40 gallons of water. Operate the pump to circulate the detergent solution through the boom and nozzles. Let the solution stand for several hours, preferably overnight.
- 7) Flush the detergent solution out of the spray tank through the boom.
- 8) Repeat step 1, and follow with steps 2, 3 and 4.

STORAGE AND DISPOSAL

PROHIBITIONS

Do not contaminate water, food or feed by storage or disposal.

STORAGE

Always use original container to store pesticides in a secured warehouse or storage building. Do not store near seeds, fertilizers, insecticides or fungicides. Store at temperature above 32° F. If allowed to freeze, warm to at least 40° and remix before using. Freezing does not alter this product. Containers should be opened in well-ventilated areas. Keep container tightly sealed when not in use. Do not stack cardboard cases more than two pallets high.

PESTICIDE DISPOSAL

Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If container is damaged or if pesticide has leaked, contain all spillage. Absorb and clean up all spilled material with granules or sand. Place in a closed labeled container for proper disposal. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL

Triple rinse (or equivalent), then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities. Plastic containers are also disposable by incineration, or if allowed by State and Local authorities, by burning. If burned, stay out of smoke.

21021

Arsenal® is a registered trademark of American Cyanamid Company.
Princep® is a registered trademark of Ciba-Geigy Corporation.
Garlon® and Tordon® are registered trademarks of DowElanco Company.
Hyvar®, Karmex®, Krenite®, Oust®, Telar®, and Velpar® are registered trademarks of E.I. duPont de Nemours & Co., Inc.
Spike® is a registered trademark of DowElanco.
Roundup® is a registered trademark of Monsanto Agricultural Products Co.
Asulox® is a registered trademark of Rhone-Poulenc Chemical Company.
Banvel® is a registered trademark of Sandoz Ltd.
Mondak® is a registered trademark of Sandoz Agro Inc.

LIMITED WARRANTY AND LIABILITY

NOTICE: Read this Limited Warranty and Liability before buying or using this product. If the terms are not acceptable, return it at once unopened.

It is critical that this product be used and mixed only as specified on the label. The laws of a State may make some or all of this paragraph inapplicable or may give you rights in addition to your rights hereunder. Except, to the extent prohibited by applicable law, the exclusive remedy of the user or buyer and the limit of liability of this Company or any other Seller for any and all losses, personal injuries or damages resulting from the use of this product, shall be the purchase price paid by the user or buyer for the quantity of product involved. Except to the extent prohibited by State law, there is no warranty, and this Company and other Sellers disclaim all liability for losses, personal injury or damages: (i) arising from any use of this product in a manner or for a purpose not recommended in its label directions, or from mixing this product before use with any substance except as recommended by the product's label, (ii) arising from handling or storage in violation of label instructions, (iii) for all indirect, special or consequential damages, (iv) when not reported to this Company within one year of discovery, and (v) arising from product not used within the label-designated shelf life of four years from date of purchase, whichever first occurs. **THERE ARE NO IMPLIED WARRANTIES AND NO WARRANTIES OF MERCHANTABILITY OR FITNESS.**