

External:

For Skin: Wash with mild soap and water. Rinse with fresh water.

For Eyes: Rinse eye with water for at least 15 minutes. Get medical aid.

Internal:

If swallowed: Drink one or two glasses of water and induce vomiting by touching the back of the throat with a finger or blunt object. Do not induce vomiting or give anything by mouth to an unconscious person. Get medical attention.

If Inhalad: Remove victim to fresh air. Apply respiration if necessary.

Keep out of the reach of children.

IMPORTANT

Do not apply (except as recommended) on or near susceptible plants, or in locations where the chemical may be washed or moved into contact with their roots.

Winen temperature exceeds 85°F or when wind velocity exceeds 10 mph there is a greater chance of herbicide particle movement to adjacent sensitive crops.

Applications by ground rigs, air and hand dispensers should be carrie I out only when there is no hazard from drift of product to susce, able plants such as beans, flowers, fruit trees. grapes, ornamentals, peas, potatoes, soybeans, sunflowers, tobacco, and tomatoes, during both the growing and dormant periods. Coarse sprays are less likely to drift.

Do not contaminate domestic or irrigation waters during application or by cleaning of equipment or disposal of wastes. Avoid contamination of feed and foodstuff. Thoroughly clean application equipment after use. Consult your state authorities for possible aerial or other application restrictions.

Observe all environmental cautions on labeling of all products used in mixtures.

VELSICOL

 ρ_{H}

Ш

C

C

K

JINDUSTRIAL HERBICIDE FOR BRUSH AND BROADLE Contains the equivalent of 40.0% 3,6-dichlord E⊣ 1980 (dicamba) or 4 pounds per gallor

ACTIVE INGREDIENTS:

1. Umetnylamine Sait of dicampa (3,6-dichloro- <u>o</u> -anisic acid)	40 00/
Dimethylamine Salt of	40.276
Dimethylamine Salt of related acids	12.0%
NERT INGREDIENTS	39.8%
Total	100.0%

KEEP OUT OF THE **REACH OF CHILDREN** CAUTION


NET CON

See Left Panel for Additional Cautions

E.P.A. F E.P.A.

VELSICOL CHEMICAL CORPORATION 341 EAST OHIO STREET, CHICAGO, ILLINOIS 606

07154-132AF



back of outh to

VELSICOL

Banvel® 4-W.S.

್ನಕ್ಷ್ನ (Nindustrial Herbicide for Brush and Broadleaf Weed Control

Contains the equivalent of 40.0% 3,6-dichloro-n-anisic acid (dicamba) or 4 pounds per gallon.

ACTIVE INGREDIENTS:

Dimethylamine Salt of dicamba	
(3.6-dichloro-o-anisic acid)	48.2%
Dimethylamine Salt of related acids	12.0%
Total	

KEEP OUT OF THE REACH OF CHILDREN

CAUTION

NET CONTENTS: 30 Gailons

See Left Panel for Additional Cautions

E.P.A. Reg. No. 876-159-AA E.P.A. Est. No. 876-TX-2

VELSICOL CHEMICAL CORPORATION
341 EAST OHIO STREET, CHICAGO, ILLINOIS 60611

IMPORTANT (Cont

There are no grazing restrictions for cattle being prod Banvel plus 2,4-D tank mixture. For milk-producing da land for 7 days after application of 0.5 lb. a.i./acre of dicamba, 40 days after application of 2.0 after application of 4.0 lb. a.i./acre of dicamba.

For land treated with a Banvel plus 2,4,5-T tank mixture days of slaughter. Milk-producing dairy animals shoul after application of up to 2 lbs. a.i./acre ' dicamba. dicamba, do not graze dairy animals on treated land

Read "LIMIT OF WARRANTY AND LIABILITY" befacceptable, return at once unopened.

CONTAINER DISP

Do not reuse empty container. Wash thoroughly with place.

LIMIT OF WARRANTY AN

The exclusive remedy of the user or buyer and the limit of the lial and all losses, injuries or damages resulting from the use or han paid by the user or buyer for the quantity of this product involved other setter disclaim all liability for all losses, personal injuries of and from any use of this product not recommended in label direct or improper storage.

DIRECTIONS FO

Read pamphlet No. 07154 attached. For additional

BEST AVAILABLE COPY

s where

greater

JAN 1980

K

n there it trees, natoes,

ning of roughly terial or



rel® 4-W.S.

DE FOR BRUSH AND BROADLEAF WEED CONTROL

e equivalent of 40.0% 3,6-dichloro-o-anisic acid (dicamba) or 4 pounds per gallon.

REN

NET CONTENTS: 30 Gajlons

tional Cautions

E.P.A. Reg. No. 876-159-AA E.P.A. Est. No. 876-TX-2

CHEMICAL CORPORATION STREET, CHICAGO, ILLINOIS 60611



IMPORTANT (Continued)

There are no grazing restrictions for cattle being produced for meat, on land treated with a Banvel plus 2,4-D tank mixture. For milk-producing dairy animals restrict grazing on treated land for 7 days after application of 0.5 lb. a.i./acre of dicamba, 21 days after application of 1.0 lb. a.i./acre of dicamba, 40 days after application of 2.0 lb. a.i./acre of dicamba, and 60 days after application of 4.0 lb. a.i./acre of dicamba.

For land treated with a Banvel plus 2,4,5-T tank mixture, do not graze meat animals within 30 days of slaughter. Milk-producing dairy animals should not graze treated fields until 42 days after application of up to 2 lbs. a.i./acre of dicamba. For rates of over 2.0 lbs. a.i./acre of dicamba, do not graze dairy animals on treated land for 60 days after application.

Read "LIMIT OF WARRANTY AND LIABILITY" before buying or using. If terms are not acceptable, return at once unopened.

CONTAINER DISPOSAL

Do not reuse empty container. Wash thoroughly with water and detergent. Discard in a safe place.

LIMIT OF WARRANTY AND LIABILITY

The exclusive remedy of the user or buyer and the limit of the liability of this company or any other seller for any and all losses, injuries or damages resulting from the use or handling of this product shall be the purchase price paid by the user or buyer for the quantity of this product involved. There is no warranty and this company and any other seller disclaim all liability for all losses, personal injuries or damages arising from combining substances and from any use of this product not recommended in label directions or arising from misuse, improper handling or improper storage.

DIRECTIONS FOR USE

Read pamphlet No. 07154 attached. For additional copies, write to the manufacturer.

