

(Container Label)

BRUSH BUSTER® Herbicide

**FOR NONSELECTIVE BRUSH AND BROADLEAF WEED CONTROL ALONG
FENCE ROWS, DRAINAGE DITCH BANKS, HIGHWAY RIGHTS-OF-WAY,
WASTELAND AND SIMILAR NONCROPLAND**

Active Ingredients:

Dimethylamine salt of dicamba

(3,6-dichloro-o-anisic acid)* 12.82%

Dimethylamine salt of 2,4-dichloro-

phenoxyacetic acid**..... 24.58%

Inert Ingredients: 62.60%

TOTAL.... 100.00%

*This product contains 10.6% 3,6-dichloro-o-anisic acid
(dicamba) or 1 pound per gallon (120 g/L).

**This product contains 20.4% 2,4-dichlorophenoxyacetic
acid (2,4-D) or 1.9 lbs. per gallon (228 g/L).

**Isomer specific by AOAC method 6.275-6.279, 13th edition

SHAKE WELL BEFORE USING

KEEP OUT OF REACH OF CHILDREN

CAUTION

See side panel for additional precautionary statements


EPA Reg. No. 55947-25

EPA Est. No. 55947-TX-1

Net Contents: _____

Sandoz Crop Protection Corporation

Des Plaines, IL 60018



BEST AVAILABLE COPY

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if swallowed. Avoid contact with skin, eyes, and clothing. In case of contact, wash skin with soap and water; for eyes, flush with water for 15 minutes and get medical attention.

ENVIRONMENTAL HAZARDS

Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters. Apply this product only as directed on label.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Do not apply this product through any type of irrigation system.

IMPORTANT

Do not apply (except as recommended) on or near desirable plants, or in locations where the chemical may be washed or moved into contact with their roots. Applications by ground rigs and hand dispensers should be carried out only when there is no hazard from drift of product to susceptible plants such as beans, flowers, fruit trees, grapes, ornamentals, peas, potatoes, soybeans, sunflowers and tomatoes. during both the growing and dormant periods. (Coarse sprays are less likely to drift). Do not contaminate irrigation ditches or water used for domestic purposes. Do not allow this product to come in direct contact with seeds,

insecticides or fungicides. To avoid injury to desirable plants, equipment used for **BRUSH BUSTER** should be thoroughly cleaned before reuse to handle or apply any other agricultural chemicals.

When using 1 gallon of **BRUSH BUSTER** per acre, do not graze dairy animals on treated areas within 7 days after application.

When using 3 gallons of **BRUSH BUSTER** per acre, do not graze dairy animals on treated areas within 60 days after application.

BRUSH OR WEED	AMOUNTS FOR PREPARATION OF SPRAY MIX	APPLICATION DIRECTIONS
<p>Perennial Broadleaf Weeds and Vines</p> <p>Canada thistle Leafy spurge Redvine Curly dock Milkweed Russian knapweed Dalmatian toadflax Perennial ragweed Tansy ragwort Field bindweed Puncturevine Tansie (morningglory) and many other perennial broadleaf weeds</p>	<p>Add 1/2 gallon of Brush Buster Herbicide (equivalent to 1/2 lb dicamba plus 1 lb 2,4-D acid) plus 49 1/2 gallons of water to make 50 gallons of spray mix.</p>	<p>For effective broad spectrum control of annual and perennial broadleaf weeds and vines apply Brush Buster Herbicide when weeds are actively growing.</p> <p>Apply at the rate of 50 gallons of spray mix per 1/4 acre (about 22,000 square feet or equivalent to a strip 3,500 feet long x 4 feet wide).</p> <p>If less than 50 gallons of spray mix is applied per half acre increase the concentration of Brush Buster Herbicide to maintain the same rate of active ingredients per half-acre.</p>
<p>Annual Broadleaf Weeds</p> <p>Caperweed Herbit Ragweed Chickweed Knotweed Sheep sorrel Clover Lambsquarters (red sorrel) Cocklebur Mustard Smartweed Dogfennel Pigweed Velvetleaf English daisy Purslane Wild buckwheat and many other annual broadleaf weeds</p>	<p>Add 1 quart of Brush Buster Herbicide (equivalent to 1/2 lb dicamba plus 1/2 lb 2,4-D acid) plus 49 1/2 gallons of water to make 50 gallons of spray mix.</p>	<p>FOR SPOT TREATMENTS</p> <p>Mix 1 to 2 ounces of Brush Buster Herbicide with 2 to 3 gallons of water to treat 700 square feet.</p>
<p>Woody Brush</p> <p>Alder Hemlock Serviceberry Ash Hornbeam Spicebush Aspen Locust Spruce Basswood Maple Sumac Cedar Mesquite Sycamore Cherry Oak Thornapple Chinquapin Paraimmon Wild plum Cucumber tree Pine Willow Gum Poplar Witchhazel Hava Sassafras Yucca Dogwood Schinus Yucca Elm (Christmasberry) and similar woody plant species</p>	<p>STEM FOLIAGE APPLICATION—HIGH WATER VOLUME</p>	
	<p>Add 1/2 gallon of Brush Buster Herbicide (equivalent to 1/2 lb dicamba plus 1 lb 2,4-D acid) plus 49 1/2 gallons of water to make 50 gallons of spray mix.</p>	<p>Apply Brush Buster Herbicide after leaves are fully developed and until 3 weeks before frost.</p> <p>Treat all stems and foliage to runoff with special emphasis on covering the root crown. Apply at the rate of 50-75 gallons of spray mix per 1/4 acre (about 11,000 square feet) depending on the height and density of the brush.</p>
	<p>AERIAL APPLICATION*—15 GALLONS OF SPRAY MIX/ACRE</p>	
	<p>Add 3 gallons of Brush Buster Herbicide (equivalent to 3 lbs dicamba plus 6 lbs 2,4-D acid) plus 12 gallons of water to make 15 gallons of spray mix.</p>	<p>Apply Brush Buster Herbicide after leaves are fully developed and until 3 weeks before frost.</p> <p>Apply at the rate of 15 gallons of spray mix per acre of brush.</p>
<p>AERIAL APPLICATION*—30 GALLONS OF SPRAY MIX/ACRE</p>		
<p>Add 3 gallons of Brush Buster Herbicide (equivalent to 3 lbs dicamba plus 6 lbs 2,4-D acid) plus 27 gallons of water to make 30 gallons of spray mix.</p>	<p>Apply Brush Buster Herbicide after leaves are fully developed and until 3 weeks before frost.</p> <p>Apply at the rate of 30 gallons of spray mix per acre of brush.</p>	

*Before making aerial applications, consult your State or Local Authorities for possible aerial application restrictions. To reduce the hazards of spray drift when applying this product by ground or air equipment, apply with a drift reducing agent such as foam spray adjuvant, inert system or with other systems designed to reduce spray drift.

BRUSH BUSTER IS A TRADEMARK OF SANDOZ CROP PROTECTION CORP

SANDOZ CROP PROTECTION CORP

BEST AVAILABLE COPY

STORAGE AND DISPOSAL

PROHIBITIONS

Do not contaminate water, food or feed by storage or disposal.

STORAGE

Store in original container in a well-ventilated area separately from fertilizer, feed and foodstuffs. Avoid cross-contamination with other pesticides. Spillage or leakage should be contained and absorbed with clay granules, sawdust, or equivalent material for disposal.

PESTICIDE DISPOSAL

Triple rinse pesticide from containers and use rinsates in the pesticide application. Wastes which cannot be used according to label instructions may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL

Plastic or Metal: After triple rinsing (or equivalent), offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities, such as burning of plastic containers. If burned, stay out of smoke.

LIMITED WARRANTY AND LIABILITY

NOTICE: Read this Limited Warranty and Liability before buying or using this product. If the terms are not acceptable, return it at once, unopened.

It is critical that this product be used and mixed only as

BEST AVAILABLE COPY

specified on the label. The laws of a State may make some or all of this paragraph inapplicable or may give you rights in addition to your rights hereunder. Except to the extent prohibited by applicable law, the exclusive remedy of the user or buyer and the limit of liability of this Company or any other Seller for any and all losses, personal injuries or damages resulting from the use of this product shall be the purchase price paid by the user or buyer for the quantity of product involved. Except to the extent prohibited by State Law, there is no warranty, and this Company and other Sellers disclaim all liability for losses, personal injury or damages: (i) arising from any use of this product in a manner or for a purpose not recommended in its label directions or from mixing this product before use with any substance except as recommended by the product's label; (ii) arising from handling or storage in violation of label instructions; (iii) for all indirect, special or consequential damages; and (iv) when not reported to this Company within one year of discovery. **THERE ARE NO IMPLIED WARRANTIES AND NO WARRANTIES OF MERCHANTABILITY OR FITNESS.**

Proposed Label

1-14-91