

PM - 90

Reg # 55947-74

128


 United States Environmental Protection Agency Washington, DC 20460		Registration Amendment ☒ Other ☐	OPP Identifier No. 212439
Application for Pesticide - Section I			
1. Company (and its location) Sandoz Agro, Inc. / 557-74		1111 Patton	
4. (any/line) (see) Sandoz Agro, Inc. / 557-74		6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(ii), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	
5. Name and Address of Applicant (Include ZIP Code) Sandoz Agro, Inc. 1300 E. Touhy Ave. Des Plaines, IL 60018		☐ Check if this is a new address	

Section

subm. ☐	Ag. ☐	"M." ☐	Other ☐
Exp.			
de 41			
vol.			
6)			
for			

Child-Resistant Packaging ☐ Yes ☐ No	Unit Packaging ☐ Yes ☐ No	Water-Resistant ☐ Yes ☐ No	BEST AVAILABLE COPY
* Certification must be submitted	If "Yes" Unit Packaging wgt.	No. per container	If "Yes" Package wgt.
No. per container	No. per container	No. per container	Plastic Glass Paper Other (Specify) _____
3. Location of Net Contents Information ☐ Label ☐ Container		4. Size(s) Retail Container	
5. Location of Label Directions		6. Manner in Which Label is Affixed to Product ☐ Lithograph ☐ Paper glued ☐ Stenciled ☐ Other _____	

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)			
Name Frederick F. Piskiewicz	Title Registration Specialist	Telephone No. (Include Area Code) (708) 390-3698	Date Application Received (Stamp)
I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.			(Stamp)
2. Signature 	3. Title Registration Specialist	5. Date November 27, 1995	(Stamp)
4. Typed Name Frederick F. Piskiewicz	(Stamp)		

412

THURICIDE® 48 LV

FOR OUTSIDE CONCENTRATION FOR AERIAL OR GROUND APPLICATION
FOR CONTROL OF SOYABEAN, SHADETREE,
AND FOREST PESTS

ACTIVE INGREDIENT:

Bacillus thuringiensis, subspecies *kurstaki*, potency 12,000

[illegible]

..... .6%

1. 7/1 0.0%

*Equivalent to 12.0 billion International Units per quart.

SECRET

EPA Reg. No. 55947-74
EPA Est. No. 55947-CA-2
MADE IN U.S.A.

Net Contents:
Lot No.:

THURICIDE® is a Registered Trademark of Sandoz Ltd.

SANDOZ AGRO, Inc.
1300 East Touhy Avenue
Des Plaines, Illinois 60018

BEST AVAILABLE COPY

PRECAUTIONARY STATEMENTS

HAZARD TO HUMANS

Avoid inhalation or contact with eyes or open wounds.

Personal Protective Equipment:

Applicators and other handlers must wear:

- Long-sleeved shirt and long pants

Wash hands thoroughly for clothing. Wash hands thoroughly before eating, drinking, chewing gum, using tobacco or using the toilet. Wash clothing separately from other laundry.

User Safety Recommendations:

Users should:

- o Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- o Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- o Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

BEST AVAILABLE COPY

ENVIRONMENTAL RESTRICTIONS

Do not contaminate water when disposing of equipment washwaters.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Read and understand the entire label before using this product. Only use the product in the manner directed on the label.

For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 4 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water is:

- Coveralls
- Waterproof gloves
- Shoes plus socks

BEST AVAILABLE COPY

598

Suspension must be shaken or stirred before use. Pour the recommended amount of THURICIDE into the required volume of water in the spray tank. Agitate as necessary to maintain suspension. Do not allow diluted sprays to remain in the tank for more than 72 hours. THURICIDE is formulated to provide excellent coverage and stickability on leaf surfaces. Additional adjuvants, spreaders, or stickers may be added but are not recommended.

Do not apply this product through any type of irrigation system.

GROUND APPLICATION

Use adequate water to obtain good foliar coverage. Wet foliage but do not allow excessive run-off. Apply the recommended per acre rates of THURICIDE with the following volume of water:

10 gallons with backpack sprayer
10 gallons with ground blower

For more information, see the label.

For more information, see the label.

For more information, see the label.

BEST AVAILABLE COPY

RECOMMENDATIONS

Thorough coverage is essential when using THORACIDE. Use the lower rate for light to moderate infestations. Use the higher rates against heavier worm infestations.

=====			
Pest	Dosage Ounces Per Acre	BIU Per Acre	Directions For Use
Apple San Jose Scale	1-4	4-1	Apply in late summer or early fall.
Fall Webworm	11-44	4-16	40-50% as effective against eggs.
Elm Sawfly	11-44	4-16	eggs hatch or a long part of
Tent Caterpillar	11-44	4-16	time or if reinfestation occurs,
Gypsy Moth	22-106	8-40	respray about 14 days after the
=====			
Common Pear Sawfly	11-44	4-16	Apply in late summer or early fall.
Black Pine Budworm	11-44	4-16	early instar larvae are feeding on
Elm Sawfly	11-44	4-16	and are feeding.
California Oak Moth	11-44	4-16	
Fruit Tree Leafroller	11-44	4-16	
Mimosa Webworm	11-44	4-16	
Redhumped Caterpillar	5-32	2-12	
Fall Webworm	5-22	2-8	
Western Tussock Moth	11-44	4-16	
Pine Butterfly	16-64	6-24	
=====			

STORAGE

Store in a cool place. Activity may be impaired by storage at temperatures above 90° F. Do not contaminate water, food, or feed by storage or disposal.

BEST AVAILABLE COPY

728

DISPOSAL

PESTICIDE

Waste resulting from this product may be disposed on site or at an approved waste disposal facility.

CONTAINER (PLASTIC)

Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by incineration, or if allowed by State and local authorities, by burning. If burned, stay out of smoke. Reuse of thoroughly cleaned container is allowable.

CONTAINER (METAL)

Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by State and local authorities. Reuse of thoroughly cleaned container is allowable.

BEST AVAILABLE COPY

NOTICE: Read this Limitation of Warranty and Limitation of Liability before buying or using this product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded. It is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness, or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of Sandoz or seller. All such risks shall be assumed by buyer or user. Sandoz warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the Directions for Use, under normal use conditions, subject to the risks described above. Sandoz makes no other express or implied warranty of fitness or of merchantability or of any other express or implied warranty. In no event shall Sandoz or seller be liable for any incidental, consequential or special damages resulting from the use or handling of this product, and, exclusive of use by the user or buyer, and the exclusive liability of Sandoz or seller for any and all claims, losses, injuries or damages (including claims based on breach of warranty, contract, negligence, tort, strict liability, or otherwise) resulting from the use or handling of this product, shall be the return of

use of the product, and the user shall be responsible for any damage to the product or any other property caused by the use of the product. The user shall be responsible for any damage to the product or any other property caused by the use of the product.

BEST AVAILABLE COPY