* PM 23 55947	=77 poge 183.	
SEPA Environmental Protection Age	ncy Amendment OFOOCA	
Application for Pesticide - Section I		
1. Company/Product Number Sandoz Agro, Inc./ 55947-77	2. EPA Product Manager 3. Proposed Classification	
4. Company/Product (Name) Sandoz Agro, Inc./ Zorial Rapid 80	PM# #23	
5. Name and Address of Applicant (Include ZIP Code) Sandoz Agro, Inc. 1300 E. Touhy Ave. Des Plaines, IL 60018 Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No	
Check if this is a new address Product Name Section - II		
Amendment - Explain below. Resubmission in response to Agency letter dated X Notification - Explain below. See_cover Letter Explanation: Use additional page(s) if necessary.	X Final printed labels in response (7) Agency letter dated "Me Too" Application. Other - Explain below. 1996 action II."This notification is consistent with the	
regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 95-2 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA."		
1. Material This Product Will Be Packaged In:		
Child-Resistant Packaging Yes* No No Certification must * Certification must 3. Location of Net Contents Information Container Mission (Stream) (Stre	ner 5. Location of Label Directions	
X Label 77 201 Container Research 6x5 1b and a container and the second state of the s		
6. Manner in Which Label is Affixed to Product X Lithograph Paper glued Stenciled		
Section - IV		
1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name Nancy Huebl Labe	Telephone No. (R47) 390-3823	
Certification Certification<		
	el Coordinator	
4. Typed Name 5. Date Nancy Huebl	September 11, 1996	
EPA Form 8570-1 (Rev. 8-94) Previous editions are obsolete.	White - EPA File Copy (original) Yellow - Applicant Copy	

ZORM RAPID BO HERBIGIDE

Supplemental Labeling

Alfalfa Directions for Use

EPA Reg. No. 55947-77

Directions for Use

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

This labeling must be in the possession of the user at the time of application.

Important

Before using this product read and carefully observe all applicable directions, restrictions and precautionary statements on the EPA registered container label and the ZORIAL RAPID 80[®] Herbicide Directions for Use booklet attached to the container.

Use Precautions

Do not apply this product through any type of irrigation system.

ZORIAL RAPID 80 is only recommended for preemergent weed control in established alfalfa; do not apply to seedling alfalfa earlier than 5 months following emergence.

Do not apply ZORIAL RAPID 80 within 28 days of harvest.

Soil disturbances such as rodent burrowing and fire ant mounding may result in temporary bleaching or reduced growth in alfalfa treated with ZORIAL RAPID 80.

Do not apply to alfalfa planted with small grain or grass companion cover unless injury to the companion crop is acceptable. Alfalfa seed germinating after ZORIAL RAPID 80 is activated in the soil will not become established.

Application Timing and Rates

ZORIAL RAPID 80 may be applied to healthy stands of established alfalfa at 1.25 lb/A no earlier than 5 months following emergence. An additional 1.25 lb/A may be applied later in the first crop year to extend late season weed control. Application in each of the following crop years may be made at 1.25 to 2.5 lb/A depending upon weed pressure, soil texture, and cultural practices:

NOTIFICATION

• Use the lower rate on coarse soils (sand, loamy sand, sandy loam) and when low populations of easily controlled annual weeds are expected.

• Use the higher rate on medium to fine textured soils (sandy clay through clay) and when heavier weed pressure is expected. The 2.5 lb maximum annual rate may be applied in a single application or in split applications.

Do not apply more than 2.5 lb/A per crop year.

Incorporation by rainfall, irrigation, or tillage (for example, by spring fine, disc, or spike tooth harrow) is necessary to activate ZORIAL RAPID 80 in soil before weed seeds germinate and emerge. A minimum of one inch rainfall or irrigation is necessary to incorporate ZORIAL RAPID 80.

Application may be made during dormancy, as long as soil is not frozen, or in actively growing stands. Application should always follow mowing and removal of hay to ensure spray reaches the soil surface. In areas which have less than 15 inches annual moisture (rainfall and snow combined) or less than 4 inches spring rainfall, fall or winter applications are recommended.

ZORIAL RAPID 80 will not control emerged weeds. Established weeds or weeds that emerged before activation may be controlled with postemergent . herbicides that bear labeling for use in the culture of alfalfa.

.

Weeds Controlled

Ť٧

ZORIAL RAPID 80 applications in alfalfa will control or suppress germinating seed of weed species listed below.

Weeds Controlled *

Anoda, Spurred (Cottonweed) Barnyardarass Bluegrass, Annual Brome, Downy Carpetweed Cheat Chickweed Crabgrass Croton, Tropic Foxtails Goosegrass¹ * Henbiî Johnsongrass (seedling) Junglerice Mustards Panicum spp. Pigweeds Purslane Pusley, Florida Rescuegrass Ryegrass, Italian (Annual Ryegrass) Shepherdspurse Sida, Prickly Signalgrass Velvetlleaf

Anoda cristata Echinochloa crus-galli Poa annua Bromus tectorum Mullugo verticillata Bromus secalinus Stellaria media Digitaria spp. Croton glandulosus Setaria spp. Eleusine indica Lamium amplexicaule Sorghum halepense Echinochloa colona -Brassica spp. Panicum spp. Amaranthus spp. Portulaca oleracea Richardia scabra Bromus catharticus Lolium multiflorum

Capsella bursa-pastoris Sida spinosa Brachiaria platyphylla Abutilon theophrasti

¹ Including dinitroaniline (DNA) tolerant goosegrass

Weeds Suppressed

Beggarweed, Florida Bermudagrass Cocklebur, Common Fiddleneck Groundsel Johnsongrass (rhizome) Kochia Malva Mallow, Venice Morningglory Nutsedge (Yellow and Purple) Ragweed, Common Sage, Lanceleaf (Mintweed) Sandbur Senna, Coffee Sesbania, Hemp Sicklepod Sowthistle Spurge, Spotted Thistle, Russian

Desmodium tortuosum Cynodan dactylon Xanthium strumarium Amsinckia intermedia Senecio vulgaris Sorghum halepense Kochia scoparia Malva spp. Hibiscus trionum Ipomoea spp. Cyperus esculentus C. rotundus Ambrosia artemisiifolia Salvia retroflexa

Sandbur Cenchrus spp. Senna, Coffee Cassia occidentalis Sesbania, Hemp Sesbania exaltata _____ Sicklepod Cassia obtusifolia Smartweed, Pennsylvania Polygonum pensylvanicum Sowthistle Sonchus oleracea Spurge, Spotted Euphorbia maculata Thistle, Russian Salsa iberica

Tank Mixes

ZORIAL RAPID 80 may be tank mixed with any of the following products that bear labeling for use on alfalfa. Read and follow directions for use, precautionary statements and rates of application of these tank mix partners.

<u>Irademark</u>	Active ingreatent
Butyrac [®]	2,4-DB
Pursuit®	imazethapy
Velpar®	hexazinone
Sinbar®	terbacil
Sinbar® Lexone®, Senc d+OTiFIC Treflan®, Trilin®	metribuzin
Treflan®, Trilin®	ATION trifluralin
LDIOIN ^O	
Poast	igg sethoxydim
Kerb®	pronamide
Karmex®	diuron

Rotational Crop Restrictions

For 16 months following the last application of ZORIAL RAPID 80, treated acreage may only be rotated to cotton, soybeans, peanuts, or asparagus. Soybean and peanuts may show pigment loss (bleaching in leaf veins) and/or stand reduction in Texas (west of I-35), southwest Oklahoma, and New Mexico if planted within 16 months following the last ZORIAL RAPID 80 application.

Special rotational instructions for California or Arizona: Soils containing more than 65% sand should be bioassayed prior to crop rotation. Rotational crops may be planted when no signs of phytotoxicity (bleaching or pigment loss in veins) are observed in bioassay plantings for four months following emergence.

Alfalfa stands treated with ZORIAL RAPID 80 should be irrigated as in normal production the year prior to rotation in California and Arizona.

Registered Trademarks

Butyrac® is a registered trademark of Rhone-Poulenc Ag Company. Eptam® is a registered trademark of Zeneca, Inc.

Karmex®, Lexone®, Sinbar®, and Velpar® are registered trademarks of E.I. du Pont de Nemours & Company, Inc. Kerb® is a registered trademark of Rohm and Haas Company.

Poast® is a registered trademark of BASF AG.

Pursuit® is a registered trademark of American Cyanamid Company.

Sencor® is a registered trademark of Bayer Corporation. Treflan® is a registered trademark of DowElanco Chemical Company.

Trilin[®] is a registered trademark of Giffin Ag Products Co. ZORIAL RAPIĎ 80® is a registered trademark of Sandoz Ud.

ls sandoz

ZORIAL RAPID 80® is a registered trademark of Sandoz Ltd. ©1996 SANDOZ AGRO, INC.

Registrant: