JAVELIN® BIOLOGICAL INSECTICIDE

FOR HOME AND GARDEN USE

PROPOSED SECOND LABEL

ACCEPTED

MAY 25 1990

Under use in the Redomicide Act, as amended, for the pesticide registered under IPA Rep. No.

JAYPLIN[®] BIOLOGICAL LXSECTICIDE

Controls Worms and Caterpillars on Fruits, Vegetables, Ornamentals, and Shade Trees

ACTIVE INGREDIENT: Becilies theringlensis variety kurstek! Potency of 16,000 Spodoptera Units (at least (12 million viable spores) per milligram ²)	1.6%
INERT INGREDIENTS:	<u>98.42</u>
TOTAL	100.03
*Equivalent to 16.0 Billion Spodopteral Units per quart billion International Units per quart).	(8.0
HAZARDS TO HUMANS	

KEEP OUT OF REACH OF CHILDREN

CAUTION

ENVIRONMENTAL HAZARDS

Do not apply directly to water or wetlands (swamps, bogs, marshes, and potholes). Aerial application is permissionable where tree canopy exists. Do not contaminate water when disposing of equipment washwaters.

Lot	No.	EPA	Reg.	No.	55947-80
NET	CONTENTS:	EPA	Est.	No.	55947-CA-2

SANDOZ CROP PROTECTION CORPORATION DES PLAINES, IL 60018

MAY 25 1990
Under the 1 an americal provided for the posticide regimered under 12A Fez. No.

JAVELIE BIOLOGICAL INSECTICIDE

Controls Worms and Caterpillars on Fruits, Vegetables, Ornamentals, and Shade Trees

JAVELIN is an easy-to-mix liquid concentrate. Properties include:

- Effective control the natural way

 Kills worm and caterpillar stage insects, but has no effect on humans, pets, birds, earthworms or beneficial insects such as honeybees and ladybugs.

- Worms and caterpillars eat treated foliage, then immediately stop feeding and damaging plants.

- Totally biodegradeable active ingredient

- Acceptable for use on edible plants up to day of harvest

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Unless specifically specified, do not apply this product through any type of irrigation system.

Apply JAVELIN Biological Insecticide when worms or caterpillars are first noticed, then repeat at 5- to 7-day intervals while they are active. Apply more frequently to control heavy infestations. Apply throughly to top and bottom of foliage. Re-apply after heavy rains.

JAVELIN Biological Insecticide must be eaten by worms or caterpillars to be effective. After ingesting the insecticide, they immediately stop feeding, though they may otherwise appear to be unaffected for several days. Best results are obtained by treatments when worms are small; they must be actively feeding on treated, exposed foliage. You may apply JAVELIN Biological Insecticide up to and on the day of harvest.

HOW TO APPLY: Always shake or stir JAVELIN® Biological Concentrate thoroughly before use. Partially fill sprayer with water before adding recommended amount of product, then mix in product thoroughly and add remaining amount of water.

Spray leaf surfaces throughly -- top and bottom -- for complete control. Agitate regularly while spraying. Use all of spray mixture within 24 hours.

RECOMMENDED APPLICATION RATES 1.5-3.0 teaspoons/gallon

Vegetables:

Treats:

asparagus beans (green, lima, mung) turnip, mustard, broccoli brussel sprouts cabbage cardoon carrots cauliflower celeriac celery chick peas chinese broccoli chinese cabbage collards cucumbers dry bulb onions eggplants

garlic green onions greens (dandelion, beet, china) herbs (basil, cilantro) dill, oregano, thyme, etc.) horseradish kale kohlrabi leeks lettuce (endive, romaine, head lettuce, escarole, buttercrunch, leaf, etc.) melons (cantaloupe, crenshaw, honeydew, muskmelon, watermelon, etc.) tomatoes okra

onions parsley parsnips peas peppers potatoes pumpkins radishes rutabaga salsify spinach squash (summer and winter) sweet corn sweet potates swiss chard table beets turnip root watercress yams

Controls:

Armyworm Diamondback moth European corn borer

Green cloverworm Hornworm Imported cabbageworm Loopers Salt marsh Caterpillar

FRUITS & NUTS:

Treats:

Almonds
apples
apricots
avocados
bananas
blueberries
caneberries
cherries

citrus
currents
filberts
grapes
kiwi
melons
nectarines
peaches

pears
pecans
persimmons
plums
pomegranate
prunes
strawberries
walnuts

Controls:

Armyworm
Banana skipper
(Hawaii only)
Blueberry leafroller
Cherry fruitworm
Citrus cutworm
Fall webworm
Filbert webworm

Fruittree leafroller Grape leafroller

Grapeleaf Skeletonizers
Green fruitworm
Gypsy moth
Loopers
Omnivorous leafroller
Orangedog

Orange tortrix Redbanded Leafroller

Redhumped caterpillar Rindworm complex Roughskinned cutworm Tent caterpillar Tufted apple budmoth Saltmarsh caterpillar Variegated Leafroller

SHADE TREES, ORNAMENTALS, FLOWERS, AND ROSES:

Controls:

Armworm
Bagworm
California oak moth
Spring & fall cankerworm
Cutworm
Douglas fir tussock moth

Elm spanworm
Fall webworm
Fruit tree leafroller
Gyspy moth
Jackpine budworm

Mimosa webworm Redhumped caterpillar Spruce budworm Tent caterpillar Western tussock moth

STURAGE AND DISPOSAL

STORAGE

Store in a cool place. Activity may be impaired by storage at prolonged temperatures above 90° F. Protect from freezing.

PRETICIDE DISPOSAL

Posticide, spray mixture or rinse water that cannot be used according to label instructions must be disposed of according to Pederal, State or Local procedures.

CONTAINER DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Triple rinse or equivalent. Then offer for recycling or reconditioning, or puncture and dispose of in a senitary landfill, or if allowed by State and Local authorities, by burning. If burned, stay out of smake.

LIMITED VARRANTY AND LIABILITY

Notice: Read this Limited Verrenty and Liability before buying or using this product. If terms are not acceptable, return it at once, unopened.

It is critical that this product be used and mixed only as specified on the label. The laws of a State may make some or all of this paragraph inapplicable or may give you rights in addition to your rights hereunder. Except to the extent prohibited by applicable law, the exclusive remedy of the user or buyer and the limit of liability of this Company or any other Seller for any and all losses, personal injuries or demages resulting from the use of this product, shall be the purchase price paid by the user or buyer for the quantity of product involved. Except to the extent prohibited by State Law. there is no varranty, and this Company and other Sellers disclaim all liability for losses, personal injury or damages: (i) arising from any use of this product in a manner or for a purpose not recognended in its label directions, or from mixing this product before was with any substance except as recommended by the product's label; ((11)) arising from handling or storage in violation of label instructions; (iii) for all indirect, special or consequential demages; and (iv) when not reported to this Company within one year of discover. There are no implied warranties and no varranties of merchantability or fitness.

