

PM 19

55947-97


281

SANDOZ CROP PROTECTION CORPORATION
1300 EAST TOUHY AVENUE, DES PLAINES, ILLINOIS 60018

S SANDOZ

CORPORATE HEADQUARTERS

TFL 708 699 1616



SUPPLEMENTAL LABEL

PENTAC® AQUAFLOW

EPA Reg. No. 55947-97

**FOR WHITEFLY CONTROL
IN
GREENHOUSE ORNAMENTAL FLORAL AND FOLIAGE CROPS,
AND INDOOR ORNAMENTAL PLANTINGS
AND PLANTSCAPES**


Application sites: Greenhouse ornamental floral and foliage crops (plants), indoor ornamental plantings and plantscapes (interiorscapes).

Application directions: Apply PENTAC AQUAFLOW at 8 fluid ounces (1/2 pint) in 100 gallons of water (65 mls per 100 liters). Add recommended amount of PENTAC AQUAFLOW to partially filled tank of water, then complete filling and mixing well before spraying.

Repeat applications at 7-day intervals may be necessary for optimum control. Enhanced effectiveness may result from applications applied as a mixture with registered compatible materials such as ENSTAR 5E and MAVRIK AQUAFLOW. Consult labels before application.

To reduce likelihood of resistance, alternate PENTAC AQUAFLOW use with MAVRIK AQUAFLOW Insecticides (5 oz./100 gallon) or ENSTAR 5E (8 oz./100 gallon).

Refer to the Directions for Use booklet attached to the container for general use instructions and precautionary statements.



Reg # 55947-97

PM-19


191

SANDOZ CROP PROTECTION CORPORATION
1300 EAST TOUHY AVENUE, DES PLAINES, ILLINOIS 60018

 **SANDOZ**

CORPORATE HEADQUARTERS

TEL. 708.699.1616



SUPPLEMENTAL LABEL

PENTAC® AQUAFLOW

EPA Reg. No. 55947-97

FOR WHITEFLY CONTROL
IN
GREENHOUSE ORNAMENTAL FLORAL AND FOLIAGE CROPS,
AND INDOOR ORNAMENTAL PLANTINGS
AND PLANTSCAPES

Application sites: Greenhouse ornamental floral and foliage crops (plants), indoor ornamental plantings and plantscapes (interiorscapes).

Application directions: Apply PENTAC AQUAFLOW at 8 fluid ounces (1/2 pint) in 100 gallons of water (65 mls per 100 liters). Add recommended amount of PENTAC AQUAFLOW to partially filled tank of water, then complete filling and mixing well before spraying.

Repeat applications at 7-day intervals may be necessary for optimum control. Enhanced effectiveness may result from applications applied as a mixture with registered compatible materials such as ENSTAR 5E and MAVRIK AQUAFLOW. Consult labels before application.

To reduce likelihood of resistance, alternate PENTAC AQUAFLOW use with MAVRIK AQUAFLOW Insecticides (5 oz./100 gallon) or ENSTAR 5E (8 oz./100 gallon).

Refer to the Directions for Use booklet attached to the container for general use instructions and precautionary statements.