

PM 13 55947-101

10/9

MAVRIK AQUAFLOW®**INSECTICIDE / MITICIDE**

Insecticide For use on indoor (including greenhouses)
outdoor ornamental plantings and
plantscapes, turf, trees, shrubs and
flower and foliage cuttings.

Recommended for Commercial Use

ACTIVE INGREDIENT: ~~(*α*RS,2R)-fluvalinate-(RS)-*α*-chloro-4-(trifluoromethyl)anilino)-3-methyl-butanoate~~ ~~and~~ ~~(R)-2-(2-chloro-4-(trifluoromethyl)anilino)-3-phenoxybenzyl-(R)-2-(2-chloro-4-(trifluoromethyl)anilino)-3-methyl-butanoate)~~

~~(*α*RS,2R)-fluvalinate-(RS)-*α*-cyano-3-phenoxybenzyl-(R)-2-(2-chloro-4-(trifluoromethyl)anilino)-3-methyl-butanoate)~~ 22.3%

INERT INGREDIENTS: 77.7%
TOTAL 100.0%

MAVRIK AQUAFLOW® is a flowable formulation containing 2 pounds (*α*RS,2R)-fluvalinate per gallon (240 g/L).

*U.S. Pat. 4,260,633 and 4,411,912.

MAVRIK AQUAFLOW® and PENTAC AQUAFLOW® are registered trademarks of Sandoz, Ltd.

EPA Registration No. 55947-101

EPA Est. No. 2724-TX-1

KEEP OUT OF REACH OF CHILDREN

CAUTION

See additional precautionary statements
and statements of practical treatment

SHAKE WELL BEFORE USING


SANDOZ AGRO, INC.
1300 East Touhy Avenue
Des Plaines, Illinois 60018

MADE IN U.S.A.

NET CONTENTS: 8 oz. (236.5 ml)
1 qt. (946 ml)

IMAVAQUA.94E

BEST AVAILABLE COPY



PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Avoid Breathing Spray Mist. Certain persons may be sensitive to MAVRIK AQUAFLOW fine spray particles. Respiratory effects are temporary and will generally subside without medical treatment. Causes mild eye irritation. Harmful if absorbed through skin. Avoid contact with eyes, skin or clothing.

Sensitive individuals may temporarily experience an itching, burning or tingling sensation, with or without a rash, following exposure. These symptoms will usually subside without requiring medical treatment. Avoid hand or sleeve-to-face contact. Prior to exposure, or after washing, an application of corn oil may reduce these symptoms.

STATEMENT OF PRACTICAL TREATMENT

IF IN EYES: Flush eyes with plenty of water. Call a physician if irritation persists.

IF INHALED: Remove victim to fresh air. Apply artificial respiration if indicated.

IF ON SKIN: Apply corn oil to affected area to relieve symptoms. Get medical attention if irritation persists.

IF SWALLOWED: Call a physician or poison control center immediately. Drink one or two glasses of water and induce vomiting by touching the back of throat with a finger. Do not induce vomiting or give anything by mouth to an unconscious person.

For 24 Hour Medical or Chemical Emergency Assistance
Call Sandoz Agro, Inc.
Phone Number (Collect) (708) 699-1616

Personal Protective Equipment:

WPS USES:

Some materials that are chemical-resistant to this product are listed below. If you want more options, follow the instructions for category C on an EPA chemical resistance category section chart.

Applicators and other handlers who handle this pesticide for any use covered by the Worker Protection Standard (40 CFR Part 170) -- in general, agricultural-plant uses are covered -- must wear:

- Long-sleeved shirt and long pants
- Chemical-resistant gloves, such as Barrier Laminate or Butyl Rubber (≥ 14 mils) or Nitrile Rubber (≥ 14 mils) or Neoprene Rubber (≥ 14 mils) or Polyvinyl Chloride (PVC) (≥ 14 mils) or Viton (≥ 14 mils).
- Shoes plus socks.
- For exposures outdoors, dust/mist filtering respirator (MSHA/NIOSH approval number prefix TC-21C).
- For exposures in enclosed areas, a respirator with either an organic-vapor-removing cartridge with a prefilter approved for pesticides (MSHA/NIOSH approval prefix TC-23C), or a canister approved for pesticides (MSHA/NIOSH approval number prefix TC-14G).

NON-WPS USES:

Applicators and other handlers who handle this pesticide for any use **NOT** covered by the Worker Protection Standard (40 CFR Part 170) -- in general, agricultural-plant uses are covered by the WPS -- must wear:

- Protective Clothing
- Rubber gloves while handling; workers in frequent contact with treated foliage should wear light barrier gloves to reduce excess exposure.
- For indoor applications, persons other than applicator should not be present at time of application. Use a properly fitted NIOSH approved respirator (number prefix TC-21C) for use with pesticides to avoid potential irritation to nose and throat from fine spray particles.
- For sensitive persons using MAVRIK AQUAFLOW outdoors, use a NIOSH approved (number prefix TC-21C) filter mask respirator for dusts and mists.

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

Engineering controls statements:

When handlers use closed systems, enclosed cabs, or aircraft in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240 (d) (4-6)], the handler PPE requirements may be reduced or modified as specified in the WPS.

User Safety Recommendations:

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

25849

ENVIRONMENTAL HAZARDS

This product is highly toxic to fish. For terrestrial uses, do not apply directly to water or to areas where surface water is present or to intertidal areas below the mean high water mark. Use with care when applying in areas adjacent to any body of water. Do not apply when weather conditions favor drift from the target area. Do not contaminate water when disposing of equipment washwaters.

PHYSICAL/CHEMICAL HAZARD

Do not use or store near heat or open flame.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

STORAGE: Store away from direct sunlight or heat. Pesticides must be stored in a secured area away from other products, food or feed. In case of spill or leak, soak up with soil or other absorbant material. Do not use caustic agents.

DISPOSAL: Wastes resulting from the use of MAVRIK AQUAFLOW may be disposed of on site or at any approved waste disposal facility.

Triple rinse container (or equivalent). Puncture and dispose of in a sanitary landfill, by incineration or if allowed by state and local authorities by burning. If burned, stay out of smoke.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 12 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water is:

- Coveralls
- Chemical-resistant gloves, such as Barrier Laminate or Butyl Rubber (≥ 14 mils) or Nitrile Rubber (≥ 14 mils) or Neoprene Rubber (≥ 14 mils) or Polyvinyl Chloride (PVC) (≥ 14 mils) or Viton (≥ 14 mils).
- Shoes plus socks.

NON-AGRICULTURAL USE REQUIREMENTS

The requirements in this box apply to uses of this product that are NOT within the scope of the Worker Protection Standard for agricultural pesticides (40 CFR Part 170).

The WPS applies when this product is used to produce agricultural plants on farms, forests, nurseries, or greenhouses.

Keep pets off treated turf until treatment dries because some sensitive pets eating or coming in contact with freshly treated turf may demonstrate vomiting and respiratory distress.

For end use only. Do not repackage or reformulate without manufacturer's written approval. Do not apply this product through any type of irrigation system. See accompanying product information brochure for pests, rates and use directions.

7049

GENERAL DIRECTIONS

MAVRIK AQUAFLOW®-INSECTIGIDE controls insects and controls or suppresses mite pests when used at recommended rates. MAVRIK AQUAFLOW works primarily through contact action, good spray coverage is necessary. Treat when pests are immature or at a susceptible stage and populations are manageable, before crop damage occurs. Repeat application as needed. MAVRIK AQUAFLOW will appear to work more slowly on some species than some conventional products, but good evaluation of performance can generally be made three to four days after treatment. Where heavy populations are present, repeated applications five to seven days apart may be necessary to bring pests under adequate control. Residues of MAVRIK AQUAFLOW can continue to control certain insect pests for a week or longer. Growth dilution, climatic variables and pest habits determine retreatment needs.

Dilute MAVRIK AQUAFLOW in sufficient water to give thorough spray coverage based on local crop protection experience. Buffer spray water to pH 5-7, if necessary. When MAVRIK AQUAFLOW is tank mixed with wettable powders, add powders to the tank first using good agitation. Check for physical and biological compatibility prior to use.

Dried residues of MAVRIK AQUAFLOW are non-toxic and non-repellant to honeybees. Treat during non-foraging periods to minimize adverse effects.

For best results under varying conditions, a range of use rates is recommended. The higher rates must be selected when pest pressure or damage potential is severe. The lower rates often give acceptable economic results. For severe mite infestations, use the highest rate of MAVRIK AQUAFLOW and use a specific acaricide such as PENTAC® Miticide in an alternate treatment program.

The use of a spreader-sticker, insecticidal soaps or piperonyl butoxide may improve control of mites and some insects, such as, white flies, aphids, thrips and mealy bugs.

Consult your local Extension office, Pest management consultant or a Sandoz specialist for guidance in selecting a rate and timing schedule or tank mix combination that has demonstrated good performance under specific conditions.

Recommended Application Rates

Crop	Pest	Amount MAVRIK In Water To Make		Specific Directions
Foliage	Aphid	<u>100 Gals.</u>	<u>5 Gals.</u>	Use sufficient water to thoroughly cover the foliage. Use lower rates for light to moderate insect pressure. Use higher rates for green peach aphids, unexposed thrips and heavy pressure of other insects.
Flowering Plants	Thrips	4.0-10.0	0.2-0.5	
Woody and	Mites	Fl. Oz.	Fl. Oz.	
Herbaceous	Whiteflies		(1.33-3.0)	Mite suppression can be obtained using the lower rate. For more residual control use up to 10 fl. oz./100 gals. water. For maximum effect tank mix with PENTAC AQUAFLOW®.
Ornamentals	Leaf-Feeding		teaspoons	
Conifers	Caterpillars			
(including	(i.e. Tent,			For greenhouse applications (broadcast, fogger or bench) use the rates "4.0-10.0 fl. oz." recommended in the "amount MAVRIK in water to make: 100 gals." column. One hundred (100) gallons of spray will typically cover 20,000 sq. ft. of greenhouse space. When using Electro Static Spraying System (EES®), Puls-fog® or other ULV delivery systems, apply the recommended amount of MAVRIK over the square footage with the manufacturer's requirement of water. Follow manufacturer's calibration procedures.
Christmas Trees,	Orlando, Gypsy			
Shade Trees and	Moth, Bagworm,			
Non-Food	Canker Worm, etc.)			For outdoor broadcast treatment use the rate of 5 fl. oz. of MAVRIK per acre.
Bedding Plants)	Lygus plant bugs			
	Beetles (Flea,			
	Cucumber, Elm leaf)			
	Leafhoppers			

Commercial and residential woody and herbaceous ornamentals	Strawberry root	100	5	Apply spray on ground around base of tree or shrub and up main trunk or stem.
	weevils*	<u>Gals.</u>	<u>Gals.</u>	
	Obscure root			
	weevils*	6.4-10.0	0.32-0.5	
	Blackvine	Fl.Oz.	Fl.Oz	
	root weevils*		(1.66-3.0	
			teaspoons)	

* Except in California

9049

MAVRIK AQUAFLOW® LABEL - RECOMMENDATION FOR USE

<u>CROP</u>	<u>PEST</u>	<u>AMOUNT MAVRIK PER</u>		<u>SPECIFIC DIRECTIONS</u>
		<u>100 Gals.</u>	<u>5 Gals.</u>	
Flower and foliage cuttings (for dipping)	Mealybugs			Immerse basket of cuttings into a diluted solution of MAVRIK until thoroughly wet (usually 1 minute or less).
	Aphids	5.0	0.24	
	Two-spotted spider mites	Fl. Oz.	Fl. Oz.	
			(1.5 teaspoons)	

<u>CROP</u>	<u>PEST</u>	<u>AMOUNT MAVRIK PER</u>		<u>SPECIFIC DIRECTIONS</u>
		<u>1,000 Ft.²</u>	<u>Acre</u>	
Commercial & residential Turf	Chinch Bug	0.11-0.23	5.0-10.0	Use sufficient water to penetrate to pest.
	Earwig*	Fl.Oz.	Fl.Oz.	
	Ticks*	(0.73-1.45 teaspoons)		
	Ants*			Use lower rates for <u>thatch inhabitants</u> , such as, fleas, ticks and chiggers. Repeat application in 10 days.
	Lawn Moths (Sod Webworms)			
	Bermuda Mites*			
	Crickets*			
	Armyworms			Use medium rate for <u>grassfeeders</u> , such as sod webworms, Bermuda mites, chinch bugs, army- worms.
	Brown Dog Ticks			
	Chiggers*			
	Clover Mites			
	Cutworms			Use maximum rate for cutworms.
	Fleas			
	Leafhoppers			
	Sowbugs*			
	Millipedes*			
	Springtails (Collembola)*			

* Except in California