

**JAVELIN ECB GRANULES
FOR EUROPEAN CORN BORER AND ARMYWORM CONTROL**

**Active Ingredient: Bacillus thuringiensis variety Kurstaki
potency of 2.8 Spodoptera Units
(at least 1.3 million viable spores) per milligram*.....4.7
INERT INGREDIENTS.....95.3**

Total 100.0%

***Equivalent to 1.32 Billion Spodoptera Units per pound
(0.8 Billion International Units per pound)**

**KEEP OUT OF REACH OF CHILDREN
CAUTION
PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS
AVOID CONTACT WITH EYES AND OPEN WOUNDS**

ENVIRONMENTAL HAZARDS: Do not apply directly to water or wetlands (swamps, bogs, marshes, and potholes). Do not contaminate water when disposing of equipment washwaters.

STORAGE AND DISPOSAL: Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store in a cool place.

PESTICIDE DISPOSAL: Pesticide, spray mixture or rinse water that cannot be used according to label instructions must be disposed of according to applicable Federal, State or local procedures.

CONTAINER DISPOSAL: Completely empty container by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into application equipment then dispose of box in a sanitary landfill or by incineration if allowed by State and local authorities.

ACCEPTED

MAY 20 1968

55947-130

BEST AVAILABLE COPY

**JAVELIN
ECB
GRANULES**

DIRECTIONS FOR USE

It is a violation of the law to use this product in a manner inconsistent with its labeling.

Do not apply this product through any type of irrigation system.

Apply Javelin ECB as a foliar application, targeting the whorl of the plant. Javelin ECB may be applied aerially or by ground equipment where plant size permits. Aerial applications should be made when wind speed does not exceed 10 mph.

<u>Crop</u>	<u>Insect</u>	<u>Broadcast Rate/Acre</u>	<u>Banded Rate/Acre**</u>	<u>Reentry and Harvest Restrictions</u>
Field Corn	European corn borer	10.0 lbs	7-10 lbs per acre Or 9-12 oz per 1,000 linear feet of row	None
Sweet Corn	(<i>Ostrinia nubilalis</i>)			
Pop Corn	*Southwestern corn borer			
Seed Corn	(<i>Diatraea grandiosella</i>)			
	Fall armyworm			
	(<i>Spodoptera frugiperda</i>)			

* Suppression only

** Apply the higher rate for Southwestern corn borer and Fall armyworm.

. For calibration purposes, the bulk density of Javelin ECB is 33.7 pounds per cubic foot.

Special Instructions

Larvae must ingest Javelin ECB to be affected. Application timing should coincide with the presence of early growth stages of the worms (first to second instar or 1-4 cm). Recommended timing of application is dependent on regionally established economic thresholds and such information should be obtained by consulting your local Experimental Station Specialist or Agricultural Extension Agent. An effective scouting program is necessary for maximizing worm control with Javelin ECB. Follow-up applications are recommended when egg hatch occurs over an extended period, such as when adult moth flight and egg laying continue for a week or more. Satisfactory control cannot be expected if treatment is delayed past the second instar or after larvae have begun entering the plant. Best results will be achieved when moisture from dew, rainfall or irrigation shortly follows application.

3 7 7

LIMITED WARRANTY AND LIABILITY

Notice: Read this Limited Warranty and Liability before buying or using this product if terms are not acceptable, return it at once, unopened.

It is critical that this product be used and mixed only as specified on the label. The laws of the State may make some or all of this paragraph inapplicable or may give you rights in addition to your rights hereunder. Except to the extent prohibited by applicable law, the exclusive remedy of the user or buyer and the limit of liability of this Company or any other Seller for any and all losses, personal injuries or damages resulting from the use of this product, shall be the purchase price paid by the user or buyer for the quantity of product involved. Except to the extent prohibited by State Law, there is no warranty, and this Company and other Sellers disclaim all liability for losses, personal injury or damages: (i) arising from any use of this product in a manner or for a purpose not recommended in its label directions, or from mixing this product before use with any substance except as recommended by the product's label; (ii) arising from handling or storage in violation of label instructions; (iii) for all indirect, special or consequential damages; (iv) when not reported to this Company within one year of discovery. THERE ARE NO IMPLIED WARRANTIES AND NO WARRANTIES OF MERCHANTABILITY OR FITNESS.

EPA REG. NO. 55947-130
EPA EST. NO. 55947-CA-2

BEST AVAILABLE COPY