

55947-134 1) 4
1/25/95

THURICIDE HPC FOR HOME GARDENS

**Microbial Insecticide for Control of Certain
Leafchewing Worms on Shade Trees,
Ornamentals, Fruits and Vegetables**

52 17

ACTIVE INGREDIENT:

Bacillus thuringiensis variety *kurstaki*

Potency of 4000 International Units

(At least 6 million viable spores per mg*) 0.8%

INERT INGREDIENTS: **99.2%**

TOTAL 100.0%

*Equivalent to 4.0 billion International Units per quart.

KEEP OUT OF REACH OF CHILDREN

CAUTION

PRECAUTIONARY STATEMENTS


HAZARDS TO HUMANS: Avoid inhalation or contact with eyes, or open wounds.

ENVIRONMENTAL HAZARDS: Do not apply directly to water or wetlands (swamps, bogs, marshes, and potholes). Do not contaminate water when disposing of equipment washwaters.

NET CONTENTS: 4 (or 8) Fl. Oz.

**EPA Reg. No. 55947-134
EPA Est. No. 55947-CA-2**

**SANDOZ CROP PROTECTION CORPORATION
DES PLAINES, IL 60018**



Not Reviewed. Registrant claims to be in accordance with Reregistration of Pesticide Product Guidance for Phase 2 Response, Page 2.12. Active to Inert Change in Status.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not apply this product through any type of irrigation system.

SHAKE OR STIR BEFORE USING. Pour recommended amount of THURICIDE-HPC into nearly filled spray tank. Stir and add the balance of the water. Maintain agitation while spraying. Do not allow diluted spray to stand in tank for more than 12 hours. Combinations with chemical insecticides, fungicides or spreader-stickers in the tank are generally not deleterious to THURICIDE-HPC if used properly.

Good underleaf coverage is essential since the insect must ingest THURICIDE-HPC. THURICIDE must remain on leaf surface to be effective. Re-apply after heavy rains. Susceptible insects stop feeding after eating THURICIDE-HPC but may otherwise appear to be unaffected for several days.


SHADE TREES & ORNAMENTALS: Mix 2 fluid ounces of THURICIDE-HPC per 3 gallons of water (4 teaspoonsful per gallon) for a hand sprayer or a proportionate amount for a hose end sprayer following manufacturer's directions.

Apply at first sign of infestation and repeat at weekly intervals when needed to maintain control. Apply to thoroughly cover all foliage surfaces of shade trees and ornamentals for control of the following leaf-feeding worms:

Bagworm	Fall Webworm	Red-humped Caterpillar,
Elm Spanworm	Gypsy Moth*	(California only)
Fall Cankerworm	Oak Moth Larvae,	Spring Cankerworm
	(California only)	Tent Caterpillar

*Apply when leaf expansion reaches 40% to 50%.

If eggs hatch over a long period of time or if reinfestation occurs, spray about 14 days after first application.



304

DIRECTIONS FOR USE
(continued)

FRUITS AND VEGETABLES: Mix 1.5 fluid ounces of THURICIDE-HPC per 3 gallons of water (1 tablespoonful per gallon) for a hand sprayer and apply to all plant foliage to cover an area of 1000 square feet.

Apply at first sign of infestation and repeat at weekly intervals when needed to maintain control of the following insects:

GRAPE LEAF FOLDER and OMNIVOROUS LEAF ROLLER (California)
on grapes

FRUIT TREE LEAFROLLER and ORANGE DOG on oranges (California)

CABBAGE LOOPER on broccoli, cauliflower, collards, kale, mustard greens, turnip greens, cabbage, celery, lettuce, melons and tomatoes

IMPORTED CABBAGE WORM on broccoli, cabbage, cauliflower, collards, kale, mustard greens and turnip greens

TOMATO HORNWORM on tomatoes


STORAGE AND DISPOSAL:

Do not contaminate water, feed or food by storage or disposal.

Storage: Store in a cool place. Activity may be impaired by storage at temperatures above 90 degrees F. Do not contaminate water, food or feed by storage or disposal.

Pesticide Disposal: Pesticide, spray mixture or rinse water that cannot be used according to label instructions must be disposed of according to federal, state or local procedures.

Container Disposal: Triple rinse or equivalent. Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.



4/1/11

LIMITED WARRANTY AND LIABILITY:

Notice: Read this Limited Warranty and Liability before buying or using this product. If terms are not acceptable, return it at once, unopened.

It is critical that this product be used and mixed only as specified on the label. The laws of the State may make some or all of this paragraph inapplicable or may give you rights in addition to your rights hereunder. Except to the extent prohibited by applicable law, the exclusive remedy of the user or buyer and the limit of liability of this Company or any other Seller for any and all losses, personal injuries or damages resulting from the use of this product, shall be the purchase price paid by the user or buyer for the quantity of product involved. Except to the extent prohibited by State Law, there is no warranty, and this Company and other Sellers disclaim all liability for losses, personal injury or damages: (i) arising from any use of this product in a manner or for a purpose not recommended in its label directions, or from mixing this product before use with any substance except as recommended by the product's label; (ii) arising from handling or storage in violation of label instructions; (iii) for all indirect, special or consequential damages; (iv) when not reported to this company within one year of discovery. THERE ARE NO IMPLIED WARRANTIES AND NO WARRANTIES OF MERCHANTABILITY OR FITNESS.

