Pm 23 55947-143



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

MPR 23 1994

Nancy Huebl SANDOZ AGRO INC. 1300 East Touhy Ave. Des Plaines, IL 60018 OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

, ofe /1 2 70

Subject: Label Amendment Submission of 07/27/93 in Response to PR Notice 93-7 EPA Reg. No. 55947-143 BARRICADE 65WG HERBICIDE IN WATER SOLUBLE PACKS

Dear Registrant:

The labeling cited above and submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended, is accepted subject to the comments reflected on the enclosed sheet. A copy of your proposed labeling stamped "ACCEPTED WITH COMMENTS" is enclosed.

WHAT THIS ACCEPTANCE MEANS:

Based on your certification, the Agency has accepted the labeling changes that are necessary to comply with the Worker Protection Standard (WPS) labeling requirements of 40 CFR part 156, subpart K, described in PR Notices 93-7 and 93-11. Any other labeling changes submitted in connection with this amendment application but not directly related to compliance with the WPS have not been reviewed or accepted by the Agency. If you wish to make such changes, you must submit a separate amendment application proposing them. If your product is currently suspended, the acceptance of this labeling amendment does not affect the suspension in any way.

WHAT YOU NEED TO DO NEXT:

By the next label printing make all the opecified changes to your labeling. Send to EPA one (1) copy of the final printed labeling:

 BEFORE selling or distributing any product bearing the final printed labeling AND

WITHIN one year from date of this acceptance.



Page 2

Submit the final printed labeling via the U.S. Postal Service to:

Document Processing Desk (FIN-LABEL) Office of Pesticide Programs (7505C) U.S. Environmental Protection Agency 401 M Street, SW Washington, D.C. 20460-0001

Hand or courier deliveries of final printed labeling may be made to:

Document Processing Desk (FIN-LABEL) Office of Pesticide Programs Room 266A, Crystal Mall 2 1921 Jefferson Davis Highway Arlington, VA 22202

Sincerely,

Jim Tompking, Deputy Chief

Registration Support Branch Registration Division (7505W) 2926

Attachment

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY Office of Pesticide Programs Registration Division 3 9 26

Nancy Huebl SANDOZ AGRO INC 1300 EAST TOUHY AVE DES PLAINES IL 60018

Comment for: EPA Reg Nr.55947-143 BARRICADE 65WG HERBICIDE IN WATER SOLUBLE PACKS

The following specific comments pertain to your WPS labeling submission concerning the product cited above:

The glove requirement for "mixers and loaders" in the "Personal Protective Equipment" section on your proposed labeling is missing or incorrect. Remove the incorrect requirement (if any) and add "Waterproof gloves" under "Mixers and Loaders must wear:". The exact location is shown in Sections A and C on Part 1 of the Product Worksheet in Supplement Three-A to PR Notice 93-7.

Remove the statement "Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application." from its current position within the Agricultural Use Box and place it above the Agricultural Use Box.

4926

EPA CONTAINER LABEL (July 22, 1993) BARRICADE 6546 In MATER SOLUBLE PACES

> ACCEPTED with COMMENTS In EPA Letter Dated • ; ;

23

Under the Federal Insecticida, Fundrice regeral insecticida, Fundricida, and Rodenticida Act as amonded, for the posticida registered under EPA Reg. No. 55947-143

BARRICADE® 65 WG Herbicide

ACTIVE INGREDIENT:

Prodiamine [N³, N³-Di-n-propyl-2, 4-dinitro-6-(trifluoromethyl) -m-phenylenediamine] . . 65.0% · · · · · · · · · · · · · <u>35.0</u> INERT INGREDIENTS:

For selective preemergence control of grass and broadleaf weeds in established turf grasses (excluding golf course putting greens), lawns and landscape ornamentals.

KEEP OUT OF REACH OF CHILDREN

CAUTION

See next page for additional precautionary statements and statement of practical treatment.

EPA Reg. No. 55947-143 EPA Est. No.

> Sandoz Agro, Inc. 1300 E. Touhy Avenue Des Plaines, IL 60018

5 9 24

EPA CONTAINER LABEL (July 22, 1993) BARRICADE 65WG in WATER SOLUBLE PACES

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if inhaled or absorbed through the skin. Avoid contact with skin, eyes or clothing. Avoid breathing dust. Prolonged or frequently repeated skin contact, while mixing or handling the concentrated material, may cause allergic reactions in some individuals.

Personal Protective Equipment:

WPS USES:

Applicators and other handlers (other than mixers and loaders) who handle this pesticide for any use covered by the Worker Protection Standard (40 CFR Part 170) -- in general, agricultural-plant uses are covered -- must wear:

Long-sleeved shirt and long pants

Waterproof gloves

Shoes plus socks

Mixers and Loaders must wear:

Long-sleeved shirt and long pants

Chemical-resistant gloves

Shoes plus socks

NON-WPS USES:

Mixers and loaders who handle this pesticide for any use NOT covered by the Worker Protection Standard (40 CFR Part 170) -- in general, only agricultural-plant uses are covered by the WPS -must wear:

• Chemical-resistant gloves

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

Engineering controls statements:

When handlers use closed systems, enclosed cabs, or aircraft in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240 (d) (4-6)], the handler PPE requirements may be reduced or modified as specified in the WPS.

EPA <u>CONTAINER LABEL</u> (July 22, 1993) BARRICADE 65WG in WATER SOLUBLE PACES 6720

User Safety Recommendations: Users should:

 Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.

Remove clothing immediately if pesticide gets inside.
 Then wash thoroughly and put on clean clothing.

Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

STATEMENT OF PRACTICAL TREATMENT

If on skin: Wash with soap and water. Rinse thoroughly.

If inhaled: Remove to clear air.

If in eyes: Flush thoroughly with water for several minutes. Contact a physician if irritation persists.

ENVIRONMENTAL HAZARDS

This product has low solubility in water. At the limit of solubility, this product is not toxic to fish. However, at concentrations above the level of water solubility, it may be toxic to fish. For terrestrial use, do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Drift and runoff from treated areas may be hazardous to aquatic organisms in adjacent sites. Do not contaminate water when disposing of equipment washwaters. EPA CONT/(NEE LABEL (July 22, 1993) BARRICADE 65WG in WATER SOLUBLE PACES

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 12 hours.

Evception: If the product is soll injected or soil incorporated, the Worker Protection Standard, under certain circumstances, allows workers to enter the treated area if there will be no contact with anything that has been treated.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water is:

Coveralis
 Waterproof gloves
 Shoes plus socks

Do not remove water soluble packs from container except for immediate use.

Do not apply this product through any type of irrigation system.

EPA CONTAINER LABEL (July 22, 1993) BARRICADE 65WG in WATER SOLUBLE PACES

IMPORTANT: Read the Limited Warranty and Liability and all applicable *Directions for Use* on attached leaflet before using this product.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE

Store in original container away from fertilizer, feed, or food stuffs and separated from other pesticides.

PESTICIDE DISPOSAL

Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL

<u>Paper bags and boxes</u>: Completely empty container into application equipment. Then dispose of empty bag or box in a sanitary landfill or at an incineration facility; or, if allowed by state and local authorities, by burning locally. If burned, stay out of smoke.

8 9 20

LIMITATION OF WALKANTY AND LIMITATION OF LIABILITY

NOTICE: Read this Limitation of Warranty and Limitation of Liability before buying or using this product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded.

It is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness, or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of Sandoz or seller. All such risks shall be assumed by buyer or user.

Sandoz warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the Directions for Use, under normal use conditions, subject to the risks described above. SANDOZ MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS OR OF MERCHANTABILITY OR ANY OTHER EXPRESS OR IMPLIED WARRANTY.

In no event shall Sandoz or seller be liable for any incidental, consequential or special damages resulting from the use or handling of this product. THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE EXCLUSIVE LIABILITY OF SANDOZ OR SELLER FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FORM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THE PRODUCT OR, AT THE ELECTION OF SANDOZ OR SELLER, THE REPLACEMENT OF THE PRODUCT.

Sandoz and seller offer this product, and buyer and user accept it, subject to the foregoing limitations of warranty and limitation of liability, that may not be modified by any oral or written agreement. Barricade® is a registered trademark of Sandoz Ltd.®

EPA DIRECTIONS FOR USE BOOKLET (July 22, 1993) BARRICADE 65WC IN WATER SOLUBLE PACKS

BARRICADE® 65 WG Herbicide

ACTIVE INGREDIENT:

For selective preemergence control of grass and broadleaf weeds in established turf grasses (excluding golf course putting greens), lawns and landscape ornamentals.

KEEP OUT OF REACH OF CHILDREN

CAUTION

See next page for additional precautionary statements and statement of practical treatment.

EPA Reg. No. 55947-143 EPA Est. No.

> Sandoz Agro, Inc. 1300 E. Touhy Avenue Des Plaines, IL 60018

1

10

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if inhaled or absorbed through the skin. Avoid contact with skin, eyes or clothing. Avoid breathing dust. Prolonged or frequently repeated skin contact, while mixing or handling the concentrated material, may cause allergic reactions in some individuals.

Personal Protective Equipment:

WPS USES:

Applicators and other handlers (other than mixers and loaders) who handle this pesticide for any use covered by the Worker Protection Standard (40 CFR Part 170) -- in general, agricultural-plant uses are covered -- must wear:

Long-sleeved shirt and long pants

Waterproof gloves

• Shoes plus socks

Mixers and Loaders must wear:

Long-sleeved shirt and long pants

Chemical-resistant gloves

• Shoes plus socks

NON-WPS USES:

Mixers and loaders who handle this pesticide for any use NOT covered by the Worker Protection Standard (40 CFR Part 170) -- in general, only agricultural-plant uses are covered by the WPS -must wear:

Chemical-resistant gloves

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

Engineering controls statements:

When handlers use closed systems, enclosed cabs, or aircraft in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240 (d) (4-6)], the handler PPE requirements may be reduced or modified as specified in the WPS.

2

11 9 20

EPA <u>DIRECTIONS FOR USE BOOKLET</u> (July 22, 1993) RAPPICADE 65WG IN WATER SOLUBLE PACES

3

12 9 26

User Safety Recommendations: Users should:

Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.

Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

 Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

STATEMENT OF PRACTICAL TREATMENT

If on skin: Wash with soap and water. Rinse thoroughly.

If inhaled: Remove to clear air.

If in eyes: Flush thoroughly with water for several minutes. Contact a physician if irritation persists.

ENVIRONMENTAL HAZARDS

ŧ

This product has low solubility in water. At the limit of solubility, this product is not toxic to fish. However, at concentrations above the level of water solubility, it may be toxic to fish. For terrestrial use, do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Drift and runoff from treated areas may be hazardous to aquatic organisms in adjacent sites. Do not contaminate water when disposing of equipment washwaters. EPA <u>DIRECTIONS FOR USE BOOKLET</u> (July 22, 1993) BARBICADE 65WG IN WAYER SOLUELE PACES

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 12 hours.

Exception: If the product is soil injected or soil incorporated, the Worker Protection Standard, under certain circumstances, allows workers to enter the treated area if there will be no contact with anything that has been treated.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water is:

Coveralis
Waterproof gloves
Shoes plus socks

EFA DIRECTIONS FOR USE BOOKLET (July 22, 1993) BARRICADE 65WG IN WATER SOLUBLE PACES

Do not remove water soluble packs from container except for immediate use.

BARRICADE 65WG is a selective preemergence herbicide that provides residual control of many grass and broadleaf weeds in turf grasses and landscapes. BARRICADE 65WG controls susceptible weeds by inhibiting weed seeds germination and root development. For most effective weed control BARRICADE 65WG must be incorporated by 1/2 inch of rainfall, irrigation or shallow mechanical incorporation. Incorporation should take place as soon as possible after application and should not be delayed past 14 days from the date of application.

All applicable directions, restrictions, and precautions on the labels of EPA registered tank mix partners are to be followed.

Do not blend BARRICADE 65WG in Water Soluble Packs onto dry fertilizer or any other granular material.

Do not apply this product through any type of irrigation system.

Do not apply aerially.

Do not apply to golf course putting greens.

14 9

EPA DIRECTIONS FOR USE ROOFLET (July 22, 1993) BARRICADE 65WG IN WATER SOLUBLE PACES

Mixing and Application

Apply Barricade 65WG in a minimum of 20 gallons of carrier (water and/or fluid fertilizer) per treated acre (1/2 gallon / 1000 ft²) using a calibrated, low pressure sprayer with 50 mesh or coarser screens. A broadcast boom or hand held wand designed for herbicide or insecticide application will provide the best results. Select nozzle pressure and gallonage to provide complete coverage.

A spray colorant may be used to modify the color of BARRICADE 65WG to improve application accuracy by minimizing swath skips and overlaps.

Thorough mixing of BARRICADE 65WG in the spray tank is essential for uniform application. Fill the spray tank half full with clean water or fluid fertilizer, then add the desired number of water soluble bags of BARRICADE 65WG into the tank (do not remove the BARRICADE 65WG from the water soluble bag since the bag will dissolve in the tank). Maintain sufficient agitation to completely dissolve the bags and suspend the contents.

Add the rest of the carrier to obtain the final spray volume. Maintain vigorous agitation in the spray tank before and during the application. This will ensure a well mixed spray suspension.

Thoroughly clean the sprayer after use by flushing the system with water containing a detergent. Do not allow spray suspension to dry in the tank.

EPA <u>DIRECTIONS</u> FOR USE BOOKLET (July 22, 1993) RAFRICADE 6546: IN MATER SOLUBLE PACES

Mixing Order for Tank Mixtures

When mixing BARRICADE 65WG with other components (carrier and pesticide products) add the products to the spray tank in the following order:

1 - Water dispersible granules (WG formulations) and wettable powders (WP formulations). Wettable powders should be premixed with a small amount of water to form a slurry before addition; water dispersible granules can be added directly during filling. Allow the product to disperse completely before other products are added.

2 - Flowable liquids (FL or SC).

3 - Emulsifiable concentrates (EC).

4 - Surfactants approved for application to turf or landscapes. Check surfactant label before use.

Compatibility Test

Before mixing BARRICADE 65WG with other pesticides in the spray tank, test the compatibility by mixing all components (carrier and pesticide products) in a small container in proportionate quantities (see following table).

Amount of Component to Add to One Pint of Spray Carrier (Assuming Volume is 25 Gallons per Acre)

COMPONENT	ACRE	RATE PER	LEVEL
FORMULATIONS		1000_Ft ²	<u>TEASPOONS</u>
Dry	1.0 lb	0.4 oz	1.5
Liguid	1.0 pt	0.4 oz	0.5

If components do not ball-up or form flakes, sludge, gels, oily films or layers, or other precipitates, then the tested spray mix is compatible. Incompatibility in any of the above forms will usually occur within 5 minutes after mixing.

If components are incompatible, the use of a compatibility agent is recommended. Rerun the above compatibility test with commercially available compatibility agents until a suitable compatibility agent is identified.

16 of

EPA DIRECTIONS FOR USE BOOKLET (July 22, 1993) BARRICADE 65MC IN WATER SOLUBLE PACKS

ESTABLISHED TURF


BARRICADE 65WG is a selective preemergence herbicide that, when properly applied, will control certain grass and broadleaf weeds in established turf grasses and lawns. The species of turf grass determines the maximum amount of this product that may be applied during a year.

Most effective weed control in turf grasses will be obtained when BARRICADE 65WG is activated by at least 1/2 inch of rainfall or irrigation within 14 days after application and prior to weed seed germination. See the map below for approximate crabgrass seed germination dates.

CRABGRASS SEED GERMINATION DATE

Approximate Date

- After May 30
- After May 10
- After Arti 20
- ETT After Kereb 20
- JARUARY 1 to Karch 20



8

KPA DIRECTIONS FOR USE BOOKLET (July 22, 1993) BARRICADE 65MG IN WATER SOLUBLE PACES

USE PRECAUTIONS

The following use precautions apply to the use of BARRICADE 65WG in turf grasses and lawns:

Application of BARRICADE 65WG may thin emerged annual bluegrass and newly over-seeded grasses.

Do not apply to OVERSEEDED TURF for 60 days after seeding or until after the second mowing, whichever is longer. Injury to desirable seedlings is likely if BARRICADE 65WG is applied before seedling secondary roots are in the second inch of soil, not thatch plus soil.

Do not apply to newly set sod until the following year.

Application of BARRICADE 65WG to turf stressed by drought, low fertility, or pest damage may result in turf injury.

Disturbing the herbicide barrier with cultural practices such as disking may result in reduced weed control.

Do not apply BARRICADE 65WG to putting greens or areas where dichondra, colonial bentgrass, velvet bentgrass or annual bluegrass (Poa annua) are desirable species.

18 9-20

Rates and Timings

BARRICADE 65WG may be applied as a single application or as a sequential application to control weeds germinating throughout the year. All applications must be made prior to germination of the target weeds. BARRICADE 65WG will not control established weeds.

Maximum use rate selection should be based on turf species. The length of time of residual weed control provided by BARRICADE 65WG is related to the rate applied.

Maximum Annual Rates

BARRICADE 65WG is recommended for use on the turf grass species listed in the following table. Do not apply more than 1.15 lbs./A or the maximum yearly rate, whichever is less, in any 60 day interval; and do not exceed the maximum yearly rate as given in the following table:

MAXIMUM ANNUAL RATE PER CALENDAR YEAR OF BARRICADE 65WG Herbicide in water soluble packs for turf grass species					
TURF SPECIES	Ft ² /PACK	LBS PRODUCT/ACRE	OZ PROD./1000 Ft ²		
Bermudagrass* Centipedegrass Seashore Paspalum Tall Fescue (including turf-type) Zoysia	9638	2.30	0.83		
Kentucky Bluegrass Perennial Ryegrass	14,545	1.50	0.55		
Creeping Red Fescue St. Augustinegrass	20,000	1.15	0.40		
Creeping Bentgrass	21,622	1.00	0.37		

* May be used on newly sprigged or plugged Bermudagrass at rates not to exceed 0.80 lbs. product per acre or 0.30 oz. product per 1000 ft². Newly sprigged or plugged Bermudagrass stolon rooting may be temporarily retarded.

19 9 29

EPA <u>DIRECTIONS FOR USE BOORLET</u> (July 22, 1993) BARRICALS 65WG IN WATER SOLUBLE PACES

Weeds Controlled

The following table lists use rates recommended for control of indicated weeds for approximately 2-6 months.

Use the higher rate within the listed range for longer control in areas with extended germination periods (see Crabgrass Seed Germination Data Map, page 7).

Crabgrass (large, smooth)	Carpetweed
Annual Bluegrass (Poa annua)	Common Chickweed
Goosegrass ¹	Common Lambsquarter
-	Common Purslane
Annual Foxtails	Henbit
Barnyardgrass	Knotweed
Broadleaf Signalgrass	Pigweed
Johnsongrass (from seed)	Prostrate Spurge
Rescuegrass ³	Shepardspurse ²
-	Yellow woodsprrel(from seed)

Do not exceed the maximum annual application rates recommended for the turf species. All applications must be made prior to germination of weed seeds. BARRICADE will not control established weeds. Weeds control situations requiring rates greater than 1.15 lbs./A will require a sequential application (see **Rates and Timings**).

- 1. In many areas a single application of 1.0 to 1.15 lbs/Acre of BARRICADE 65WG will control goosegrass. However, under heavy goosegrass pressure and/or an extended growing season, make an initial application of 1.15 lbs/Acre followed after 60 days by a second application of 0.38 to 1.15 lbs/Acre for season long goosegrass control.
- 2. Winter weeds are best controlled by applications made prior to germination: late summer, fall or winter timings.
- 3. Suppression only.

11

20 7 26

RPA <u>DIRECTIONS FOR USE BOOKLET</u> (July 22, 1993) BARRICADE 65WG IN WATER SOLUELE PACKS

Overseeding , . .seeding

BARRICADE 65WG will inhibit the germination of turf species if overseeded too soon after application. Vait 4-6 months per 0.75 pound of BARRICADE 65WG applied when grass seed is to be broadcasted over the turf surface. This overseeding interval can be shortened to 3-4 months per 0.75 pound when grass seed is drilled directly into the soil. The interval between application and overseeding / reseeding is dependent on the application rate, soil temperature, and soil moisture. A shorter period is required if growing conditions are warm and wet, while a longer interval is needed if conditions are cool and dry.

Turf Tank Mixes

BARRICADE 65WG may be tank mixed with other registered turf herbicides. Tank mixes are for use only in states where the tank mix product and application site are registered.

Consult the label(s) of the individual tank mix product(s) for use, rate recommendations, application timing, weeds controlled, turf grass safety and specific precautions and/or restrictions.

Before mixing tank mix partners in the spray tank it is advisable to test compatibility by mixing the products in a small container. See the **Compatibility Test** section under **Mixing and Application**.

EPA DIRECTIONS FOR USE BOOKLET (July 22, 1993) BARRICADE 65WG IN WATER SOLUBLE PACKS

LANDSCAPE ORNAMENTALS

BARRICADE 65WG is recommended for use on landscape ornamentals. Do not apply more than 1.15 lbs./A in any 60 day interval, and do not exceed the maximum rate per calendar year of 2.3 lbs./A.

BARRICADE 65WG Herbicide will not harm most established ornamental trees, shrubs and flowers. The following species have shown tolerance to BARRICADE 65WG:

Scientific name	Common name
Acer palmatum	Japanese Maple
A. platanoides	Norway Maple
Actinidia chinensis	Kiwi*
Agapanthus africanus	Lily-of-the-Nile
Arctostaphylos densiflora	Vine Hill Manzanita
Arctotheca calendula	Cape Weed
Aucuba japonica	Japanese Aucuba
Barberis gladwynensis	
B. julianae	Wintergreen Barberry
B. mentorensis	Mentor Barberry
B. thunbergii	Japanese Barberry
B. verruculosa	Warty Barberry
Buxus microphylla	Japanese Boxwood
Callistemon viminalis	Weeping Bottlebrush
Calluna vulgaris	Scotch Heather
Carpobrotus edulis	Hottentot Fig (Ice Plant)
Cassia artemisoides	Feathery Cassia
Ceanothus rigidus	Wild Lilac
Chamaecyparis pisifera	False Cypress
Cleyera japonica	Cleyera
Cornus florida	Flowering Dogwood
C. stolonifera	American Dogwood
Cortaderia selloana	Pampas Grass
Cotoneaster apiculatus	Cranberry Cotoneaster
C. buxifolius	
C. dammeri	Bearberry Cotoneaster
C. microphyllus	Rockspray Cotoneaster
Cupressus sempervirens	Italian Cypress
Delasperma alba	White Trailing Ice Plant
Dodonea viscosa	Hop Bush
Elaeagnus pungens	Silverberry
Euonymus fortunei	Wintercreeper
E. japonica	Evergreen Euonymus

* Ornamental species only. Do not use on food producing trees and vines.

ITA DIRECTIONS FOR USE BOOKLET (July 22, 1993) BARRICADE 654G IN WATER SOLUBLE PACKS

Scientific name

E. kiautschovica Fatsia japonica Forsythia intermedia F. viridissima Gardenia jasminoides Hedera helix Hibiscus rosa-sinensis Ilex cornuta I. crenata I. opaca I. pernyi Jasminium nudiflorum Juniperus chinensis J. conferta J. horizontalis Juglans sp. Justicia brandegeana Lagerstromia indica Ligustrum amurense L. japonicum L. lucidum Liriope muscari Lonicera japonica L. tatarica Maleophora luteola Malus sp. Nandina domestica Olea europa Ophiopogon japonicus Osteospermum fruticosum Oxydendrum arboreum Persea americana Photinia fraseri Picea abies Pieris japonica Pinus brutia P. canariersis P. halepensis

Ĺ

Common name

Spreading Euonymus Japanese Aralia Border Forsythia Greenstem Forsythia Gardenia, Cape-Jasmine English Ivy Chinese Hibiscus Chinese Holly Japanese Holly American Holly Winter Jasmine Chinese Juniper Shore Juniper Creeping Juniper Walnut* Shrimp Plant. Crepe Myrtle Amur Privet Japanese Privet Glossy Privet Big Blue Lily Turf Japanese Honeysuckle Tatarian Honeysuckle Ice Plant Crabapple* Heavenly Bamboo Olive* Mondo Grass Trailing African Daisy Sourwood Avocado* Frasier's Photinia Norway Spruce Lily-of-the-Valley Shrub Calabrian Pine Canary Island Pine Aleppo Pine

* Ornamental species only. Do not use on food producing trees and vines.

23 07 24

EPA <u>DIRECTIONS FOR USE BOOKLET</u> (July 22, 1993) BARRICADE 65MG IN MATER SOLUBLE PACKS

Scientific name

P. nigra
P. radiata
P. thunbergiana
P. strobus
P. sylvestris
Pistachio sp.
Pittosporum rhombifolium
Ý. tobira
Podocarpus macrophyllus
Prunus laurocerasus
Prunus sp.

Pyracantha coccinea P. fortuneana P. koidzumii Pyrus sp. Quercus rubra Raphiolepis indica Rhododendron (including Azalea)

Rosa banksiae Rosmarinus officinalis Rumohra adiantiformis Santolina virens Sedum album Syzygium paniculatum Taxus cuspidata T. media Thuja occidentalis Trachelospermum asiatum Tsuga canadensis Viburnum japonicum V. odoratissimum V. plicatum V. rigidum Common natie

Austrian Black Pine Monterey Pine Japanese Black Pine Eastern White Pine Scotch Pine Pistachio* Queensland Pittosporum Mock Orange Japanese Yew English Laurel Almond, Apricot, Nectarine, Peach, Plum and Prune* Firethorn Firethorn Firethorn Bradford Pear sp. Red Oak Indian Hawthorne 'Coral Bells' 'Formosa' 'Hino-crimson' 'PJM' 'Roseum Elegans' Lady Bank's Rose Rosemary Leatherleaf Fern Stonecrop Japanese Boxcherry Japanese Yew Yew American Arborvitae Star Jasmine Canada Hemlock Japanese Viburnum Sweet Viburnum Japanese Snowball Canary Island Viburnum

* Ornamental species only. Do not use on food producing trees or vines.

24 07 24

EPA <u>DIRECTIONS FOR USE MORLET</u> (July 22, 1993) HAMPICADE 65WG IN WATER SOLUBLE PACES

Scientific name

V. tinus V. trilobium V. wrightii Vinca minor Vitis sp. Weigela florida Yucca aloifolia Y. filamentosa Laurustinus

Cranberry Bush

Common name

Dwarf Periwinkle Grape* Old Fashioned Weigela Spanish Bayonet Yucca, Adam's Needle

* Ornamental species only. Do not use on food producing trees or vines.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE

Store in original container away from fertilizer, feed, or food stuffs and separated from other pesticides.

PESTICIDE DISPOSAL

Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL

<u>Paper bags and boxes</u>: Completely empty container into application equipment. Then dispose of empty bag or box in a sanitary landfill or at an incineration facility; or, if allowed by state and local authorities, by burning locally. If burned, stay out of smoke.

EPA <u>DIRECTIONS FOR USE BOOKLET</u> (July 22, 1993) BARRICADE 65WG IN WATER SOLUBLE PACES

LIMITATION OF WARRANTY AND LIMITATION OF LIABILITY

NOTICE: Read this Limitation of Warranty and Limitation of Liability before buying or using this product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded.

It is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness, or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of Sandoz or seller. All such risks shall be assumed by buyer or user.

Sandoz warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the Directions for Use, under normal use conditions, subject to the risks described above. SANDOZ MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS OR OF MERCHANTABILITY OR ANY OTHER EXPRESS OR IMPLIED WARRANTY.

In no event shall Sandoz or seller be liable for any incidental, consequential or special damages resulting from the use or handling of this product. THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE EXCLUSIVE LIABILITY OF SANDOZ OR SELLER FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FORM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THE PRODUCT OR, AT THE ELECTION OF SANDOZ OR SELLER, THE REPLACEMENT OF THE PRODUCT.

Sandoz and seller offer this product, and buyer and user accept it, subject to the foregoing limitations of warranty and limitation of liability, that may not be modified by any oral or written agreement. Barricade® is a registered trademark of Sandoz Ltd. ©

17