

56077-36

"LABEL DRAFT"

LIQUID CHLORINE
LIQUIFIED GAS UNDER PRESSURE

For use by trained personnel from large stationary containers such as tank cars, tank trucks, 1-ton and 150 pound cylinders as a disinfectant, algicide, and/or slimicide in municipal water treatment plants, sewage plants, industrial/commercial cooling systems, paper mills, and/or industrial/commercial swimming pools. This product cannot be transferred to portable cylinders. Pool service operators with portable cylinders must obtain their own registrations with the EPA.

ACTIVE INGREDIENT:

Chlorine.....	99.5%
INERT INGREDIENTS.....	0.5%
	100.0%

EPA REG. NO. 56077-

EPA EST. NO. 56077-MS-1

NET CONTENTS _____ POUNDS

KEEP OUT OF REACH OF CHILDREN



**DANGER
POISON**



FATAL IF INHALED

LIQUID CAUSES SEVERE BURNS

STATEMENT OF PRACTICAL TREATMENT

First Aid: If inhaled, remove to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth. If breathing is difficult, give oxygen, preferably with a physician's advice. Keep warm by covering with a blanket and keep quiet.

In case of skin or eye contact, immediately flush all affected areas with large amounts of running water for at least 15 minutes while removing contaminated clothing and shoes. For eyes, hold eyelids apart during the flushing to ensure rinsing of the entire surface of the eye and lids with water. Call a physician immediately.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS

DANGER

Fatal if inhaled. Do not breathe vapor. Corrosive to eyes, skin, and mucous membranes in the presence of moisture. Do not get in eyes, on skin or on clothing. Wear goggles, protective clothing and rubber gloves when handling. Do not heat containers. **ENVIRONMENTAL HAZARDS:** This pesticide is toxic to fish. Do not discharge into lakes, streams, ponds or public waters, unless in accordance with an NPDES permit. For guidance contact the regional office of the Environmental Protection Agency.

CHEMICAL-PHYSICAL HAZARDS: Chlorine is a non-flammable gas, liquified, under pressure. Do not drop container. Keep away from intense heat or open sunlight. Corrosive to most metals in the presence of moisture.

ACCEPTED
with COMMENTS
in EPA Letter Dated:

SEP 30 1988

Page 1 of 2

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the purpose
registered under EPA Reg. No.

56077-36

BEST AVAILABLE COPY

DIRECTIONS FOR USE
~~GENERAL CLASSIFICATION~~ 5787

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Only specifically designed dispensing equipment should be used in accordance with manufacturer's instructions and according to state regulatory agency recommendations for dosages or residual chlorine levels, which should be maintained for each specific site of application.

Have available gas masks approved for chlorine service by the U.S. Bureau of Mines of the National Institute for Occupational Safety and Health. Handle and use only in accordance with practice recommended in the CHLORINE MANUAL PUBLISHED BY THE Chlorine Institute, Inc., Washington, D.C. Use only in well ventilated areas.

For further information see Cedar's Material Safety Data Sheet

STORAGE & DISPOSAL

STORAGE: Cylinders and ton containers of chlorine should be stored in a dry area away from sources of heat and protected from direct sunlight and precipitation. They should be segregated from other compressed gases and never stored near hydrocarbons, finely divided metals, turpentine, ether, anhydrous ammonia or other flammable materials. All storage containers must have a weather resistant label attached near the outlet valve and must not be accessible to general public. Do not contaminate water, food, or feed by storage and disposal.

DISPOSAL OF CONTAINER: All chlorine containers are returnable and should be properly identified with return tags and returned as promptly as possible to supplier according to prescribed instructions and practices recommended by the Chlorine Institute. All valves must be closed tight and closures or caps secured. It is illegal to ship a leaking chlorine container.

BEST AVAILABLE COPY