PMAS

Please read instructions on reverse before completing form.

6,077-34

Form Approved.	OMB No. 2070-0060.	Approval expires 2-28-95
1. 34		115

<b>\$EPA</b>
--------------

**United States** 

Registration Amendment Other
Amendment
Other

OPP Identifier Number

<b>\$EPA</b>	Environmental Frotection Agency Washington, DC 20460		├ <del>┈</del> ┈┪╻	Amendme Other	nt	216429		
	App	olication for	Pesticide	- Section	]			
1. Company/Product Number 56077-39			2. EPA Product Manager Robert Taylor			3. Proposed Classification  None Restricted		
4. Company/Product (Name) WHAM! DF 80			PM# 25					
5. Name and Address of Applicant (Include ZIP Code)  Cedar Chemical Corp.  5100 Poplar Ave., Suite 2414  Memphis, TN 38137  Check if this is a new address			6. Expedited Reveiw. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to:  EPA Reg. No.  Product Name					
	<del></del>	Sec	ction - I!	1101115				
Notification - Expla	sponse to Agency letter date	d		inal printed labels Agency letter date Me Too" Applica Other - Explain be	ed ition.			
To add a Pest	icide Disposal	section p	revious		ed to, t	houg	h omitted.	
		Sec	ction - III					
1. Material This Product \	<del></del>			. <u></u>				
Child-Resistant Packaging  Yes  No  * Certification must  Unit Packaging  Unit Packaging  Yes  No  No  If "Yes"  Unit Packaging wgt. container		o. per If "Y	Yes No es"	No. per container	2. Type of Container  Metal Plastic Glass Paper Other (Specify)			
be submitted	orac r sockessing right.		age ag.			O(1101 10	pec., y/	
3. Location of Net Conten	ts Information 4. S Container	Size(s) Retail Cont	tainer	5. 1.0	cation of Label	Directio	ns	
6. Manner in Which Label is Affixed to Product Lithograph Other Stenciled								
		Sec	ction - IV					
1. Contact Point <i>(Comple</i>	ete items directly below for id	lentification of ind	fividual to be	contacted, if nec	essery, to proc	ess this	application.)	
Name Jeanine H. Betsher			Mgr., Regulatory Affairs Telephone No. (Include Area Collar 901-685+5348)					
<b>I</b> '	atements I have made on this any knowlingly false or misl			•	-		6. Dété Application ** Kéceived (Stamped)	
2. Signature			3. Title Mgr., Regulatory Affairs				••••	
4. Typed Name Jeanine H. Betsher			5. Date 5/31/95				) 7, 4,	

REV. 2:04





# WHAM! DF 80 Herbicide

For Postemergence Control of Broadleaf and Grass Weeds in Rice Fields.

**ACTIVE INGREDIENTS:** 

3', 4' Dichloropropionanilide Inert Ingredients: 80.00 20.00

TOTAL

100.00

This product contains 0.8 lb. of 3', 4' Dichloropropionanilide (Propanil) per pound of formulated product. EPA Reg. No. 56077-39 EPA Est. No.

KEEP OUT OF REACH OF CHILDREN

# **CAUTION**

# STATEMENT OF PRACTICAL TREATMENT

If Swallowed: Induce vomiting immediately by drinking 1 or 2 glasses of water and sticking finger down throat. Get medical attention.

If on Skin: Wash contaminated areas thoroughly with soap and water. Do not reuse contaminated clothing until washed. Get medical attention if irritation persists.

If in Eyes: Flush with copicus amounts of clean water for 10-15 minutes. Get medical attention.

FOR CHEMICAL SPILL, LEAK, FIRE, OR EXPOSURE CALL TOLL FREE
1-800-424-9300

# **AGRICULTURAL CHEMICAL**

DO NOT SHIP OR STORE WITH FOOD, FEEDS, DRUGS, OR CLOTHING

# PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Harmful if swallowed, absorbed through the skin or inhaled. Causes eye irritation. Avoid breathing spray must or dust. Avoid contact with skin, eyes, and clothing. Wash thoroughly with soap and water after handling. In case of contact, immediately flush eyes or skin with plenty of water. Get medical attention if irritation persists.

PERSONAL PROTECTIVE EQUIPMENT
Applicators and other handlers must wear:
Long-sleeved shirt and long pants
Waterproof gloves
Shoes plus socks
Chemical-resistant headgear for overhead exposure

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use determent a id not water. Keep and wash PPE separately from other laundry.

# USER SAFETY RECOMMENDATIONS

Users should:

 Wash hands before eating, drinking, chewing gum, uting tobacco or using the toilet.

•••••

4 . . .

 Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash tho-ruighty and change into clean clothing.

# **ENVIRONMENTAL HAZARDS:**

For terrestrial uses, do not apply directly to water, or to areas where surface water is present or to intertidal areas below the meen high water merk. Do not contaminate water when disposing of equipment washwaters. This product is touc to fish. Drift and runoff from treated areas may be hazardous to equatic organiums in neighboring areas. Do not contaminate water intended for irrigation or domestic purposes. Do not apply when weather conditions favor drift from target area.



# **DIRECTIONS FOR USE**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Do not apply this product in a way that will contact workers or other persons, either directly or through doft. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

# AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this tabel about personal protective equipment (PPE) and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval

(REI) of 24 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is:

- coveralls
- waterproof gloves
- shoes plus socks
- chemical-resistant headgear for overhoad exposure

# STORAGE AND DISPOSAL

STORAGE: Do not contaminate water, food, or feed by storage or disposal Open dumping is prohibited. Do not store this product near fertilizers, seeds, insecticides, or fungicides. Palletized product should not be stacked more than 3 units high. Reclose all partially used containers by tying hag top shut. Damaged or leaking containers which contain product that cannot be used immediately should be transferred to suitable sound containers and property marked. Any spilled material should be thoroughly swept up and transferred to the new container or disposed of as indicated under Pesticide Disposal. For safety and prevention of unauthorized use, all pesticides should be stored in locked facilities. To prevent accidental misuse, different pesticides should be stored in separate areas with enough distance between to provide clear identification. Opened, partially used pesticides should be stored in original containers when possible. Keep containers closed when not in use.

CONTAINER DISPOSAL: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke

# WHERE TO USE

CEDAR CHEMICAL'S WHAM! DF 80 is used for postemergence control of broadleaf and grass weeds in RICE fields.

# **WEEDS CONTROLLED**

Barnyardgrass (watergrass), signalgrass (brachiaris), coffeeweed, crabgrass, croton, curly indigo, foxtail, goosegrass, gulf cockspur, mexicanweed, millet (Texas), paragrass, pigweed, sourdock, spearhead, wiregrass.

(WHAM! DF 80 will not control arrowhead, bermudagrass, cattail, ducksalad, johnsongrass, nutgrass, red rice and sprangletop)

# GENERAL INFORMATION

Several important factors should be taken into account to achieve a high efficiency of selective weed control with WHAM! DF 80. These include uniform application, growth stage and weather conditions. To assure uniform application mix the prescribed amount of WHAM! DF 80 with a sufficient volume of water to provide thorough coverage of target area. For aerial application use approxi-Fiolisty 10 gallons of water, or for surface (ground) applications 20-30 gallons of water per acre at outfloicnt spray pressure. Agitate tank mixes thoroughly and continuously. Avoid over and under application.

Growth stage of whor's is very important. Best results for selective weed control are obtained which most grasses have reached the 1 to 3 leaf stage. Proper field preparation is essential to ascertain a relatively clod free and level surface to obtain uniform flood levels and growth. Fields may be flushed prior to treatment to produce uniform and virgorous grass germination and growth. Drain water from fields prior to applying AHAMI DF 80. Higher rates are recommended to control larger grasses occuposed weeds when rice fields are not completely drained Inspect rice fields regularly to select the correct application time

DO NOT APPLY THIS PRODUCT THROUGH ANY TYPE OF IRRIGATION SYSTEM

Do not apply to fields where commercial catfish farming is practiced and do not drain water from treated fields into areas where catfish farming is practiced.

Do not apply when wind conditions will allow drift to adjacent, susceptible crops such as beans, soybeans, cotton, safflower, cucurbits, vegetables, orchards (such as almonds, prunes, and grapes) and other sensitive crops.

Weather Conditions: WH/M! DF 80 normally requires 8 hours of DIRECT sunlight for absorption into target weeds. However, many atmospheric and environmental factors can affect absorption into the target weed. It is highly recommended that application of WHAM! DF 80 be planned so that the applied product remains in contact with the leaf surfaces for at least 48 hours prior to rainfall. Historically, morning applications of proparal products including WHAM! DF 80 have produced better results in weed control. Although WHAM! DF 80 is less susceptible to drift than solvent-based proparal products, application should be avoided if wind velocity is high enough to cause drift or irregular spray patterns.

Use of Crop Oils and Surfactants: When WHAM! DF 80 is used alone (not in combination with any other postemergent rice herbicides), a low viscosity crop oil concentrate or surfactant may be used to improve wetting of foliage and weed control. Use of a crop oil concentrate is recommended when application is made during cool weather conditions or unstable weather conditions that may produce rain. Under adverse weather conditions, the addition of a crop oil concentrate when tank mixing WHAM! DF 80 and other rice herbicides for application should be considered. Consult product labels for adjuvant recommendations. The use of a suitable crop oil concentrate or surfactant does not significantly increase injury to rice (leaftip burn).

Consult Extension Service for detailed application advice.

# RECOMMENDED BROADCAST RATE WHAM! DF 80

Apply 3¾ pounds of WHAM! DF 80 per acre when most grasses have reached 1 to 3 leaf stage. Use 5 to 71/2 pounds of WHAM! DF 80 per acre when the grasses are large (4 to 6 leaf stage) or when unseasonably cool weather conditions prevail or in cases where rice fields have not been drained compietely and where weeds are large

Barnyardgrass may be controlled up to 30 to 45 days after planting, before rice plants have reached the fully tillered growth stage

NOTE: WHAM! DF 80 applied to rice after the 4 leaf stage may cause visible injury under some climatic conditions. Rice plants usually outgrow such injury.

NOTE: Water drained from treated rice fields must not be used to irrigate other crops or be released within 1/2 mile upstream of a potable water intake in flow ing water (i.e. river, stream, etc.) or within ½ mile of a polable water intake in a standing body of water such as a lake, pond or reservoir.

IN CALIFORNIA—Use WHAM! DF 80 only where rice fields are not completely drained, if higher water level is desired, reflood field after 12 hours and before 7 days after treatment. This will discourage new weed infestations. Do not apply WHAM! DF 80 within 14 days before or after insecticide applications. Serious injury to rice may occur.

# CONDITIONS OF SALE AND WARRANTY

CEDAR AND SELLER OFFER THIS PRODUCT AND THE BUYER AND USER ACCEPTS THIS PRODUCT UNDER THE FOLLOWING AGREED CONDI-TIONS OF SALE AND WARRANTY.

The directions for use of this product are believed to be reliable and should be followed carefully. However, it is impossible to take into account all variables and to eliminate all risks associated with its use. Injury or damage may result because of conditions which are beyond the control of Cedar or the Seller Cedar warrants only that this product conforms to the chemical description on the label and is believed to be reasonably ht for the purposes referred to in the Directions for Use when used as directed under normal conditions. CEDAR MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS OR MERCHANTABILITY OR ANY OTHER EXPRESS OR IMPLIED WARRANTY. In no case shall Cedar or the Seller be liable for consequential, special or indirect damages resulting from the use or handling of this product Any variation or exception from this warranty must be in writing and signed by an authorized Cedar representative

CEDAR CHEMICAL CORPORATION

5100 POPLAR, 24th FLOOR MEMPHIS, TENNESSEE 38137, USA



# WHAM! DF<sub>8</sub>80

# **Propanil Herbicide**

For Postemergence Control of Broadleaf and Grass Weeds in Rice Fields.

Active Ingredient 3',4'-Dichloropropionanilide Inert Ingredients: TOTAL

80.00%

20.00%

100.00%

This product contains 0.8 lb. of 3',4' -Dichloropropionanilide (Propanil) per pound of formulated product.

EPA Registration No. 56077 - 39 EPA Establishment No.

# KEEP OUT OF REACH OF CHILDREN

# **CAUTION**

# STATEMENT OF PRACTICAL TREATMENT

If Swallowed: Induce vomiting immediately by drinking 1 or 2 glasses of water and sticking finger down throat. Get medical attention.

If on Skin: Wash contaminated areas thoroughly with soap and water. Do not reuse contaminated clothes until washed. Get medical attention if irritation persists.

If in Eyes: Flush with copious amounts of clean water for 10-15 minutes. Get medical attention.

AGRICULTURAL CHEMICAL DO NOT SHIP OR STORE WITH FOOD, FEEDS, DRUGS, OR CLOTHING.

# PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Harmful if swallowed, absorbed through skin or inhaled. Causes eye irritation Avoid breathing spray mist or dust. Avoid contact with skin, eyes, or clothing Wash thoroughly with soap and water after handling. In case of contact, immediately flush eyes or skin with plenty of water. Get medical attention if irritation persists.

PERSONAL PROTECTIVE EQUIPMENT (PPE)
Applicators and other handlers must wear:

- Long-sleeved shirt and long pants
- Waterproof gloves
- Shoes plus socks
- Chemical-resistant headgear for overhead exposure

Collow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

# USER SAFETY RECOMMENDATIONS

Users mout

Wash cands before eating, unitking, chewing gum, using tobacco or deling thehnest. Remove PPE immediately after handling this product. Wash the outside, of gloves i removing. As soon as possible, wash thoroughly and change into relean clothers.

# **ENVIRONMENTAL PAZARDS \*\***

For tempsthal uses, do not apply directly to water io, to areas where surface water is presymbol to areas where surface water is presymbol to accommend water when disposing of equipment waterwaters. This product is took to fish. Drift and runott from treated meas may be hazardous to aquetic organisms in neighboring areas. Du not contacts also water intended for impation or domestic purposes. Do not apply when weather conditions favor drift from larget area.

FOR CHEMICAL SPILL, LEAK, FIRE, OR EXPOSURE, CALL TOLL FREE 1-800-424-9300.

It is a violation or Federal law to use this product in a manner inconsistent with its liabeling. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected landlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regula

### AGRICULTURAL LISE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nursenes, and greenhouses, and handlers of agricultural peetiodes. It contains requirements for training, decontamination, notification, and emergency sessitance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted-entry interval. The require ents in the box only apply to uses of this product that are covered by the Viorian Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 24

PPE required for early entry to treated grees that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or

> waterproof gloves shoes plus scoks chemical-resistant headoest for overhead exposure

# STORAGE AND DISPOSAL

STORAGE: Do not contaminate water, food, or feed by storage or disposal. Open dumping as prohibited. Do not store this product near fertilizers, seeds insecticides, or fungicides. Palletized product should not be stacked more than 3 units high. Reclose all perbelly used containers by tying beg top shut. Damaged or feeking conteners which contain product that cannot be used im-necessary should be transferred to suitable sound conteners and properly marked. Any spilled material should be thoroughly swept up and transferred to the new container or disposed of as indicated under "Pesticide Disposal"

For safety and prevention of unauthorized use, all pesticides should be stored in looked

To prevent accidental misuse different pesticides should be stored in separate areas with enough distance between to provide clear identification. Opened partially used pesticides should be stored in original containers when possible. Keep containers closed when not in use

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper deposal of excess pesticide, spray mixture, or misste is a violation of Federal law. Wastes resulting irom the use of this product may be disposed of at an approved waste deposal facility. If these wastes cannot be disposed of by use according to label metrucuons, contact your state pesticide or environmental control agency or the hazardous waste representative at the nearest EPA regional office for

CONTAINER DISPOSAL: Completely empty beg into application equipment. Then dispose of empty beg in a sentary kindfill or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke

WHERE TO USE
CEDAR CHEMICAL'S WHAM! DF 80 is used for postemergence control of broadleaf and grass weeds in RICE fields.

# **WEEDS CONTROLLED**

Barnyardgrass(watergrass), signalgrass (brachiaris), coffeeweed, crabgrass, croton, curly Indigo, foxtall, goosegrass, gulf cockspur, mexicanweed, millet (Texas), paragrass, pigweed, sourdock, spearhead, wiregrass.

(VT-IAM! DF 80 will not control arrowhead, bermudagrass, cattail, ducksalad, johnsongrass, nutgrass, red rice and sprangletop).

# **GENERAL INFORMATION**

Several important factors should be taken into account to achieve a high efficiency of selective weed control with WHAM! DF 80. These include emberry of selective weed control with WHARIF DF 80. These include runiform application growth stage and weather conditions. To assure uniform, application mix the prescribed amount of WHAMI DF 80 with a sufficient volume of water to provide thorough coverage of target area. For aerial applications use amproximately 10 gallons of water, or for surface (ground) anniHeations 20 30 gallons of water per acre at sufficient spray pressure. Agitate tank mixes thoroughly and continuously. Avoid over and under all falls to the continuously. **a**pplication

Growth stage of well-ds is very important. Best results for selective weed control are obtained when most grasses have reached the 1 to 3 leaf stage. Proper field preparation is essential to ascertain a relatively clod free and level surface and to potain uniform flood levels and growth. Fields may be flushed prior to treatment to produce uniform and vigorous grass germination and growth. Drain water from fields prior to applying WHAM! DF 80. Higher rates are recommended to control larger grasses or exposed weeds when rice fields are not completely drained. Inspect rice fields regularly to select the correct application time. the correct application time

DO NOT apply this product through any type of irrigation system.

DO NOT apply to fields where commercial catfish farming is practiced and do not drain water from treated fields into areas where catfish farming is practiced.

··· ( -15 ) 5

DO NOT apply this product (directly or indirectly) to any crop except rice.

DO NOT apply when wind conditions will allow drift to adjacent, susceptible crops such as beans, soybeans, cotton, safflower, cucurbits, vegetables, orchards (such as almonds, prunes and grapes) and other sensitive crops.

### WEATHER CONDITIONS:

WHAM! DE 80 normally requires 8 hours of DIRECT sunlight for absorption into target weeds. However, many atmospheric and environmental factors can affect target weeds. However, many armosphenic and environmental factors can affect absorption into the target weed. It is highly recommended that application of WHAM! DF 80 be planned so that the applied product remains in contact with the leaf surfaces for at least 48 hours prior to rainfall. Historically, morning applications of propanil products, including WHAM! DF 80, have produced better results in weed control. Although WHAM! DF 80 is less susceptible to drift than solvent-based propanil products, application should be avoided if wind velocity is high enough to cause drift or irregular spray patterns.

# **USE OF CROP OILS AND SURFACTANTS:**

When WHAM! DF 80 is used alone (not in combination with any other postemergent rice herbicide), a low viscosity crop oil concentrate or surfactant may be used to improve wetting of foliage and increase weed control. Use of ready be used to improve weiting or lolage and increase weed currior. Ose of a crop oil concentrate is recommended when application is made during cool weather conditions or unstable weather conditions that may produce rain. Under adverse weather conditions, the addition of a crop oil concentrate when tank mixing WHAM! DF 80 and other rice herbicides for application should be considered. Consult product labels for adjuvant recommendations. The use of a suitable crop oil concentrate or surfactant does not significantly increase injury to noe (leafup burn).

Consult Extension Service for detailed application advice

RECOMMENDED BROADCAST RATE

Apply 3½ pounds of WHAM! DF 80 per acre when most grasses have reached the 1 to 3 leaf stage. Use 5 to 7½ pounds of WHAM! DF 80 per acre when the grasses are large (4 to 6 leaf stage) or when unseasonably cool weather conditions prevail or in cases where rice fields have not been drained completely and where weeds are large enough

Barnyardgrass may be controlled up to 30 to 45 days after planting, before rice plants have reached the fully titlered growth stage

NOTE: WHAM! DF 80 applied to rice after the 4 leaf stage may cause visible injury under some climatic conditions. Rice plants usually outgrow such iniury.

NOTE: Water drained from treated rice fields must not be used to irrigate other crops or be released within ½ mile upstream of a potable water intake in flowing water (i.e. river, stream, etc.) or within ½ mile of a potable water intake in a standing body of water (i.e. lake, pond, or reservoir).

IN CALIFORNIA: Use WHAM! DF 80 only where rice fields are completely drained or a minimal amount of water remains. If higher water level is desired, reflood field after 12 hours and before 7 days after treatment. This will discourage new weed infestations. Do not apply WHAM! DF 80 within 14 days before or after insecticide applications. Serious injury to rice may occur.

CONDITIONS OF SALE AND WARRANTY
CEDAR AND SELLER OFFER THIS PRODUCT AND THE BUYER AND
USER ACCEPTS THIS PRODUCT UNDER THE FOLLOWING AGREED
CONDITIONS OF SALE AND WARRANTY.

CONDITIONS OF SALE AND WARRANTY.

The directions for use of this product are believed to be reliable and should be followed carefully. However, it is impossible to take into account all variables and to eliminate all risks associated with its use. Injury or damage may result because of conditions which are beyond the control of Cedar or the Seller. Cedar warrants only that this product conforms to the chemical description on the label and is believed to be reasonably fit for the purposes referred to in the Directions for Use when used as directed under normal conditions. CEDAR MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS OR MERCHANTABILITY OR ANY OTHER EXPRESS OR IMPLIED WARRANTY, in no case shall Cedar or the Seller be liable for consequential, special or indirect damages resulting from the use or handling of this product. Any variation or exception from this warranty must be in writing and signed by an authorized Cedar representative.

CEDAR CHEMICAL CORPORATION 5100 POPLAR, 24th FLOOR MEMPHIS, TENNESSEE 38137, USA