PM25 56017.40 Form Approved, OMB No. 2070-0060, Approvel expires 2-28-95 Please read instructions on reverse before completing form **OPP Identifier Number** Registration United States **Environmental Protection Agency** Amendment 21.6437 Washington, DC 20460 Other Application for Pesticide - Section I . Compuny/Product Number 2. EPA Product Menager 3. Proposed Classification Robert Taylor 56077-40 None Restricted 4 Propany/Product (Name) DG PM# 25 5. Name and Address of Applicant (Include ZIP Code) 6. Expedited Reveiw. In accordance with FIFRA Section 3(c)(3) Cedar Chemical Corp. (b)(i), my product is similar or identical in composition and labeling 5100 Poplar AVe., Suite 2414 to: Memphis, TN 38137 EPA Reg. No. Check if this is a new address Product Name Section - II Amendment - Explain below. Final printed labels in repsonse to Agency letter dated Resubmission in response to Agency letter dated \_\_\_\_ "Me Too" Application. Notification - Explain below. Other - Explain below. Explanation: Use additional page(s) if necessary. (For section I and Section N.) 1 stmt. in the Recommended Broadcast Rate section wh should be more clearly stated to avoid confusion: Use 8 to 12 pounds of Propanil 60% WDG per acre when the grasses are large (4 to 6 leaf stage) or when unseasonably cool weather conditions prevail, grass and broadleaf weeds are stressed due to dry conditions, or in cases where rice fields xxx have not been drained completely and where weeds are large enough. Section - III 1. Material This Product Will Be Packaged In: **Child-Resistant Packaging** Unit Packaging Water Soluble Packaging 2. Type of Container Matel Yes Plastic Nο No No Glass Péper If "Yes" No. per If "Yes" No. per \* Certification must Unit Peckeging wgt. container Package wgt Other (Specify) be submitted 3. Location of Net Centents Information 4. Size(s) Retail Container 5. Location of Label Directions Container 6. Manner in Which Label is Affixed to Product Lithograph Paper glued Stenciled Other Section - IV 1. Contact Point. (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.) Name Jeanine H. Betsher Mgr., Regulatory Affairs Telephone No. (Include Area Code) 901-685-5348 6. Date Application Certification Received I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. i acknowledge that any knowlinglly false or misleading statement may be punishable by fine or imprisonment or (Stamped) both under applicable law. H Bether Mgr., Regulatory Affairs 4. Typed Name 5. Date BEST COPY AVAILABL

EPA Form 8570-1 (Rev. 3-94) Previous editions are obsolete.

Jeanine H. Betsher

White - EPA File Copy (original)

Yellow - Applicant Copy





# PROPANIL 60%WDG

## Herbicide

For Postemergence Control of Broadleaf and Grass Weeds in Rice Fields

Active Ingredient:

3',4'-Dichloropropionanilide 60.00% Inert Ingredients: 40.00% TOTAL 100.00%

This product contains 0.6 lb. of 3',4'-Dichloropropionanilide (Propanil) per pound of formulated product.

EPA Registration No. 56077 - 40 EPA Establishment No.

#### **KEEP OUT OF REACH OF CHILDREN**

### CAUTION

#### STATEMENT OF PRACTICAL TREATMENT

If Swallowed: Induce vomiting immediately by drinking 1 or 2 glasses of water and sticking finger down throat. Get medical attention.

If on Skin: Wash contaminated areas thoroughly with soap and water. Get medical attention if irritation persists.

If in Eyes: Flush with copious amounts of clean water for 10-15 minutes. Get medical attention.

AGRICULTURAL CHEMICAL DO NOT SHIP OR STORE WITH FOOD, FEEDS. DRUGS, OR CLOTHING.

#### PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS
CAUTION
Harmful if swallowed, absorbed through the skin or inhaled. Causes eye imtation. Avoid breathing spray mist or dust. Avoid contact with skin, eyes, and clothing. In case of contact, immediately flush eyes or skin with plenty of water. Get medical attention if irritation persists.

PERSONAL PROTECTIVE EQUIPMENT (PPE)
Applicators and other handlers must wear:
Long-sleeved shirt and long pants
Waterproof gloves
Shoes plus socks
Chemical-resistant headgear for overhead exposure

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

#### **USER SAFETY RECOMMENDATIONS**

#### **ENVIRONMENTAL HAZARDS**

For terrestrial uses, do not apply directly to water, or to afeas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters. This product is toxic to fish. Drift and runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water intended for irrigation or domestic purposes. Do not apply when weigher could be a favor drift from target areas.

FOR CHEMICAL SPILL, LEAK, FIRE, OR EXPOSURE, CALL TOLL FREE 1-8C0-424-9300.

**DIRECTIONS FOR USE** 

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontainmation, rutification, and emergency assistance. It stands contains specific instructions and exceptions partializing to the statements on this label about personal protective equipment (PPE) and restincted-entry intervals. The requirements in this box mily apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 24 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water. IS

coversits
waterproof glovus
shoes plus socks
chemical-resistant headgear for overhead exposure

STORAGE AND DISPOSAL

STORAGE: Do not contaminate water, food, or feed, by storage or disposal. Open dumping is prohibited. Do not store this product near ferblizers, seeds, insecticides, or fungicides. Palletized product should not be stacked more than 3 units high. Reclose all partially used containers by tying bag top shut. Damaged or leaking containers which contain product than cannot be used immediately should be transferred to suitable sound containers and properly marked. Any spilled material should be thoroughly swept up and transferred to the new container or disposed of as indicated under Pesticide Disposal. For safety and prevention of unauthorized use, all pesticides should be stored in locked facilities. To prevent accidental misuse, different pesticides should be stored in separate areas with enough distance between to provide clear identification. Opened, partially used pesticides should be stored in original containers when possible. Keep containers closed when not in use.

PESTICIDE DISPOSAL: Wester resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke

#### WHERE TO USE

CEDAR CHEMICAL'S PROPANIL 60% WDG is used for posternergence control of broadleaf and grass weeds in RICE fields. Do not apply this product (directly or indirectly) to any crop except nce

#### WEEDS CONTROLLED

Barnyardgrass (watergrass), signalgrass (brachlaris), coffeeweed, crabgrass, croton, curly indigo, foxtalii, goosegrass, gulf cockspur, mexicanweed, millet (Texas), paragrass, pigweed, soundock, spearhead, wiregrass.

(PROPANII, 60% WDG will not control arrowhead, bermudagrass, cattail, ducksalad, johnsongrass, nutgrass, red rice and sprangletop.)

# GENERAL INFORMATION

Several important decroes should be taken into account to achieve a high efficiency of selective weeld control with PROPANIL 60% WDG. These include uniform application, growth stage and weather conditions. To assure uniform application, mix the prescribed armount of PROPANIL 60% VVDG with a sufficient volume of water to provide thorough coverage of target aleast For serial application use approximately 10 gallons of water, or for surface (ground) applications 20-30 gallons of water per acre at sufficient spray pressure. Agits to tank mixes thoroughly and continuously. Avoid over and under application

Growth stage of weeds is very important. Rest results for selective weed control are obtained when most grasses have reached the 1 to 3 leaf stage. Proper field preparation is essential to ascertain a relatively clod free and level surface to obtain uniform flood levels and growth. Fields may be flushed prior to treatment to produce uniform and vigotous, grass germination and growth. Drain water from fields prior to applying PROPANIL 60% WDG. Higher rates are recommended to control larger grasses or exposed weeds when rice fields are not completely drained. Inspect noe fields regularly to select the correct application time.

Do not apply to fields where commercial catfish farming is practiced and do not drain water froin treated fields into areas where catfish farming is practiced.

Do not apply when wind conditions will allow drift to adjacent, susceptible crops such as beans, soybeans, cotton, safflower, cucurbits, vegetables, orchards (suci) as almonds, prunes, and grapes) and other sensitive crops.

Weather conditions must be observed closely. Under cool weather conditions higher rates are required to achieve satisfactory control. Avoid application if rain threatens within 6 to 8 hours, or if wind velocities are high enough to cause drift and irregular spray patterns.

When PROPANIL 60% WDG is used alone (not in combination with any other posterregent rice herbicide), a suitable low viscosity crop oil concentrate such as Setre, Penetrator Plus, or an anionic/nonionic blend surfactant such as Setre Induce is recommended to improve wetting of foliage and weed control. High viscosity crop oil concentrate products such as Setre Agridex are NOT recommended for use with PROPANIL 60% WDG. Refer to crop oil or surfactant tabel for proper use rate

Consult Extension Service for usualed application advice

#### RECOMMENDED BROADCAST RATE

Apply 6 pounds of PROPANIL 60% WDG per acre when most grasses have reached 1 to 3 leaf stage. Use 8 to 12 pounds of PROPANIL 60% WDG per acre when the grasses are large (4 to 6 leaf stage) or when unseasonably cool weather conditions prevail or in cases where rice fields have not been drained completely and where weeds are large.

Barnyardgrass may be controlled up to 30 to 45 days after planting, before nce plants have reached the fully bifered growth stage.

NOTE: PROPANIL 60% WDC applied to rice after the 4 leaf stage may cause visible injury under some climatic conditions. Rice plants usually outgrow such injury.

NOTE: Water drained from treated rice fields must not be used to irrigate other crops or be released within 1/2 mile upstream of a potable water intake in flowing water (i.e. river, stream, etc.) or within 1/2 mile of a potable water intake in a standing body of water (i.e. lake, pond or reservoir).

IN CALIFORNIA: Use PROPANIL 60% WDG only where rice fields are completely drained or a minimal amount of water remains. If higher water level is desired, reflood field after 12 hours and before 7 days after treatment. This will discourage new weed infestations. Do not apply PROPANIL 60% WDG within 14 days before or after insecticide applications. Serious injury to noe may occur.

#### **CONDITIONS OF SALE AND WARRANTY**

CEDAR AND SELLER OFFER THIS PRODUCT AND THE BUYER AND USER ACCEPTS THIS PRODUCT UNDER THE FOLLOWING AGREED CONDITIONS OF SALE AND WARRANTY.

The directions for use of this product are believed to be reliable and should be followed carefully. However, it is impossible to take into account all variables and to eliminate all risks associated with its use. Injury or damage may result because of conditions which are beyond the control of Cedar or the Seller. Cedar warrants only that this product conforms to the chemical description on the label and is believed to be reasonably fit for the purposes referred to in the Directions for Use when used as directed under normal conditions. CEDAR CHEMICAL CORPORATION MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS OR MERCHANTABILITY OR ANY OTHER EXPRESS OR IMPLIED WARRANTY. In no case shalf Cedar or the Seller be liable for consequential, special or indirect damages resulting from the use or handling of this product. Any variation or exception from this warranty must be in writing and signed by an authorized Cedar representative.

CEDAR CHEMICAL CORPORATION 5100 POPLAR AVENUE, 24TH FLOCR MEMPHIS, TENNESSEE 38137, USA

5/5/5

DO NOT APPLY THIS PRODUCT THROUGH ANY TYPE OF IRRIGATION SYSTEM