F11 | 25 Form Approved, OMB No. 2070-0060, Approvel expires 2-28-95 <u>Please read instructions on reverse before completing form.</u> **OPP Identifier Number** Registration **United States Environmental Protection Agency** Amendment 216434 Washington, I/C 20460 Other Application for Pesticide - Section I 1. Company/Product Number 2. EPA Product Manager 3. Proposed Classification 56077-24 40 Robert Taylor Restricted None 4. Company/Product (Name) Propanil 60% WDG 25 5. Name and Address of Applicant (Include ZIP Code) 6. Expedited Reveiw. In accordance with FIFRA Section 3(c)(3). Cedar Chemical Corp. (b)(i), my product is similar or identical in composition and labeling 5100 Poplar Ave., Suite 2414 to: Memphis, TN 38137 EPA Reg. No. Check if this is a new address **Product Name** Section - II Amendment - Explein below. Final printed labels in repsonse to Agency letter deted Resubmission in response to Agency letter dated _____ "Me Too" Application. Notification - Explain below. Other - Explain below. Explanation: Use additional page(s) if necessary. (For section 1 and Section II.) 1 stmt. should be corrected and more clearly stated as follows to avoid confusion: BEFORE: In California: Use Propanil 60% WDG only where rice fields are not completely drained. AFTER: In California: Use Propanil 60% WDG only where rice fields are completely drained or a minimal amount of water remains. Section - III 1. Material Thir Product Will Se Packaged in: Child-Resistant Packaging Unit Packaging Water Soluble Packaging 2. Type of Container Matel Yes Yes Plastic Νo No No Glass Paper If "Yes" If "Yes" No. per No. per Certification must Unit Packaging wgt. container Package wgt Other (Specify) container be submitted 3. Location of Net Contents Information 4. Size(s) Retail Container 5. Location of Label Directions Container 6. Manner in Which Label is Affixed to Product Lithograph Other Section - IV 1. Contact Point. (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.) Telephone No. (ibčlude Area Code) 901-685-5348 **** Zazaiha Jeanine H. Betsher gr., Regulatory Affairs 6; Dafe'Application Certification ficce.ved I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowlingly false or misleading statement may be punishable by fine or imprisonment or (Stamped) both under applicable law. 66-16-95 3. Title , Mgr., Regulatory Affairs 4. Typed Name 5. Date 5/31/95 Jeanine H. Betsher

BEST COPY AVAILABLE





PROPANIL 60%WDG

Herbicide

For Postemergence Control of Broadleaf and Grass Weeds in Rice Fields

Active Ingredient: 3',4'-Dichloropropionanilide......60.00% Inert Ingredients:.....40.00% TOTAL.....100.00%

This product contains 0.6 lb. of 3',4' Dichloropropionanilide (Propanil) per pound of formulated product

EPA Registration No. 56077-40 EPA Establishment No.

KEEP OUT OF REACH OF CHILDREN

CAUTION

STATEMENT OF PRACTICAL TREATMENT

If Swallowed: Induce vomiting immediately by drinking 1 or 2 glasses of water and sticking finger down throat. Get medical attention.

ff on Skin: Wash contaminated areas thoroughly with soap and water. Get medical attention if irritation persists.

If In Eyes: Flush with copious amounts of clean water for 10-15 minutes. Get medical attention.

AGRICULTURAL CHEMICAL DO NOT SHIP OR STORE WITH FOOD, FEEDS. DRUGS, OR CLOTHING.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANNIALS CAUTION

Harmful if swallowed, absorbed through the skin or inhaled. Causes eye imitation. Avoid breathing spray mist or dust. Avoid contact with skin eyes and clothing. 'In case of contact, immediately flush eyes or skin with plenty of water. Get medical attention 4 impation persists

PERSONAL PROTECTIVE EQUIPMENT (PPE) Applications and other handlers must weer:
Long-sleeved shut and long parts
Waterproof gloves
Shoes plus socks
Chemical-resistant headgear for overhead exposure

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other bundry

USER SAFETY RECOMMENDATIONS

- Users should.

 O Wash hands before eating, drinking, chewing gut, using tobacco or using
- the total Remove PPE immediately after handling this product. Wash the buildefel gloves before removing. As soon as possible wash thoroughly and change into classic clothers.
- into clean clothing

 Remove clothing immediately if pesticide gets fiside. Then washfiligitugity and put on clean clothing.

ENVIRONMENTAL HAZARDS

For tenestrial uses, do not apply directly to water or to areas where surface water is present or to interidial areas below the mean high water made * Do not contaminate water when disposing of equipment washwaters. This product is joilic to fist. Drift and nunoff from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water intended for impation or domestic purposes. Do not apply when weather conditions favor drift from target areas

FOR CHEMICAL SPILL, LEAK, FIRE, OR EXPOSURE, CALL TOLL FREE 1-800-424-9300.

DIRECTIONS FOR USE

If is a violation of Federal law to use this product in a manner inconsistant with its tabeling. Do not apply this product in a way that will contact workers or ather persons, either directly or through drift. Only protected handlers may be in the wree during application. For any requirements specific to your titals or Tribe, consult the agency responsible for pesticide regulation.

AGRICULTURAL DES REQUIRES PARTS

Use the product only in eccontance with its labeling and with the White: Protection Standard, 40 CFR and 170. This Standard contains requirements for the protection of agricultural workers on farms forests numerics, and greenhouses and handlers of agricultural pesticides it contains requirements for training decontamination notification, and energency essentiance it also contains specific instructions and everypeans pertaining to the statements on this light about certainal protective equipment (PPE), and restricted-entry intervals. The requirements in this section only apply to uses of this product that are covered by the Worter Protection Standard.

Do nut effer or allow worker entry into treets 4 press during the restricted entry interval (REI) of 24 nours.

PPE required for early entry to treated areas that is permitted under the White: Protection Standard and that involves contact with anything that has been treated, such as plants, soil or unter its

opversits
weterproof glover
shoes plus tooles
chemical-resistant heedgeer for overhead exposure

STORAGE AND DISPOSAL

STORAGE: Do not conteminate water, food, or feed, by storage or disposal. Open dumping is prohibited. Do not store this product near fertilizers, seeds, insecticides, or fungicides. Palletized product should not be stacked more than 3 units high. Reclose all partially used containers by tying beg top shut. Damaged or leaking containers which contain product than cannot be used immediately should be transferred to suitable sound containers and properly merical. Any apilled material should be thoroughly ewept up and transferred to the new container or disposed of as indicated under Pasticide Disposal. For sufety and prevention of unsufficized use, all pasticides should be stored in locked facilities. To prevent accidental misuse, different pasticides should be stored in separate areas with enough distance between to provide clear identification. Opened, partially used pasticides should be stored in original containers when possible Koep containers closed when not in use.

PESTICIDE DISPOSAL. Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Completely empty beg into application aquipment. Then dispose of empty beg in a sanitary landfill or by incineration, or, if allowed by state and local authorities, by burning. If turned, stay out of emoke,

WHERE TO USE

CEDAR CHEMICAL'S PROPANIL 67% WDG is used for posternergence control of broadlesf and grees visites in RICE fields. Do Not apply this product (directly or indirectly) to any crup except rice.

WEEDS CONTROLLED

Bartyardgrass (wetergrass), signalgrass (brachiers), coffreward, crabgrass, croton, outly indep), firstell, gooseyrass, gulf coclupur, mexicanwood, millet (Texas), paragrass, pig/seed, sourdock , epearhead, wiregrass.

(PROPASIL 60% VIDG will not control arrowheed, bermudagrass, cartail, durhanted, johnsongrass, putgrass, red rice and sprangistop.)

GENERAL INFORMATION

Several important factors should be taken into account to achieve a high efficiency of selective weed control with PROPANII, 80% WOG. These include uniform application, growth steph and weather conditions. To assure uniform application, rule the, prevented amount of PROPANII. 80% WDG with a sufficient volume of water to provide thorough coverage of target area. For serial application use approximately 10 gallons of water, or for surface (ground) applications 20-30 gallons of water per serie at sufficient apray pressure. Agrada tank mixes thoroughly and continuously. Avoid over and under application.

Growth steps of weeds is very important. Best results for selective weed courcl are obtained when mort grasses have mached the 1 to 3 lest stage. Proper field

preparation is essential to securities in relatively clicif free and level surface to obtain uniform flood levels and growth. Fields may be flushed prior to treatment to produce uniform and vigorous grass germination and growth. Drain water from fields prior to applying PROPANII, 80% WDG. Higher rates are recommended to control larger grasses or exposed waseds when rice ficids are not complicately drained. Inspect rice fields regularly to select the correct application time.

DO NOT APPLY THIS PRODUCT THROUGH ANY TYPE OF IRRIGATION SYSTEM

Do not apply to fields, where commercial catfish ferming is precised and do not drain water from treated fields into areas where catfish ferming is practiced.

Do not apply when wind conditions will allow drift to adjacent, susceptible crops such as beans, soybeans, collon, selflower, oucurbits, vegutables, proherds (such as simonds, prunes, and grasss) and other sensitive cross

Weather conditions must be observed closely. Under cool weather conditions higher rates are required to achieve satefactory control. Avaid application if rain threatens within 6 to it hours, or if wind velocities are high enough to cause drift and irregular acray patterns.

When PROPANIL 60% WDG is used alone (not in combination with any other posternergent rice herbicide), a suitable low viscosity crop oil concentrate such as Settle. Penetrator Plus, or an enionic/nonionic bland surfactant such as Settle Indice is recommended to improve wetting of foliage and weed control. High viscosity crop oil concentrate products such as Settle Agndez are NOT recommended for use with PROFANIL 60% WDC. Refer to crop oil or surfactant label for proper use rate.

Consult Extension Service for detailed application advices.

RECOMMENDED BROADCAST RATE

Apply 6 pounds of PROPANIL 00% WDG per sore when most grasses have reached 1 to 3 leaf stage. Use 8 to 12 pounds of PROPANIL 60% WDG per sore when the grasses are targe (4 to 6 leaf stage) or when unacceonably cool weather conditions prevail or in cases where not fields have not been drained complotely and where weeds are targe.

Barryandgrass may be controlled up to 30 to 45 days effer planting, before nosplants (save reached the fully bliered growth stage

NOTE: PROPANIL 60% WDG applied to rice after the 4 leaf stage may cause visible injury under some climatic conditions. Rice plants usually outgrow such injury.

NOTE: Water district from treated rice fields must not be used to impate other crops or be released within 1/2 mile upstream of a potable water sitake in finning water (i.e. mver, stream, etc.) or within 1/2 mile of a potable water intake in a standing body of water such as a take, pond or reservoir.

IN CALIFORNIA: the PROPARL 60% WDG only where rice fields are not completely drained. If higher water level is desired, reflood field after 12 hours and before 7 days after treatment. This will discourage new weed infestations. On not apply PROPANL 60% WDG within 14 days before or after insecticide applications. Serious injury to rice may occur.

CONDITIONS OF SALE AND WARRANTY

CEDAR AND SELLER OFFER THIS PRODUCT AND THE SUYER AND USER ACCEPTS THIS PRODUCT UNDER THE FOLLOWING AGREED CONDITIONS OF SALE AND WARRANTY.

The directions for use of this product are believed to be reliable and should be functioned carefully. However, it is impossible to take into account all variables and to eliminate all risks associated with its use. Injury or damage may result because of oxiditure which are beyond the control of Ceder or the Seller. Cedur warrants only fluid this product conforms to the chemical description on the label and is believed to be resconably fit for the purposes referred to in the Directions for Use when used as directed under normal conditions. CEDAR CHEMICAL CORPORATION MAKES IND.

OTHER EXPRESS OR IMPLIED WARRANTY OF PITNESS CRIMERCHANTABILITY OR ANY OTHER EXPRESS OR IMPLIED WARRANTY. In no 2000 shall Ceder of the Seller be liable for consequential, special or indirect damages resulting from the use or handling of this product. Any varietion or exception from this warran'ly must be in writing and signed by an authorized Ceder representative.

CEDAR CHEMICAL CORPORATION 6100 POPLAR AVENUE, 24TH FLCOR MEMPHIS, TENNESSEE 30137, USA

2)