5/17/96

Richard Gabriel

The same of the sa

TEAR HERE

# . DISINFECTANT VIRUCIDE\* . CLEANER

C-IOOA Contents: 1 Towelette (Net wgt. 0.58 oz.) (16.5 gms.)

Cide-Swipes are pre-saturated wipes containing known antibacterial and antiviral agents. For use in medical, dental, home, school and institutional applications.

Active Ingredient Glutaraldehyde 0.24% Inert Ingredients\*\* 99.76% \*Does not include weight of dry towelette.

DIRECTIONS FOR USE: It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

To disinfect heavily soiled surfaces, clean first with one Cide-Swipes and follow with the use of a second fresh Cide-Swipes. Tear open protective wrap. Allow towel to unfold by holding and gently shaking. Thoroughly wipe surface for 60 seconds. Allow treated surface to remain wet for 3 minutes or let air dry. Each towel cleans and disinfects a surface area 40 times its size.

# KEEP OUT OF REACH OF CHILDREN

- Store at room temperature. Avoid freezing and extreme heat.
- Keep packaged towel in dry area. Do not open until ready to use. Do not re-use towel.
- May cause eye and skin irritation on contact. In case of contact with eye or skin, flush thoroughly with water. If irritation persists, contact a physician.
  Avoid contact with food.

### **CONTAINER DISPOSAL:**

- Place used towel in the trash container.
- \* Cide-Swipes are effective as a virucide against HIV-1 (AIDS Virus) for a 3 minute contact time and Poliovirus Type I for a 15 minute contact time on pre-cleaned, hard, nonporous surfaces. See back panel for Special Instructions for cleaning

and Decontamination Against HIV Contaminated surfaces.

EPA Establishment No. 52631-NJ001 • EPA Registration No. 56095-2 Made by: LAB PRODUCTS, INC., Maywood, NJ 07607

Kills HIV-1 on precleaned environmental surfaces/objects previously soiled with blood/body fluids in health care settings or other settings in which there is an expected likelihood of soiling on inanimate surfaces/objects with blood or other body fluids, and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of human immunodeficiency virus Type 1 (HIV-1) (associated with AIDS).

## Special Instructions for Cleaning and Decontamination Against HIV of Surfaces or Objects Soiled with Blood or Body Fluids.

Personal Protection: When handling items soiled with blood or other body fluids, disposable latex gloves, gowns, surgical mask and eye protection are recommended.

Cleaning Procedure: Blood and other body fluids must be thoroughly cleaned from surfaces and objects before application of the disinfectant.

Contact Time: Cide-Swipes are effective as a virucide against HIV-1 (AIDS Virus) for a three minute contact time.

**Disposal of Infectious Material:** Blood and other body fluids should be autoclaved and disposed according to local regulations for infectious waste disposal.

This product is not to be used as a terminal sterilant/high level disinfectant on any surface or instrument that (1) is introduced directly into the human body, either into or in contact with the bloodstream or normally sterile areas of the body, or (2) contacts intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body. This product may be used to preclean or decontaminate critical or semi-critical medical devices prior to sterilization or high level disinfection.