

US ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (TS-767) WASHINGTON, DC 20460	EPA REGISTRATION NO. 56151-3	DATE OF ISSUANCE 18 JUN 1980
	TERM OF ISSUANCE	
	NAME OF PESTICIDE PRODUCT H-2000 ALGAECIDE	

NOTICE OF PESTICIDE: REGISTRATION
 REREГИSTRATION
 (Under the Federal Insecticide, Fungicide,
 and Rodenticide Act, as amended)

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

Triad Laboratories, Inc.
 P.O. Box 8027
 Greensboro, NC 27419

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA section 3(c)(7)(A) provided that you:

1. Submit and/or cite all data required for registration/reregistration of your product under FIFRA section 3(c)(5) when the Agency requires all registrants of similar products to submit such data.
2. Add the phrase "EPA Registration No. 56151-3" to your label before you release the product for shipment.
3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Jeff Kempter
 Jeff Kempter
 Product Manager (32)
 Disinfectants Branch
 Registration Division (TS-767C)

ENCLOSURES ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL

DATE

H-2000 ALGAECIDE

ACCEPTED
with COMMENTS
in EPA Letter Dated:

JUN 18 1986

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.

56151-3

ACTIVE INGREDIENT:

Poly(oxyethylene (dimethyliminio) ethylene-
(dimethyliminio) ethylene dichloride) 20.0 %

INERT INGREDIENT 80.0 %

This product contains 1.74 lb. of active ingredient per gallon and weighs
8.69 lb. per gallon.

KEEP OUT OF REACH OF CHILDREN

CAUTION

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed. Avoid breathing vapors. Avoid contact with skin, eyes, or clothing.

FIRST AID: If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution, or, if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish. Keep out of lakes, streams, or ponds. Permits may be required for discharges containing this pesticide into lakes, streams, ponds, or public water. For guidance, contact the regional office of the Environmental Protection Agency.

DIRECTIONS FOR

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

H-2000 ALGAECIDE is used to control algae and fungi in recirculating commercial and industrial water systems. Before its use, systems must be cleaned to remove slime, and other deposits. An initial slug addition of H-2000 ALGAECIDE fluid ounces of H-2000 ALGAECIDE per 1000 gallons of water to provide a concentration of 24 parts per million.

H-2000 ALGAECIDE, based on active ingredient, is used in the system, is recommended. Repeat initial dosage of 0.73 fluid ounces of H-2000 ALGAECIDE per 1000 gallons of water.

Subsequent slug additions of 0.73 fluid ounces of H-2000 ALGAECIDE per 1000 gallons of water should be employed every 2 to 5 days, or as needed. The frequency of addition depends upon the relative amount of bleedoff and the severity of the problem. Slug additions should be made in the summer months.

H-2000 ALGAECIDE is used for air-washing systems that maintain effective misting. Before its use, systems should be cleaned to remove deposits. An initial slug dose of 11.1 fluid ounces of H-2000 ALGAECIDE per 1000 gallons of water should be employed every 2 to 5 days, or as needed. Repeat initial dosage until control is achieved. Repeat initial dosage until control is achieved. Repeat initial dosage until control is achieved.

H-2000 ALGAECIDE is used for air-washing systems that maintain effective misting. Before its use, systems should be cleaned to remove deposits. An initial slug dose of 11.1 fluid ounces of H-2000 ALGAECIDE per 1000 gallons of water should be employed every 2 to 5 days, or as needed. Repeat initial dosage until control is achieved. Repeat initial dosage until control is achieved. Repeat initial dosage until control is achieved.

H-2000 ALGAECIDE is used for air-washing systems that maintain effective misting. Before its use, systems should be cleaned to remove deposits. An initial slug dose of 11.1 fluid ounces of H-2000 ALGAECIDE per 1000 gallons of water should be employed every 2 to 5 days, or as needed. Repeat initial dosage until control is achieved. Repeat initial dosage until control is achieved. Repeat initial dosage until control is achieved.

H-2000 ALGAECIDE is used for air-washing systems that maintain effective misting. Before its use, systems should be cleaned to remove deposits. An initial slug dose of 11.1 fluid ounces of H-2000 ALGAECIDE per 1000 gallons of water should be employed every 2 to 5 days, or as needed. Repeat initial dosage until control is achieved. Repeat initial dosage until control is achieved. Repeat initial dosage until control is achieved.

H-2000 ALGAECIDE is used for air-washing systems that maintain effective misting. Before its use, systems should be cleaned to remove deposits. An initial slug dose of 11.1 fluid ounces of H-2000 ALGAECIDE per 1000 gallons of water should be employed every 2 to 5 days, or as needed. Repeat initial dosage until control is achieved. Repeat initial dosage until control is achieved. Repeat initial dosage until control is achieved.

H-2000 ALGAECIDE is used for air-washing systems that maintain effective misting. Before its use, systems should be cleaned to remove deposits. An initial slug dose of 11.1 fluid ounces of H-2000 ALGAECIDE per 1000 gallons of water should be employed every 2 to 5 days, or as needed. Repeat initial dosage until control is achieved. Repeat initial dosage until control is achieved. Repeat initial dosage until control is achieved.

H-2000 ALGAECIDE is used for air-washing systems that maintain effective misting. Before its use, systems should be cleaned to remove deposits. An initial slug dose of 11.1 fluid ounces of H-2000 ALGAECIDE per 1000 gallons of water should be employed every 2 to 5 days, or as needed. Repeat initial dosage until control is achieved. Repeat initial dosage until control is achieved. Repeat initial dosage until control is achieved.

H-2000 ALGAECIDE is used for air-washing systems that maintain effective misting. Before its use, systems should be cleaned to remove deposits. An initial slug dose of 11.1 fluid ounces of H-2000 ALGAECIDE per 1000 gallons of water should be employed every 2 to 5 days, or as needed. Repeat initial dosage until control is achieved. Repeat initial dosage until control is achieved. Repeat initial dosage until control is achieved.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

STORAGE: Do not stack more than four drums high. Leaking or damaged drums should be disposed of. Spills should be absorbed in sawdust or sand. Container closed when not in use.

PESTICIDE DISPOSAL: Wastes resulting from the use of this pesticide should be disposed of at a government approved waste disposal facility.

CONTAINER DISPOSAL:

PLASTIC: Triple rinse (or equivalent). Then offer for recycling or incineration, or, if allowed by state and local authorities, by other procedures approved by state and local authorities.

METAL: Triple rinse (or equivalent). Then offer for recycling or incineration, or, if allowed by state and local authorities, by other procedures approved by state and local authorities.

Manufactured by

TRIAD LABORATORIES, INC.

P.O. BOX 8027

GREENSBORO, NC 27419

EPA REG. NO. _____ EPA

NET CONTENTS _____

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA section 3(c)(7)(A) provided that you:


1. Submit and/or cite all data required for registration/reregistration of your product under FIFRA section 3(c)(5) when the Agency requires all registrants to do so by a date to be published in the Federal Register.

2. Add the phrase "EPA Registration No. 9111-1" to your label before you release the product for shipment.

3. Submit five (5) copies of your final printed label to EPA before you release the product for shipment. Refer to EPA 711-701-01 for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 3(c). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.


Jeff Kempter
Product Manager (32)
Disinfectants Branch
Registration Division (75-7670)

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL

DATE

H-2000 ALGAECIDE

ACCEPTED
with COMMENTS
in EPA Letter Dated:

JUN 18 1986

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.

56151-3

ACTIVE INGREDIENT:

Poly(oxyethylene (dimethyliminio) ethylene-
(dimethyliminio) ethylene dichloride) 20.0 %

INERT INGREDIENT 80.0 %

This product contains 1.74 lb. of active ingredient per gallon and weighs
8.69 lb. per gallon.

KEEP OUT OF REACH OF CHILDREN

CAUTION

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed. Avoid breathing vapors. Avoid contact with skin, eyes, or clothing.

FIRST AID: If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution, or, if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish. Keep out of lakes, streams, or ponds. Permits may be required for discharges containing this pesticide into lakes, streams, ponds, or public water. For guidance, contact the regional office of the Environmental Protection Agency.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

H-2000 ALGAECIDE is used to control algae and fungi in recirculating commercial and industrial water systems. To insure its use, systems must be cleaned to remove slime, and other deposits. An initial slug dose of H-2000 ALGAECIDE fluid ounces of H-2000 ALGAECIDE per 1000 gallons of water to provide a concentration of 24 parts per million of H-2000 ALGAECIDE in the system, is recommended. Repeat initial slug additions of 0.73 H-2000 ALGAECIDE per 1000 gallons of water should be employed every 2 to 5 days, or as needed. The frequency of addition depends upon the relative amount of bleedoff and the severity of the bacterial problem. Slug additions should be made in the sanitary landfill, by incineration, or as followed by state and local authorities.

H-2000 ALGAECIDE is used in air-washing systems that maintain effective air flow. To insure its use, systems should be cleaned to remove deposits. An initial slug dose of 11.1 H-2000 ALGAECIDE per 1000 gallons of water should be employed every 2 to 5 days, or as needed. Repeat initial dosage until control is achieved. Repeat initial dosage until control is achieved. Repeat initial dosage until control is achieved.

H-2000 ALGAECIDE is used in air-washing systems that maintain effective air flow. To insure its use, systems should be cleaned to remove deposits. An initial slug dose of 11.1 H-2000 ALGAECIDE per 1000 gallons of water should be employed every 2 to 5 days, or as needed. Repeat initial dosage until control is achieved. Repeat initial dosage until control is achieved. Repeat initial dosage until control is achieved.

H-2000 ALGAECIDE is used in air-washing systems that maintain effective air flow. To insure its use, systems should be cleaned to remove deposits. An initial slug dose of 11.1 H-2000 ALGAECIDE per 1000 gallons of water should be employed every 2 to 5 days, or as needed. Repeat initial dosage until control is achieved. Repeat initial dosage until control is achieved. Repeat initial dosage until control is achieved.

H-2000 ALGAECIDE is used in air-washing systems that maintain effective air flow. To insure its use, systems should be cleaned to remove deposits. An initial slug dose of 11.1 H-2000 ALGAECIDE per 1000 gallons of water should be employed every 2 to 5 days, or as needed. Repeat initial dosage until control is achieved. Repeat initial dosage until control is achieved. Repeat initial dosage until control is achieved.

H-2000 ALGAECIDE is used in air-washing systems that maintain effective air flow. To insure its use, systems should be cleaned to remove deposits. An initial slug dose of 11.1 H-2000 ALGAECIDE per 1000 gallons of water should be employed every 2 to 5 days, or as needed. Repeat initial dosage until control is achieved. Repeat initial dosage until control is achieved. Repeat initial dosage until control is achieved.

H-2000 ALGAECIDE is used in air-washing systems that maintain effective air flow. To insure its use, systems should be cleaned to remove deposits. An initial slug dose of 11.1 H-2000 ALGAECIDE per 1000 gallons of water should be employed every 2 to 5 days, or as needed. Repeat initial dosage until control is achieved. Repeat initial dosage until control is achieved. Repeat initial dosage until control is achieved.

H-2000 ALGAECIDE is used in air-washing systems that maintain effective air flow. To insure its use, systems should be cleaned to remove deposits. An initial slug dose of 11.1 H-2000 ALGAECIDE per 1000 gallons of water should be employed every 2 to 5 days, or as needed. Repeat initial dosage until control is achieved. Repeat initial dosage until control is achieved. Repeat initial dosage until control is achieved.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

STORAGE: Do not stack more than four drums high. Leaking drums for disposal. Spills should be absorbed in sawdust or similar material. Container closed when not in use.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product should be disposed of by approved waste disposal facility.

CONTAINER DISPOSAL:

☐ **PLASTIC:** Triple rinse (or equivalent). Then offer for recycling (if available) or for incineration, or as followed by state and local authorities.

☐ **METAL:** Triple rinse (or equivalent). Then offer for recycling (if available) or for incineration, or as followed by state and local authorities.

Manufactured by

TRIAD LABORATORIES, INC.

P.O. BOX 8027

GREENSBORO, NC 27419

EPA REG. NO. _____ E

NET CONTENTS _____

Pm 3) 46728-9 10/1

Microbiocide 25

NOT REVIEWED

In Accordance with PR Notice 82-2,
Based on Draft Labeling Dated

ACTIVE INGREDIENTS:

JUL 24 1984

Disodium cyanodithioimidocarbonate 9.79%

Potassium N-methyldithiocarbamate 13.51%

INERT INGREDIENTS 76.70%

TOTAL 100.00%

This product contains 2.26 lb. of active ingredients per gallon and weighs 9.7 lb. per gallon.

KEEP OUT OF REACH OF CHILDREN

WARNING

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING: Causes eye damage and skin irritation. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed. Avoid contamination of food.

STATEMENT OF PRACTICAL TREATMENT: In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse. If swallowed, call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish. Do not discharge into lakes, streams, ponds, or public waters unless in accordance with an NPDES permit. For guidance contact your Regional Office of the EPA.

DIRECTIONS FOR USE GENERAL CLASSIFICATION

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Microbiocide 25 is used to control algae and bacteria in recirculating commercial and industrial water cooling towers. Prior to its use, systems must be cleaned to remove algal growth, microbiological slime, and other deposits. An initial slug addition of 2.6 to 5.2 fluid ounces of Microbiocide 25 per 1000 gallons of water is recommended. Repeat initial dosage until control is evident.

Subsequent slug additions of 0.85 to 5.2 fluid ounces of Microbiocide 25 per 1000 gallons of water should be employed every 1 to 5 days, or as needed. The frequency of addition depends upon the relative amount of bleedoff and the severity of the microbiological problem. Slug additions should be made in the sump of water cooling towers.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

STORAGE: Do not expose to extreme temperatures. Do not stack more than five drums high. Drums should be opened in well-ventilated areas. Leaking or damaged drums should be placed in overpack drums for disposal. Spills should be absorbed in sawdust or sand and disposed of in a sanitary landfill. Keep container closed when not in use.

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at your EPA Regional Office for guidance.

CONTAINER DISPOSAL:

- METAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.
- PLASTIC: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

Manufactured by:

Carolina Chemical Services, Inc.
P.O. Box 40, Jones Bridge Rd.
North, SC 29112

EPA REG. NO. 46728-9 EPA EST. NO. _____

NET CONTENTS _____