

PM 03

56194-4

1-27-98

1615529066  
18/1

1075



U.S. ENVIRONMENTAL PROTECTION AGENCY  
Office of Pesticide Programs  
Registration Division (H7505C)  
401 "M" St., S.W.  
Washington, D.C. 20460

EPA Reg. Number:

56194-4

Date of Issuance:

JAN 27 1998

## NOTICE OF PESTICIDE:

- ☒ Registration  
☐ Reregistration

(under FIFRA, as amended)

Term of Issuance:

Conditional

Name of Pesticide Product:

INSECT-ASIDE p.p.d.  
Multipurpose Insecticide

Name and Address of Registrant (include ZIP Code):

Safe Organic Environment, Inc.  
9110 S. Hampton Road  
Dallas, TX 75232

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act. Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:

1. Submit and/or cite all data or other material required for registration/reregistration of your product under FIFRA sec. 3(c)(5) of FIFRA sec. 4 when the Agency requires all registrants of similar products to submit such data.
2. Make the labeling changes listed below before you release the product for shipment:
  - a. Add the phrase "EPA Registration No. 56194-4".
  - b. Since directions could be interpreted to allow use in commercial greenhouses, add the standard **WPS Agricultural Use Requirements** statements. See last accepted EPA label for 48250-2.
3. Submit two (2) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Enclosure

Signature of Approving Official:

Date:

George T. LaRocca, Product Manager (13)/Insecticide Branch/Registration Division (7505C)

29/5

# INSECT-ASIDE p.p.d.

## MULTI-PURPOSE INSECTICIDE

### FOR USE OUTDOORS

Around Domestic Dwellings and Commercial Establishments

#### General Insect Control

Controls: Ants, Cinch Bugs, Fire Ants, Fleas & Ticks

#### Rose and Floral Insecticide

Controls: Aphids, Caterpillars, Leafhoppers, Mites, White Flies  
and Other Insects on Flowers and Ornamentals

#### Tomato and Garden Insecticide

Controls: Ants, Aphids, Armyworms, Caterpillars, Cabbage Worms,  
Leafhoppers, Mites, Thrips, Webworms, White Flies  
and Other Insects As Listed on Garden Plants

### FOR USE INDOORS

In Domestic Dwellings and Commercial Establishments

#### General Insect Control

Controls: Ants, Flies, Roaches and Other Insects As Listed

#### For Use on Pets

Kills Fleas, Lice and Ticks on Dogs, Cats and Pets

#### ACTIVE INGREDIENTS:

Pyrethrins .....	0.1%
*Piperonyl Butoxide, Technical .....	1.0%
Silicon Dioxide (from Diatomaceous Earth) .....	97.5%
INERT INGREDIENTS .....	1.4%
Total .....	100.0%

\*Equivalent to 0.8% (butylcarbityl)(6-propylpiperonyl) ether and 0.2% related compounds.

Keep Out of Reach of Children

### CAUTION

See back panel for additional precautionary statements.

NET WT. \_\_\_\_ LBS. (OZ.)

EPA Reg. No. 56194-U

EPA Est. \_\_\_\_\_

ACCEPTED  
with COMMENTS  
in EPA Letter Dated

SAFE ORGANIC ENVIRONMENT, INC.

9110 S. Hampton Road  
Dallas, TX 75232

JAN 27 1998  
Under the Federal Insecticide,  
Fungicide, and Rodenticide Act  
as amended, for the pesticide  
registered under EPA Reg. No.  
56194-4

3075

## DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

### NON-AGRICULTURAL USE REQUIREMENTS

The requirements in this box apply to uses of this product that are not within the scope of the Worker Protection Standard for agricultural pesticides (40 CFR Part 170). The WPS applies when this product is used to produce agricultural plants on farms, forests, nurseries or greenhouses. Keep unprotected persons, children and pets out of the treated area until sprays have dried.

PPE required for early entry to treated areas prior to the time the sprays have dried, that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil or water is: long-sleeved shirt and long pants; waterproof gloves and shoes plus socks.

### OUTDOOR USES - GENERAL INFORMATION

Carefully follow the directions for each type of use. When used as directed, allowable tolerance levels will not be exceeded. May be used where resistant insects are a problem. Use rates will vary with insect populations. Keep the material agitated during application for all liquid spray applications. Reapply only as necessary.

#### For Control of Ants, Cinch Bugs, Fleas and Ticks in Domestic Areas

Use Rate: Use 6 ounces per 375 square feet of area.

**As a Dust:** The best results are obtained when applied with a hand or power duster or other suitable means of application to the infested area. Apply lightly and uniformly to the treatment area.

**Hose End Sprayer:** Use a hose end sprayer for lawns. Add a small amount of water to the jar and add the amount of this product needed for the measured area. Stir to make a slurry, then add the remaining water to the top of the jar. Empty the entire contents of the jar on the premeasured area.

**Hand Sprayer:** Use 0.6 ounces (4 tablespoons) to one gallon of water. Apply the contents to a premeasured area.

#### For Control of Fire Ants

**As a Dust:** For best results, dust the perimeter of the mound first. With a stick, disturb the mound, then dust mound in a circular motion working toward the center until the entire mound is thoroughly dusted. Do not exceed 6 ounces per 375 square feet.

**Mound Drench or "Water Method":** Use 0.6 ounces (4 tablespoons) to one gallon of water. For best results, saturate the perimeter of the mound first working toward the center of the mound in a circular motion (you may want the mixture to puddle). An ant mound 12-14 inches in diameter requires approximately one gallon of the mixture.

**Hose End Sprayer:** Use 6 ounces per 375 square feet of area. Use a hose end sprayer for lawns. Add a small amount of water to the jar and add the amount of this product needed for the measured area, stir to make a slurry, then add the remaining water to the top of the jar. Empty entire contents of the jar on the premeasured area.

#### For Control of Insects on Flowers and Ornamentals

**Controls Insects Such As:** Aphids, Armyworms, Caterpillars, Cinchbugs, Flea Beetles, Fleahoppers, Flies, Fruitflies, Japanese Beetles, Leafhoppers, Leafminers, Leafrollers, Loopers, Lygus Bugs, Mealy Bugs, Mites, Thrips and White Flies.

**For Use on Flowers and Ornamentals Such As:** Carnations, Cineraria, Chrysanthemum, Cypress, Daffodil, Dahlia, Dogwood, Elm, Eucalyptus, Fern, Ficus, Geranium, Gladiolus, Gypsophila, Holly, Juniper, Lily, Marigold, Oak, Palm, Peony, Petunia, Philodendron, Pine, Roses, Snapdragons, Sweetpea, Tulips, Viburnum, Wandering Jew, Yew and Zinnia.

Use Rate: 6 ounces will cover approximately 3,000 square feet, depending upon the insect population.

**As A Dust:** The best results are obtained when the plants are wet or dew still remains on the leaf surface. It is suggested that the plants are misted prior to application to obtain the maximum benefit and use the least amount of product for control.

**As A Wettable Powder:** Apply in sufficient water to obtain maximum coverage. Dilution of the material should be at the rate of 6 ounces to one-half gallon of water for approximately 3,000 sq. ft. It is best to keep the material agitated during application. Apply the material uniformly to both the upper and lower leaf surfaces.

4045

### For Control of Insects on Garden Plants

**Controls Such Insects As:** Aphids, Armyworms, Beet Webworms, Blister Beetle, Cabbage Looper, Cabbage Worms, Caterpillars, Celery Leafhoppers, Colorado Potato Beetles, Corn Earworm, Cucumber Beetles, European Corn Borer, Flea Beetles, Garden Fleahoppers, Harlequin Bugs, Imported Cabbage Worms, Japanese Beetles, Leaf Hoppers, Leaf Miners, Leafhoppers, Loopers, Lygus Bugs, Mexican Bean Beetles, Mites, Plant Bugs, Stink Bugs, Squash Vine Borers, Thrips, Vegetable Weevils, Webworms and Whiteflies.

**For Use On Garden Plants Such As (but not limited to):** Amaranth, Arracocha, Arrugulo, Arrowroot, Jerusalem Artichoke, Beans (Field, Kidney, Lima, Navy, Pinto, Snap), Beets, Broccoli, Brussels Sprouts, Cabbage, Carrots, Catjong, Cauliflower, Celery, Celluce, Chanro, Chervil, Chicory, Chotia, Collards, Corn Salad, Cress, Cucumber, Dasheen, Dock, Eggplant, Fennel, Garlic, Gherkin, Ginger, Ginseng, Horseradish, Kale, Loren, Leek, Lentils, Lettuce, Melons, Mustard Greens, Okra, Onions, Parsley, Parsnip, Peas (Field, Garden, Sugar), Pepinos, Peppers (Bell, Chili, Cooking, Sweet), Potato, Pumpkin, Purslane, Rhubarb, Radish, Rutabaga, Salsify, Shabol, Soybeans, Spinach, Squash, Sweet Swiss Chard, Tompala, Tonier, Tarrow Root, Tumeric, Turnip, Tomatillo, Tomatoes, Watermelon and Yams.

**Use Rate:** 6 ounces will cover approximately 3,000 square feet, depending upon insect population.

**As A Dust:** The best results are obtained when the plants are wet or dew still remains on the leaf surface. It is suggested that the plants are misted prior to application to obtain the maximum benefits and use the least amount of product for control.

**As A Wettable Powder:** Apply in sufficient water to obtain maximum coverage. Dilution of the material should be at the rate of 6 ounces to one-half gallon of water for approximately 3,000 square feet. It is best to keep the material agitated during application. Apply the material uniformly to both the upper and lower leaf surfaces.

### INDOOR USES

Apply with a hand or power duster, or other suitable means, to hiding and running areas, and places where pests are found. To apply into cracks and crevices, use a bulbous duster or other suitable equipment. Apply lightly and uniformly in treatment area. The amount to be applied will vary with the site, but should usually be 8 to 16 ounces per 1,000 square feet. Repeat treatment as necessary to maintain adequate control.

**Roaches and Silverfish:** Dust lightly, paying special attention to cracks and hidden surfaces, around pipes, sinks and moldings.

**Ants, Crickets and Box Elder Bugs:** Dust lightly areas around windows, doors and other places where these pests may enter premises.

**Bedbugs:** Treat liberally baseboards, moldings, cracks, bedstead and both sides of mattress.

**Flies:** Lightly coat window frames and sills so flies lighting will contact dust.

### Crack, Crevice and Spot Treatment

**Food and Feed Handling Establishments:** Places other than private residences in which food is held, processed, prepared or served. **Food and Feed Areas:** Including areas for receiving, storage, packing (canning, bottling, wrapping, boxing), preparing, edible waste storage and enclosed processing systems (mills, dairies, edible oils, syrups). Serving areas, when food is exposed and facility is in operation, are also considered a food area. **Non-Food Areas:** Including garbage rooms, lavatories, floor drains, sewers, entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage (after canning or bottling). Application is limited to spot or crack and crevice treatments only.

**Crack and Crevice Treatment:** Apply in small amounts directly into cracks and crevices, using equipment capable of directing insecticide in points between different elements of construction, between equipment and floors, openings leading to voids and hollow spaces in walls, equipment leg and bases where cockroaches, ants, silverfish and crickets hide. Spot treatment may also be made to areas where any of the pests hide or inhabit, such as baseboards, storage areas, closets, around water pipes, doors and windows, behind and under refrigerators, cabinets, sinks, stoves and other equipment. Care should be taken to avoid depositing the product onto exposed food contact surfaces or introducing the material into the air.

**Spot Treatment:** No individual spot will exceed two (2) square feet. Limit spot treatments to wall or floor surfaces where pests have been seen or where pests are suspected of hiding.

### To Kill Fleas, Lice and Ticks on Dogs, Cats, Pets and Pet Premises READ ENTIRE LABEL BEFORE EACH USE

For Use Directly on Pets or Around Pets' Living and Sleeping Areas

Lightly work the material into the hair of the animal, down to the skin. Pay special attention to places where the animal cannot reach, such as the scalp. Dust the ears of the animal with care. Individual ticks observed on the animal should be thoroughly dusted.

5075

Reapply as infestation warrants, but no more frequently than one per week. Do not use on puppies, kittens or other young animals under 12 weeks of age. Consult a veterinarian before using this product on debilitated, mediated, aged, pregnant or nursing animals. Sensitivities may occur after using ANY pesticide product for pets. If signs of sensitivity occur, bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately. In case of an emergency contact a veterinarian or local animal poison control center.

Dust the animal's bedding and areas where the animal sleeps, as well as cracks and crevices adjacent to them. Repeat once a month or as necessary.

#### STORAGE AND DISPOSAL

[For containers of 5 pounds and less:]

**Storage:** Store in original container in a cool, dry place (preferably locked) out of sunlight and inaccessible to children and pets. **Disposal:** Do not reuse empty container; wrap and discard in trash.

[For containers greater than 5 pounds:]

Do not contaminate water, food or feed by storage or disposal.

**Storage:** Store in original container in a cool, dry place (preferably locked) out of sunlight and inaccessible to children and pets. **Pesticide Disposal:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. **Container Disposal:** Plastic: Trip rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned stay out of smoke. Paper/Plastic Bags: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

#### PRECAUTIONARY STATEMENTS

##### Hazards to Humans & Domestic Animals

**CAUTION:** Causes moderate eye irritation. Harmful if absorbed through skin. Avoid contact with eyes, skin or clothing. Use in adequate ventilation and avoid breathing dust. Applicators and other handlers must wear coveralls or long-sleeved shirt and pants, waterproof gloves, shoes and socks and for exposures outdoors, a dust/mist filtering respirator (MSHA/NIOSH) approval number prefix TC-21C. Follow manufacturer's instructions for cleaning and maintaining Personal Protective Equipment. If no such instructions for washables are given, use detergent and hot water. Keep and wash Personal Protective Equipment separately from other laundry.

##### Environmental Hazards

This product is toxic to fish. Do not apply directly to any body of water. Do not apply when weather conditions favor drift from the treatment area. Do not contaminate water by disposal of equipment wash rinses. Apply this product only as specified on this label.

##### Statement of Practical Treatment (First Aid)

**If Swallowed:** Call a physician or poison control center immediately. Drink one or two glasses of water and induce vomiting by touching the back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious or convulsing person. **If Inhaled:** Remove person to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth. **If On Skin:** Remove contaminated clothing and wash affected areas with soap and water. **If In Eyes:** Flush with plenty of water. Call a physician immediately if irritation persists.

#### USER SAFETY RECOMMENDATIONS

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothes.