: 5494	4	02/14/	2003				, ,	!	
· Please read instructions on		_				Form 4	Annroved OI	MB No. 2070-0060.	
r riease read mondifications on	United State						<u> </u>	ntifier Number	
Enviro					_	stration			
Environmental Protection Agency 1200 Pennsylvania Avenue, N.W.			y		Amer	ndment			
	Vashington, DC 20				Other	r			
·			- Doctioide	Soo		· · · · · · · · · · · · · · · · · · ·			
Company/Product Number		pplication fo	2. EPA Prod				Proposed CI	assification	
	Reg. No. 56194	.4			LaRocca		Proposed Classification		
4. Company/ Product (Nam			PM#	90		·	I		
	p.d. Multi-Purpos	e Insecticide		13	}		None	Restricted	
5. Name and Address of A			6. Exped	6. Expedited Review. In accord				n FIFRA Section	
TNT Distributing d/b.		nvironment	3(c)(3)(b)(i	3(c)(3)(b)(i) my product is similar or identical in composition					
c/o RegWest Compa	ny, LLC		labeling to:						
30856 Rocky Road			EPA Reg. No						
Greeley, CO 80631-9	9375		EPA Reg.	NO		·····			
			Droduct No	mo					
Ch	eck if this is a new add			e					
		Se	ection – II						
Amendment – Explain	pelow.		Final pri	inted la	bels in resr	onse to Aa	to Agency letter dated		
Resubmission in respo		ited	· .						
Notification – Explain b			_ \ _				NOTI	FICATION	
Explanation: Use ad		noon: /For Spation	- Other	Lybian	II DEIOW.			FICATION	
Explanation. Use ad	ditional page(s) if neces	ssary, (For Section)	and Section II.)				LEB.	14 2002	
Subm	it addition <mark>al</mark> bran	d name and rev	rised Ishelina r	ootific	ation no	r PR Not	ice 98-10	~~005	
	iit aaaiilojiai biaji	a name ana ro	rioca labelling i	, o cirro	ation po		.00 00 10.		
The additional brand	name is: Insect-	Aside p.p.d. Per	rma-Ganic Inse	ect Kil	ler				
This notification is consi						0 CFR § 1.	52.46, and	no other changes	
have been made to the	labeling or the confid	dential statement (of formula of this	produc	ct. Tunde	rstand tha	t it is a viola	ation of 18 U.S.C.	
Sec. 1001 to willfully ma									
of PR Notice 98-10 and penalties under sections			e in violation of F	-IF-RA	and I may	y be subje	ot to enforc	ement action and	
penalles under sections	12 and 14 OFFIFRA	•							
		90	ction – III		·				
Material This Product \	Will Be Packaged In:				<u></u>				
Child Resistant Packaging			Water Soluble Pack	aging		2. Type o	f Container		
☐ Yes'	Yes		Yes	<i>3</i>			☐ Metal		
No No	No No		No			Plasti	С		
Certification must	If "Yes"		f "Yes"	Nο	Per	Glass			
be submitted	Unit Packaging Wgt.		Packaging Wgt.		ntainer	☐ Pape			
		1			<u>_</u>	Other			
Location of Net Contents	Information	4. Size(s) Retail C	ontainer		ļ		abel Direction	าร	
					I ~~	On Label			
☐ Label	└ Container					On Labeling	Accompanyi	ing Product	
6. Manner in Which Label i	s Affixed to Product	Litho:	graph	St	enciled				
Paper glued Other									
			ection - IV						
1. Contact Point (Comp	lete items directly he			be con	tacted if n	ecessary 1	o process th	nis application)	
Name	nete nemo un ectry be	Title	71 0, 11,0,7,000, 10	0071			nclude Area		
						,		•	
Kim Davis, CC, A	PC, Manager	Cons	suitant/Agent		}	(9	970) 353-0	611	
		Certification						Application	
I certify that the state	ements I have ma	ade on this form	n and all attacl	hment	ts therete	o are true	e. Rece		
accurate and complete. I acknowledge that any knowingly false or misleading statement may 53 (Stamped)							orambed)		
punishable by fine or i	mprisonment or bo		able law.						
2. Signature		3. Title					i		
1 / 3/				4m=41=					
			Consultant/Agent						
4 Typed Name			5. Date						
Kim Davis, CC, APC, Manager			February 5, 2003						



Safe Organic Environment, Inc.

INSECT-ASIDE p.p.d. Perma-Ganic



Use Wet or Dry • Indoor & Outdoor Use
Only for Homeowner Use



FIRE ANTS





CRICKETS



FOR USE OUTDOORS

Around Domestic Dwellings
General Insect Control
Controls: Ants, Chinch Bugs,
Fire Ants, Fleas and Ticks
Rose and Floral Insecticide
Controls: Aphids, Caterpillars, Leafhoppers,
Mites, White Flies and Other Insects on
Flowers and Ornamentals
Tomato and Garden Insecticide
Controls: Ants, Aphids, Armyworms,
Caterpillars, Cabbage Worms, Leafhoppers,
Mites, Thrips, Webworms, White
Flies and Other Insects as Listed on

FOR USE INDOORS

Garden Plants

In Domestic Dwellings
General Insect Control
Controls: Ants, Flies, Roaches
and Other Insects as Listed
For Use on Pets
Kills Fleas, Lice and Ticks on
Dogs, Cats and Pets

Active Ingredients

	yrethrin	rienia. C					, n	1%
		Butoxid	e, Te	chnica	i		27.77	0%
∵∵°S	ilicon Di	oxide				Ivi s	7.3	
		tomace	ous E	arth)		3.0	1.0	.5%
Total	Ingredic	nts		4.10A			· · · · · ·	.4% .0%
	valent to	0.8% (outylo	arbity	l)(6-p	ropyl		

Keep Out of Reach of Children

ether and 0.2% related compounds.

CAUTION

See back panel for additional precautionary statements.

EPA Reg. No. 56194-4

EPA Est. 56194-TX-1

SAFE ORGANIC ENVIRONMENT, INC. 9110 S. Hampton Road

Dallas, TX 75232

Net. Wt. 1 lb. 4 oz.

NOTIFICATION

FEB 1 4 2003

PRECAUTIONARY STATEMENTS

Hazards to Hamans & Domestic Animals

CAUTION: Causes moderate eye imitation. Harmful if absorbed through skin.

Avoid contact with eyes, skin or clothing. Use in adequate ventilation and avoid breathing dust.

Breathing dust

Statement of Prestical Treatment (First Aid)

If Swallowed: Call a physician or poison control center immediately. Drink one or two glasses of water and induce vorniting by touching the back of throat with finger. Do not induce vorniting by touching the back of throat with or convulsing person. If Inhaled: Remove person to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth. If on Skin: Remove contaminated clothing and wash sifected areas with soap and water. If in Eyea: Flush with plenty of water. Call a physician immediately if initiation presists.

This product is toxic to fish. Do not apply directly to any body of water. Do not apply when weather conditions favor drift from the treatment area. Do not contaminate water by disposal of equipment wash rinses. Apply this product only as specified on this label.

It is a violation of Federal law to use this product

In a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Storage: Store in original container in a cool, dry place (preferably locked) out of sunfight and inaccessible to children and pets. Disposal: If empty: Do not reuse this container. Place in trash or offer for recycling if available. If parify filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

Apply with a hand duster or other suitable means, to hiding and running areas, and places where pests are found. To apply into cracks and crevices, use a bulbous duster or other suitable equipment. Apply lightly and uniformly in treatment area. The amount to be applied will vary with the site, but should usually be 8 to 16 ounces per 1,000 square feet. Repeat treatment as necessary to meintain adequate control.

Rosches and Silverfish: Dust lightly, paying special attention to cracks and hidden surfaces, around pipes, sinks and moldings. Ants, Crickets and Box Elder Bugs: Dust lightly areas around windows, doors and other places where these pests may enter premises. Bedbugs: Treat liberally beseboards, moldings, cracks, bedstead and both sides of mattress. Files: Lightly cost window frames and sills so files lighting will contact dust.

To Kill Fleas, Lice and Ticks on Dogs, Cats, Pets and Pet Premises READ ENTIRE LABEL BEFORE EACH USE For Use Directly on Pets or Around Pets' Living and Sleeping Areas

Lightly work the material into the hair of the animal, down to the skin. Pay special attention to places where the animal cannot reach, such as the scalp. Dust the ears of the animal with care. Individual ticks observed on the animal should be thoroughly dusted.

Reapply as infestation warrants, but no more frequently than once per week. Do not use on puppies, kittens or other young animals under 12 weeks of age. Consult a veterinarien before using this product on debilltated, medicated, aged, pregnant or nursing animals. Sensitivities may occur after using ANY pesticide product for pets. If signs of sensitivity occur, bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately. In case of an emergency, contact a veterinarian or local animal poison continues. poison control center.

Dust the animal's bedding and areas where the animal sleeps, as well as cracks and crevices adjacent to them. Repeat once a month or as necessary.

OUTDOOR USES - GENERAL INFORMATION

Carefully follow the directions for each type of use. When used as directed, allowable tolerance levels will not be exceeded. May be used where resistant insects are a problem. Use rates will vary with insect populations. Keep the material agitated during application for all liquid spray applications: Respoty only as necessary.

material agitated during application for all liquid spray applications: Reapply only as necessary.

For Centrol of Ants, Chiach Bugs, Fleas and licks in Demestic Areas

Use Rate: Use 6 ounces per 375 square feet of area.

As a Dust: The best results are obtained when applied with a hand or power duster or other suitable means of application to the infested area. Apply lightly and uniformly to the treatment area.

Hose End Sprayer: Use a hose end sprayer for Iswns. Add a small amount of water to the jar and add the amount of this product needed for the measured area. Sit to make a surry, then add the remaining water to the top of the jar. Empty the entire contents of the jar on the premeasured area.

Hand Sprayer: Use 0.6 ounces (4 tablescopons) to one gallon of water. Apply the contents to a premeasured area.

As a Dust: For best results, dust the perfineter of the mound first. With a stock, disturb the mound, then dust mound in a circular motion working toward the center until the entire mound is thoroughly dusted. Do not exceed 6 ounces per 375 square feet.

center unit five entire mound is thoroughly dusted. Do not exceed 6 ounces per 375 square feet.

Mound Drench or "Water Method": Use 0.6 ounces (4 tablespoons) to one gallon of water. For best results, saturate the perimeter of the mound first reworking toward the center of the mound in a circular motion (you may want the mixture to puddle). An ant mound 12-14 inches in diameter requires approximately one gallon of the mixture of the mound in a circular motion (you may want the mixture to puddle). An ant mound 12-14 inches in diameter requires approximately one gallon of the mixture and the service of the sprayer for lawns. Add a small amount of water to the jar and add the amount of this product needed for the measured area, stir to make a sturry, then add the remaining water to the lop of the jar. Empty entire contents of the jar on the premeasured area.

For Central of Insects on Flowers, Ornementals and Garden Plants are mixed prote to application to obtain the asset or obtained when the plants are mixed prote to application to obtain the maximum benefits and use the leasts amount of product for control. As a Bustle Powder. Apply in sufficient water to obtain maximum coverage. Dilution of the material should be at the rate of 6 ounces to one-half gallon of water for approximately 3,000 sq. f. it is best to keep the material agitated during application. Apply the material uniformly to both the upper and lower leaf surfaces.

For Centrol of Insects on Flowers and Ornamentals
Controls Insects Such As: Aphids, Armyworms, Caterpillars, Chian Bugs, Flea
Beetles, Fleahoppers, Flies, Fruitflies, Japanese Beetles, Leafnoppers,
Leafnniers, Leafnollers, Loopers, Lygus Bugs, Meely Bugs, Mites, Thrips and
White Flies.

For Use on Flowers and Ornamentals Such As: Camations, Chrysanthemum, Dogwood, Elm, Fern, Geranium, Gladiolus, Lity, Philodendron, Roses, Tulips and Zinnia.

Zinnia. For Control of Insects on Garden Plants

Controls Such Insects As: Aphids, Armyworms, Beet Webworms, Blister Beetle, Cabbage Looper, Cabbage Worms, Caterpillars, Celery Learliers, Colorado Potato Beetles, Com Earworm, Cucumber Beetles, European Com Borer, Fiea Beetles, Garden Fleahoppers, Harfequin Bugs, Imported Cabbage Worms, Japanese Beetles, Leaf Hoppers, Leaf Miners, Leaftlers, Loopers, Lygus Bugs, Mexican Bean Beetles, Mites, Plant Bugs, Stink Bugs, Squash Vine Borers, Thrips, Vegetable Weevils, Webworms and White Files.

For Use On Garden Plants Such As (but not limited to): Beans, Broccoli, Carrots, Cucumber, Lettuce, Melons, Onions, Peas, Peppers, Potato, Squash, Tomatoes and Watermelon.

