EPA Form 8570-6 (Rev. 5-76)

SIGNATURE OF APPROVING OFFICIAL

PREVIOUS EDITION MAY BE USED UNTIL SUPPLY IS EXHAUSTED.

DATE

GLACIDE 515

ACCEPTED
with COMMENTS
in EPA Letter Dated:

### SEP 0 5 1986

Under the Federal Insecticide, Fungicide, and Rodenticide Act

ACTIVE INGREDIENT:

Poly(oxyethylene (dirnethyliminio) ethylene(dimethyliminio) ethylene dichloride)

INERT INGREDIENT

90.0 %

This product contains 0.85 tb. of active ingredient per gallon and weighs 8.49 lb. per gallon.

#### KEEP OUT OF REACH OF CHILDREN

## CAUTION

# PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed. Avoid breathing vapors. Avoid contact with skin, eyes, or clothing.

FIRST AID: If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution, or, if these are not available, drink large quantities of water.

Avoid alcohol. Calles physician immediately.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish. Keep out of lakes, streams, or ponds. Permits may be required for discharges containing this posticide into lakes, streams, ponds, or public water. For guidance, contact the regional office of the Environmental Protection Agency.

## DIRECTIONS FO

and fungi in recirculating commercial and ind to its use, systems must be cleaned to rem slime, and other deposits. An initial slug addifluid ounces of <u>GLACIDE 515</u> of water to provide a concentration of <u>48</u>

in the system, is recommended. Repeat initial Subsequent slug additions of 1.53

lem. Slug additions should be made in the su

GLACIDE 515 is use air-washing systems that maintain effective reto its use, systems should be cleaned to

deposits. An initial slug dose of 24.7

GLACIDE 515

mended. Repeat initial dosage until control signs of 16.9 to 41.2 third supposed.

tions of 16.9 to 41.2 fluid ounces of per 1000 gallons of water should be employed frequency of addition depends upon the relation of the bacterial problem. Slug additions may be

collection trays of the airwash system.

### STORAGE AND

On not contaminate water, food, or feed by storage or disposal STORAGE: Do not stack more than four drums high. Leaking drums for disposal. Spills should be absorbed in sawdust or sartainer closed when not in use.

PESTICIDE DISPOSAL: Wastes resulting from the use of the

PESTICIDE DISPOSAL: Wastes resulting from the use o proved waste disposal facility

CONTAINER DISPOSAL:

- PLASTIC. Triple rinse for equivalent. Then offer for recyclin sanitary familial by incineration, or, if allowed by state and familia.
- METAL Tople mose for equivalent! Then offer for recycling sanitary landfill, or by other procedures approved by state a

IN IN	ABUNTACTURE
GLACIER LABORA	TORIES
P.O. BOX 2154	
YORBA LINDA, C	
EDA DEC NO	

NET CONTENTS