

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS DANGER

Keep away from humans, domestic animals, and pets. May be fatal or harmful if swallowed. Avoid eye or skin contact. Do not breathe dust. Avoid contamination of feed or food stuffs. Prevent the contact of bait with acids. Wash hands thoroughly with soap and water after use.

ENVIRONMENTAL HAZARDS

This product is toxic to wildlife and fish. Birds and other wildlife feeding in treated areas may be killed. Use with care when applying in areas frequented by wildlife or adjacent to any body of water. Keep out of lakes, ponds or streams. This product shall not be applied over bodies of water, in areas inhabited by livestock, or where a hazard exists to rare or endangered species. Do not contaminate water by cleaning of equipment or disposal of wastes.

ENDANGERED SPECIES CONSIDERATIONS

Whooping Crane (*Grus americana*)
Do not use this product 30 days prior to arrival and 30 days after the whooping crane leaves its known critical habitat.

Attwater's Greater Prairie Chicken (*Tympanuchus cupido attwateri*)

Do not use this product in critical habitat of the Attwater's greater prairie chicken in the following Texas counties: Aransas, Austin, Brazoria, Colorado, De Witt, Ft. Bend, Galveston, Goliad, Harris, Refugio, Victoria, Waller, and Wharton.

Yellow-Shouldered Blackbird (*Agelaius xanthomus*) and Puerto Rican Plain Pigeon (*Columba inornata wetmorei*)

Do not use in critical habitat except in tamper-proof bait boxes: within 6.3 miles of central Acuirre Lago Cicra, Ceiba, San German; 9.4 miles of La Esperanza; south of highway 2 from city at Mayaquez to the city of Ponce, and all of Mona Island, Puerto Rico.

Utah Prairie Dog (*Cynomys parvidens*)
Do not use this product in critical habitat of the Utah prairie dog. (Utah)

Salt Marsh Harvest Mouse (*Reithrodontomys raviventris*)

Do not use this product in critical habitat within 6.5 mile of salt marsh vegetation and/or brackish water wetlands which are located: 1) near or adjacent to San Pablo Bay and San Francisco Bay, or 2) in the Sacramento River below or adjacent to the confluence of the Sacramento River and the San Joaquin River. (California)

Morro Bay Kangaroo Rat (*Dipodomys heermanni morroensis*)

Do not use this product in critical habitat within 2.5 miles of Baywood Park which is located on Morro Bay. (California)

Aleutian Canada Goose (*Branta canadensis leucopareia*)

Do not use this product from October to March in the federally closed goose hunting areas in the State of California. See current duck and goose hunting game laws for current map.

RESTRICTED USE PESTICIDE

For retail sale to and use only by Certified Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicators certification.

ZINC PHOSPHIDE CONCENTRATE

FOR RAT CONTROL

For the control of Norway rats and black rats in rat burrows and in and around homes, industrial, commercial, agricultural, and public buildings.

ACCEPTED

AUG 31 1988

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 56228-7

ACTIVE INGREDIENT:

Zinc Phosphide 62.2%

INACTIVE INGREDIENTS: 36.8%

TOTAL 100.0%

KEEP OUT OF REACH OF CHILDREN DANGER—POISON



STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: CALL A PHYSICIAN OR POISON CONTROL CENTER IMMEDIATELY!

Any person applying zinc phosphide products and experiencing signs or symptoms such as nausea, abdominal pain, tightness in the chest or weakness, should be seen by a physician immediately.

If swallowed, drink 1-2 glasses of water and induce vomiting by touching the back of the throat with the finger. Avoid the use of all oils. Have person lie down and keep warm. Do not induce vomiting or give anything by mouth to an unconscious person.

If on skin or eyes, flush with plenty of water.

UNITED STATES DEPARTMENT OF AGRICULTURE
ANIMAL AND PLANT HEALTH INSPECTION SERVICE
NATIONAL TECHNICAL SUPPORT STAFF/ADC

Hyattsville, MD 20782
EPA Est. No. 56228-ID-1
EPA Reg. No. 56228-7

Net Weight oz.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store only in original container, in a dry place inaccessible to children, pets and domestic animals.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spilled bait, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Completely empty by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into application equipment. Then dispose of bags in a sanitary landfill or by incineration if allowed by State and local authorities.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

USE RESTRICTIONS: For control of Norway rats (*Rattus norvegicus*) and roof rats (*R. rattus*) in rat burrows and other infested areas in and around homes, industrial, commercial, agricultural, and public buildings. Do not expose poison bait in areas accessible to livestock and non-target wildlife. Wear an approved respirator and rubber gloves. Apply in a well ventilated area.

MIXING: Use concentrates for making baits in open areas, especially if the baiting material is wet. Do not breathe any dry bait; use respiratory protection when mixing baits.

Due to compaction of contents, cans should be shaken before opening. Mix entire contents of can (1 oz.) with 4 pounds of fresh meat, such as ground beef, canned dog or cat food, fish, or poultry mash. Mix bait thoroughly.

Bait material resembling human food must be altered in form by crushing, bailing, dicing, or peeling so that it is not readily recognizable as food.

BAITING: Place rounded teaspoons of bait in piles at 8-10 foot intervals where rats feed, water, and travel. Place baits in tamper-proof bait boxes or in locations not accessible to children, pets, or domestic animals, and nontarget wildlife, or use tamper-resistant bait stations for products used in around buildings.

Meat and fish baits must be placed in tamper-resistant bait stations or deeply into rat burrows because dogs and cats will actively search them out. Collect and properly dispose of uneaten bait and dead rodents after completion of the control program, often set at 72 hours. If baited areas are accessible to dogs, cats, or carnivorous or omnivorous non-target wildlife larger than Norway rats, bait stations must be of a design and strength which denies these animals access to bait. Secure and immobilize bait stations if necessary to deny these non-target animals access to bait.

Keep products away from children, irresponsible individuals, domestic animals, pets, and poultry.

Do not retreat the same area with zinc phosphide at less than 30-day intervals. Do not exceed application rates specified on label.

PM 31 48702-2

SHORE

BTC 2125H 10X SOLUTION

DISINFECTANT DEODORIZER

SANITIZER VIRUCIDE

ACTIVE INGREDIENTS:

n-Alkyl(608C14, 308C16, 58C12, 58C18)	
dimethyl benzyl ammonium chlorides.....	5.08
n-Alkyl(608C12, 328C14) dimethyl	
ethyl benzyl ammonium chlorides.....	5.08
INERT INGREDIENTS.....	90.08
TOTAL	100.08

DANGER

KEEP OUT OF REACH OF CHILDREN
SEE SIDE PANELS FOR ADDITIONAL PRECAUTIONARY
AND PRACTICAL TREATMENT STATEMENTS.

EPA Reg. No. 48702-2
EPA Est. No. 48702-PA-1

SHORE CHEMICAL CO.
2917 SPRUCE WAY
PITTSBURGH, PA. 15201

NET CONTENTS:

This product provides sanitizing, deodorizing, and deodorizing in hospitals, food processing plants, nurseries, day-care centers, bars and other institutions. When used as recommended, it is effective as a sanitizer against *ESCHERICHIA COLI* and *STAPHYLOCOCCUS AUREUS*; and as a disinfectant against *STAPHYLOCOCCUS AUREUS*, *SALMONELLA CHOLERAESUIS* and *PSEUDOMONAS AERUGINOSA*. This product is authorized under the Food Additive Amendment of the Federal Food, Drug and Cosmetic Act for use as a sanitizing solution at 200 ppm (200 mg/l) without requiring a final potable water rinse.

DISINFECTION- at 3 ounces per 5 gallons dilution, this product exhibits effective disinfectant activity against the organisms: *Salmonella choleraesuis* and *Staphylococcus aureus*.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

At 1 1/2 ounces per 5 gallon dilution, this product is an acceptable hospital disinfectant and demonstrates disinfecting activity against *Pseudomonas aeruginosa*.

VIRUCIDAL ACTIVITY- This product when used on environmental inanimate hard surfaces at 1 1/2 ounces per 5 gallons of water is effective against influenza A2 (representative of the flu virus), Herpes simplex (causative agent of fever blisters and mononucleosis), Adenovirus Type2 (causative agent of upper respiratory infections), and Vaccinia Virus (representative of the pox virus group).

EFFICACY TESTS HAVE DEMONSTRATED THAT THIS PRODUCT IS AN EFFECTIVE BACTERICIDE, AND VIRUCIDE IN THE PRESENCE OF ORGANIC SOIL (SIE BLOOD SERUM).

DEODORIZATION- This product deodorizes those areas which generally are hard to keep fresh smelling, such as garbage storage areas, empty garbage bins and cans, pet areas and any other areas which are prone to odors caused by microorganisms.

MOLD AND MILDEWSTAT- This product prevents and controls mold and mildew and the odors they cause on hard non-porous inanimate surfaces.

SANITIZATION- When used for sanitization of previously cleaned food equipment or food contact items, limit active quaternaries to 200 ppm. AT THIS LEVEL NO POTABLE WATER RINSE IS REQUIRED.

This product is an effective sanitizer when diluted in water up to 750 ppm hardness (CaCO3).

PRECAUTIONARY STATEMENTS

Hazard to Human and Domestic Animals

DANGER

KEEP OUT OF REACH OF CHILDREN Causes severe eye and skin damage. Do not get in eyes, on or clothing. Harmful if swallowed. Wear goggles or face shield and rubber gloves when handling. Avoid contamination of food. Remove and wash contaminated clothing.

STATEMENT OF PRACTICAL TREATMENT

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash all contaminated clothing before reuse. If swallowed, drink mild egg whites, gelatin solution or if these are not available, drink large quantities of water. Call a physician.

NOTE TO PHYSICIAN

Probable mucosal damage may contraindicate the use of electric (probe) procedures against circulatory shock, respiratory depression and convulsion may be needed.

STORAGE AND DISPOSAL

DO NOT CONTAMINATE WATER, FOOD OR FEED BY STORAGE OR DISPOSAL
OPER DUMPING IS PROHIBITED

DO NOT REUSE EMPTY CONTAINER

PESTICIDE DISPOSAL- Products that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticide use or buried in a safe place.

CONTAINER DISPOSAL- Trays, cans, or equipment and dispose in an incinerator or landfill approved for pesticide containers, or bury in a safe place.

ACCEPTED

AUG 29 1988

Under the Federal Insecticide, Fungicide, and
Rodenticide Act, as amended, for the
pesticide registered under
EPA Reg. No. 48702-2

1061