

**PRECAUTIONARY STATEMENTS
HAZARDOUS TO HUMANS AND
DOMESTIC ANIMALS**

DANGER

Convulsive Poison! Poisonous if swallowed. Do not breathe dust. Do not contaminate feed and food-stuffs. Keep away from children, pets and domestic animals. Wash thoroughly with soap and water after handling and before eating or smoking. Clean clothing should be used daily.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds, and other wildlife. Baits exposed on soil surface may be hazardous to birds and other wildlife. Do not apply directly to lakes, streams or ponds. Do not contaminate water by cleaning of equipment, or disposal of wastes.

**ENDANGERED SPECIES
CONSIDERATIONS**

NOTICE: The killing of an endangered species during strychnine baiting operations may result in a fine and/or imprisonment under the Endangered Species Act. Before baiting, the user is advised to contact the regional U.S. Fish and Wildlife Service (Endangered Species Specialist) or the local Fish and Game Office for specific information on endangered species. Strychnine baits should not be used in the geographic ranges of the following species except under programs and procedures approved by the USEPA: California Condor, San Joaquin Kit Fox, Aleutian Canada Goose, Morro Bay Kangaroo Rat, Gray Wolf, Grizzly Bear, and Salt Marsh Harvest Mouse.

ACCEPTED

DEC - 7 1992

Use for the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 56228-11

RESTRICTED USE PESTICIDE

For retail sale to and use only by certified Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicators certification.

**0.5% STRYCHNINE MILO
POCKET GOPHER BAIT FOR
USE IN BURROW BUILDERS**

ACTIVE INGREDIENT:

Strychnine Alkaloid 0.50%

INERT INGREDIENTS: 99.50%

TOTAL : 100.00%

KEEP OUT OF REACH OF CHILDREN

DANGER—POISON



STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: CALL A PHYSICIAN OR POISON CONTROL CENTER IMMEDIATELY!

If less than ten (10) minutes have passed since the poison was taken, give 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Repeat until vomit fluid is clear. Have patient lie down in quiet, darkened room and keep him warm and quiet. Do not induce vomiting or give anything by mouth to an unconscious person.

IF INHALED - Remove victim to fresh air. Apply artificial respiration if indicated.

IF ON SKIN - Remove contaminated clothing and wash affected areas with soap and water.

IF IN EYES - Flush eyes with plenty of water. Get medical attention if irritation persists.

NOTE TO PHYSICIAN

A. Administer 100% OXYGEN by positive pressure to provide as much pulmonary gas exchange as possible, despite seizures.

B. Administer ANTICONVULSANT DRUGS intravenously to control convulsions.

CAUTION: It may be difficult or impossible to stop the seizure activity without stopping respiration. Be prepared to maintain pulmonary ventilation mechanically. Tracheotomy may be necessary if seizures are prolonged.

**UNITED STATES DEPARTMENT OF AGRICULTURE
ANIMAL AND PLANT HEALTH INSPECTION SERVICE**

Hyattsville, MD 20782
EPA Est. No. 56228-ID-1
EPA Reg. No. 56228-11

Net Weight lbs.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

STORAGE: Store only in original container, in a dry place inaccessible to children, pets and domestic animals.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spilled bait, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Completely empty by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into application equipment. Then dispose of bags in a sanitary landfill or by incineration if allowed by State and local authorities.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Sale, distribution and use of this product must be in accordance with the provisions of the final order on Strychnine by the Administrator of the U.S. Environmental Protection Agency.

USE RESTRICTIONS

This product may be used to control plains pocket gophers (*Geomys bursarius*), northern pocket gophers (*Thomomys talpoides*), southern pocket gophers (*Thomomys umbrinus*), Mazama pocket gophers (*Thomomys mazama*), and yellow-faced pocket gophers (*Pappogeomys castanops*) in underground applications (only) in rangelands, pastures, croplands, and nonagricultural areas. This product must be applied by use of a mechanical burrow builder. Do not apply bait above ground. Do not broadcast bait.

BAITING

Burrow Builder Applications: Follow manufacturer's instructions for the equipment used to apply bait. Apply 1 to 2.5 pounds of bait per acre using 20- to 30-foot row-spacing intervals. Apply only when soil condition is proper to insure formation of a good artificial burrow.