PRECAUTIONARY STATEMENTS

...

•

£.

2

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER

Sodium Cyanide may be tatal if swallowed or inhaled. Use only with adeouate ventilation and do not breather the gas or oust. When handling, setting out or checking M-44 cyanide capsules, always have at least six pearls of Amyl-Nitrite readily available in case sodium cyanide is swallowed or inhaled.

While handling sodium cyanide capsules, protect hands with gloves and shield eyes to prevent eye burns and skin irritation. Wash thoroughly before eating or smoking.

Do not use in areas frequented by humans or domestic dogs

ENVIRONMENTAL HAZARDS

This pesticipal is TOXIC TO WILDLIFE Keep out of lakes bonds or streams Do not contaminate water by cleaning of equipment or oisposal of waste. The M-44 elector device cannot be used in areas inhabitated by endangered canlos and felios.

CHEMICAL HAZARDS

Contact with acid liberates poisonous and flammable hyprogen civanice gas



RESTRICTED USE PESTICIDE DUE TO HIGH ACUTE TOXICITY AND THE NEED FOR HIGHLY SPECIALIZED APPLICATOR TRAINING

For retail sale to ano use only by Certified Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicators certification:

For use exclusively by USDA-APHIS. Animal Damage Control personnel or persons under their direct supervision

M-44 CYANIDE CAPSULES

For use in the M-44 ejector device to control coyotes (Canis latrans), red fox (Vulpes vulpes), gray fox (Urocyon cinereoargenteus) and wild dogs that depredate livestock and poultry, and federally designated threatened or endangered species, or are vectors of communicable disease.

ACTIVE INGREDIENT:

Sodium Cyanide	91.06%
INERT INGREDIENTS:	8.94%
TOTAL:	10 0.00 %

KEEP OUT OF REACH OF CHILDREN DANGER - POISON

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: CALL A PHYSICIAN OR POISON CONTROL CENTER IMMEDIATELY!

IF SWALLOWED OR INHALED - Prompt treatment is of the utmost importance Carry patient to fresh air: nave him lie down. Patient should breathe the contents of an Amyl Nitrite pearl 15-30 seconds each minute if necessary, until five pearls have been used. Use artificial respiration if breathing has stopped. Remove contaminated clothing, but keep patient warm.

CALL A PHYSICIAN IMMEDIATELY.

'F ON SKIN - Immediately flush with plenty of water.

IF IN EYES - Immediately flush with plenty of water and call a physician.

SEELEFT SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

UNITED STATES DEPARTMENT OF AGRICULTURE ANIMAL AND PLANT HEALTH INSPECTION SERVICE Hyattsville, MD 20782 EPA Reg. No. 56228-15 EPA Est. No. 56228-10-1

50 Capsules Net Weight 48.5 grams

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling

For use in specific situations to reduce canids (covotes, red tox, gray tox and wild dogs) that depresate investock and poultry or federally designated threatened or endangered species or are vectors of communicable disease. For use on pastures, range land and forest tand only. Do not place in areas where food crops are planted.

IMPORTANT - Before handling or placing M-44 cyanide capsules or M-44 ejector devices, consult the Use Restriction Bulletin for specific use directions, additional precautions, information on endangered species, warning signs and antidotal measures

WARNING SIGNS


Bilingual (Spanish/English) warning signs must be posted in the general area and at the application site.

STORAGE AND DISPOSAL

STORAGE: Store M-44 cyanice capsules uncer lock and key in a dry place away from food comestic animais and acids. Do not contaminate feed or food stuffs.

DISPOSAL Dispose of defective and used M-44 capsules by burial in a safe location, in the field or at a proper landfill site

Incineration may be used instead of burial for disposal Place capsules in an incinerator or refuse hole and attend the burn until the contaminated material is completely consumed. If burned, stay out of smoke



- 3. Each applicator of the M-44 device shall be trained in: (1) safe handling of the capsules and device, (2) proper use of the antidote kit, (3) proper placement of the device, and (4) necessary record keeping.
- 4. M-44 devices and sodium cyanide capsules shall not be sold or transferred to, or entrusted to the care of any person not supervised or monitored, by the Animal and Plant Health Inspection Service (APHIS), Animal Damage Control (ADC) program or any agency not working under an ADC cooperative agreement.
- 5. The M-44 device shall only be used to take wild canids: (1) suspected of preying on livestock or poultry; (2) suspected of preying on Federally designated threatened or endangered species, or; (3) that are vectors of a communicable disease.
- 6. The M-44 device shall not be used solely to take animals for the value of their fur.
- 7. The M-44 device shall only be used on or within 7 miles of a ranch unit or allotment where losses due to predation by wild canids are occurring or where losses can be reasonably expected to occur based upon recurrent prior experience of predation on the ranch unit or allotment. Full documentation of livestock depredation, including evidence that such losses were caused by wild canids, will be required before applications of the M-44 are undertaken. This use restriction is not applicable when wild canids are controlled to protect Federally designated threatened or endangered species or are vectors of a communicable disease.
- 8. The M-44 device shall not be used: (1) In areas within national forests or other Federal lands set aside for recreational use, (2) areas where exposure to the public and family and pets is probable, (3) in prairie dog towns, or, (4) except for the protection of federally designated threatened or endangered species, in National and State Parks; National or State Monuments; federally designated wilderness areas; and wildlife refuge areas.
- 9. The M-44 device shall not be used in areas where federally listed threatened or endangered animal species might be adversely affected. Each applicator shall be

page 1 of 4

1



M-44 Cyanide Capsules M-44 Use Restrictions EPA Registration No. 56228-15 August 19, 1994

issued a map, prepared by or in consultation with the U.S. Fish and Wildlife Service, which clearly indicates such areas.

- 10. One person other than the individual applicator shall have knowledge of the exact placement location of all M-44 devices in the field.
- 11. In areas where more than one governmental agency is authorized to place M-44 devices, the agencies shall exchange placement information and other relevant facts to ensure that the maximum number of M-44's allowed is not exceeded.
- 12. The M-44 device shall not be placed within 200 feet of any lake, stream, or other body of water, provided that natural depression areas which catch and hold rainfall only for short periods of time shall not be considered "bodies of water" for purposes of this restriction.
- 13. The M-44 device shall not be placed in areas where food crops are planted.
- 14. The M-44 device shall be placed at least at a 50-foot distance or at such a greater distance from any public road or pathway as may be necessary to remove it from the sight of persons and domestic animals using any such public road or pathway.
- 15. The maximum density of M-44's placed in any 100 acre pasture land areas shall not exceed 10; and the density in any 1 square mile of open range shall not exceed 12.
- 16. No M-44 device shall be placed within 30 feet of a livestock carcass used as a draw station. No more than four M-44 devices shall be placed per draw station and no more than five draw stations shall be operated per square mile.
- 17. Supervisors or applicators shall check the records, warning signs, and M-44 devices of each applicator at least once a year to verify that all applicable laws, regulations, ** and restrictions are being strictly followed.
- Each M-44 device shall be inspected at least once every week, weather permitting access, to check for interference or unusual conditions and shall be serviced as required.
- 19. Damaged or nonfunctional M-44 devices shall be removed from the field.
- 20. An M-44 device shall be removed from an area if, after 30 days, there is no sign that a target predator has visited the site.
- 21^r. All persons authorized to possess and use sodium cyanide capsules and M-44 devices shall store such capsules and devices under lock and key.

page 2 of 4



M-44 Cyanide Capsules M-44 Use Restrictions EPA Registration No. 56228-15 August 19, 1994

- 22. Used sodium cyanide capsules shall be disposed of by deep burial or at a proper landfill site. Incineration may be used instead of burial for disposal. Place the capsules in an incinerator or refuse hole and burn until the capsules are completely consumed. Capsules may be incinerated using either wood or diesel fuel.
- 23. Bilingual warning signs in English and Spanish shail be used in all areas containing M-44 devices. All such signs shall be removed when M-44 devices are removed.
 - a. Main entrances or commonly used access points to areas in which M-44 devices at set shall be posted with warning signs to alert the public to the toxic nature of the cyanide and to the danger to pets. Signs shall be inspected weekly to ensure their continued presence and ensure that they are conspicuous and legible.
 - b. An elevated sign shall be placed within 25 feet of each individual M-44 device warning persons not to handle the device.

)

ł

- 24. Each authorized or licensed applicator shall carry an antidote kit on his person when placing and/or inspecting M-44 devices. The kit shall contain at least six pearls of amyl nitrite and instructions on their use. Each authorized or licensed applicator shall also carry on his person instructions for obtaining medical assistance in the event of accidental exposure to sodium cyanide.
- 25. In all areas where the use of the M-44 device is anticipated, local medical people shall be notified of the intended use. This notification may be through a poison control center, local medical society, the Public Health Service, or directly to a doctor or hospital. They shall be advised of the antidotal and first-aid measures required for treatment of cyanide poisoning. It shall be the responsibility of the supervisor to perform this function.



page 3 of 4

M-44 Cyanide Capsules M-44 Use Restrictions EPA Registration No. 56228-15 August 19, 1994

- 26. Each authorized M-44 applicator shall keep records dealing with the placement of the device and the results of each placement. Such records shall include, but need not be limited to:
 - a. The number of devices placed.
 - b. The location of each device placed.
 - c. The date of each placement, as well as the date of each inspection.
 - d. The number and location of devices which have been discharged and the apparent reason for each discharge.
 - e. Species of animals taken.
 - f. All accidents or injuries to humans or domestic animals.
- U.S. Department of Agriculture Animal and Plant Health Inspection Service Hyattsville, MD 20782 August 19, 1994

)

)