

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND
DOMESTIC ANIMALS**

DANGER

Convulsive Poison! Poisonous if swallowed. Do not breathe dust. Do not contaminate feed and food-stuffs. Keep away from children, pets and domestic animals. Wash thoroughly with soap and water after handling and before eating or smoking. Clean clothing should be used daily.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds, and other wildlife. Baits exposed on soil surface may be hazardous to birds and other wildlife. Do not apply directly to lakes, streams or ponds. Do not contaminate water by cleaning of equipment, or disposal of wastes.

DIRECTIONS FOR USE

Use this product only for formulating vertebrate pesticides. Formulators who use this product are responsible for providing data to support their registration. All strychnine baits formulated with this product for control of ground squirrels, or *microtus* must be dyed yellow or green.

**STRYCHNINE ALKALOID N.F.X.
Powder (Technical)**

**FOR FORMULATING VERTEBRATE PESTICIDES
ONLY**

ACTIVE INGREDIENT:
Strychnine Alkaloid 98.4%
INERT INGREDIENTS: 1.6%
TOTAL 100.0%

**NOT FOR REFORMULATION INTO END-USE
PRODUCTS THAT ARE TO BE USED FOR FOOD OR
FEED CROP USES**

**KEEP OUT OF REACH OF CHILDREN
DANGER-POISON**



**STATEMENT OF PRACTICAL TREATMENT
IF SWALLOWED: CALL A PHYSICIAN OR POISON CONTROL CENTER
IMMEDIATELY!**

If less than ten (10) minutes have passed since the poison was taken, give 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Repeat until vomit fluid is clear. Have patient lie down in quiet, darkened room and keep him warm and quiet. Do not induce vomiting or give anything by mouth to an unconscious person.

IF INHALED - Remove victim to fresh air. Apply artificial respiration if indicated.
IF ON SKIN - Remove contaminated clothing and wash affected areas with soap and water.
IF IN EYES - Flush eyes with plenty of water. Get medical attention if irritation persists.

NOTE TO PHYSICIAN

A. Administer 100% OXYGEN by positive pressure to provide as much pulmonary gas exchange as possible, despite seizures.
B. Administer ANTICONVULSANT DRUGS intravenously to control convulsions.
CAUTION: It may be difficult or impossible to stop the seizure activity without stopping respiration. Be prepared to maintain pulmonary ventilation mechanically. Tracheotomy may be necessary if seizures are prolonged.

**UNITED STATES DEPARTMENT OF AGRICULTURE
ANIMAL AND PLANT HEALTH INSPECTION SERVICE
ANIMAL DAMAGE CONTROL
Hysattville, MD 20782
EPA Est. No. 56228-ID-1
EPA Reg. No. 56228-16**

Net Weight oz.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.


STORAGE: Store only in original container, in a dry place inaccessible to children, pets and domestic animals.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spilled bait, or residue is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Completely empty by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into application equipment. Then dispose of bags in a sanitary landfill or by incineration if allowed by State and local authorities.

NOTICE: The seller guarantees the ingredients as stated but makes no warranty of any kind on the life of the material. The user assumes all risks for use or handling if not used as specified.

ACCEPTED
MAY 17 1989
United States Department of Agriculture
Registration Act of 1947, as amended
Pesticide Registration Division
EPA Reg. No. 56228-16



PM 1/6
56228-16
1271