

TO JACKET

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND
DOMESTIC ANIMALS**

DANGER

Convulsive Poison! Poisonous if swallowed. Do not breathe dust. Do not contaminate feed and food-stuffs. Keep away from children, pets and domestic animals. Wash thoroughly with soap and water after handling and before eating or smoking. Clean clothing should be used daily.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds, and other wildlife. Bait exposed on soil surface may be hazardous to birds and other wildlife. Do not apply directly to lakes, streams or ponds. Do not contaminate water by cleaning of equipment, or disposal of wastes.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

USE RESTRICTIONS

For use against Plains Pocket Gopher (*Geomys bursarius*), Desert Pocket Gopher (*Geomys srenarius*), Yellow-faced Pocket Gopher (*Pappogeomys castanops*), Northern Pocket Gopher (*Thomomys talpoides*), Southern Pocket Gopher (*Thomomys umbrinus*), Mazama Pocket Gopher (*Thomomys mazama*), Mountain Pocket Gopher (*Thomomys monticola*), Townsend's Pocket Gopher (*Thomomys townsendii*), Botta Pocket Gopher (*Thomomys bottae*), Camas Pocket Gopher (*Thomomys bulbivorus*). Do not apply this product by use of a mechanical burrow builder. Do not apply this product at residential sites. Bait must be applied directly into underground burrow systems.

BAITING

Remove burrow plug from the flat side of the burrow fan. Use long handled spoon and insert 1 teaspoon of bait into main runway system. Close tunnel with soil. Do not permit soil to cover bait. Depending upon pocket gopher population levels, one pound of bait will treat one to eight acres when applied by hand.

**0.35% STRYCHNINE MILO
FOR HAND BAITING
POCKET GOPHERS**

ACTIVE INGREDIENT:

Strychnine Alkaloid 0.35%

INERT INGREDIENTS: 99.65%

TOTAL : 100.00%

**KEEP OUT OF REACH OF CHILDREN
DANGER-POISON**



STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: CALL A PHYSICIAN OR POISON CONTROL CENTER IMMEDIATELY!

If less than ten (10) minutes have passed since the poison was taken, give 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Repeat until vomit fluid is clear. Have patient lie down in quiet, darkened room and keep him warm and quiet. Do not induce vomiting or give anything by mouth to an unconscious person.

IF INHALED - Remove victim to fresh air. Apply artificial respiration if indicated.

IF ON SKIN - Remove contaminated clothing and wash affected areas with soap and water.

IF IN EYES - Flush eyes with plenty of water. Get medical attention if irritation persists.

NOTE TO PHYSICIAN

A. Administer 100% OXYGEN by positive pressure to provide as much pulmonary gas exchange as possible, despite seizures.

B. Administer ANTICONSULSANT DRUGS intravenously to control convulsions.

CAUTION: It may be difficult or impossible to stop the seizure activity without stopping respiration. Be prepared to maintain pulmonary ventilation mechanically. Tracheotomy may be necessary if seizures are prolonged.

**UNITED STATES DEPARTMENT OF AGRICULTURE
ANIMAL AND PLANT HEALTH INSPECTION SERVICE**

Hyattsville, MD 20782
EPA Est. No. 56228-ID-1
EPA Reg. No. 56228-19

Net Weight lbs.


STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

STORAGE: Store only in original container, in a dry place inaccessible to children, pets and domestic animals.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spilled bait, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Completely empty by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into application equipment. Then dispose of bags in a sanitary landfill or by incineration if allowed by State and local authorities.



BEST AVAILABLE COPY