



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

October 24, 2016

Diane S. Sinkowski
USDA APHIS Environmental and Risk Analysis Services
4700 River Road, Unit 149
Riverdale, MD 20737

Subject: Label Amendment – Updates per Registration Review for the gas cartridges
Product Name: APHIS-only large gas cartridge
EPA Registration Number: 56228-21
Application Date: March 3, 2016
Decision Number: 514843

Dear Ms. Sinkowski:

The amended label referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable. This approval does not affect any conditions that were previously imposed on this registration. You continue to be subject to existing conditions on your registration and any deadlines connected with them.

A stamped copy of your labeling is enclosed for your records. This labeling supersedes all previously accepted labeling. You must submit one copy of the final printed labeling before you release the product for shipment with the new labeling. In accordance with 40 CFR 152.130(c), you may distribute or sell this product under the previously approved labeling for 18 months from the date of this letter. After 18 months, you may only distribute or sell this product if it bears this new revised labeling or subsequently approved labeling. "To distribute or sell" is defined under FIFRA section 2(gg) and its implementing regulation at 40 CFR 152.3.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

Your release for shipment of the product constitutes acceptance of these conditions. If these conditions are not complied with, the registration will be subject to cancellation in accordance

Page 2 of 2
EPA Reg. No. 56228-21
Decision No. 514843

with FIFRA section 6. If you have any questions, please contact Gene Benbow by phone at 703-347-0235, or via email at Benbow.Gene@epa.gov.


Sincerely,

A handwritten signature in black ink, appearing to be 'MS' with a long horizontal stroke extending to the right.

Mark Suarez
Product Manager 07
Invertebrate & Vertebrate Branch 3
Registration Division (7505P)
Office of Pesticide Programs

Enclosure

APHIS-ONLY LARGE GAS CARTRIDGE <i>For control of coyotes (Canis latrans), red foxes (Vulpes vulpes fulva), and striped skunks (Mephitis mephitis) in dens only</i> Only for retail sale to and use by USDA APHIS Wildlife Services ACTIVE INGREDIENTS: Sodium Nitrate.....53.0% Charcoal..... 28.0% SUBTOTAL 81.0% OTHER INGREDIENTS 19.0% TOTAL 100.0%	CHEMICAL HAZARDS Once ignited by the fuse, this cartridge will burn vigorously until completely spent and is capable of causing severe burns to exposed skin and clothes, and of igniting dry grass, leaves and other combustible material. DO NOT USE IN OR UNDER BUILDINGS OR NEAR FLAMMABLE MATERIALS.
KEEP OUT OF REACH OF CHILDREN WARNING	ENVIRONMENTAL HAZARDS This product is highly toxic to wildlife. Check all burrows for signs of nontarget species. If present, do not treat burrows. It is a Federal offense to use any pesticide in a manner that results in the death of an endangered species. See the instructions under the "Use Restrictions" section AND the "Endangered Species Considerations" section of this label.
FIRST AID Have the product container or label with you when calling a poison control center, doctor, or going for treatment. If you need immediate medical attention call the Poison Control Center at 1-800-222-1222 or a doctor. For non-emergency information concerning this product, call the National Pesticide Information Center at 1-800-858-7378.	DIRECTIONS FOR USE USE RESTRICTIONS Before applying product, read entire labeling. It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. This product may be used to control of coyotes (<i>Canis latrans</i>), red foxes (<i>Vulpes vulpes fulva</i>) and striped skunks (<i>Mephitis mephitis</i>) in dens only on rangelands, crop and noncrop areas. This product may only be used underground in burrow systems. It may not be used to fumigate buildings or other man-made structures. Do not use in or under buildings or near flammable material, or when either the soil or the vegetation in the area to be treated are in extremely dry conditions. USE THIS PRODUCT ONLY IN DENS KNOWN TO BE IN ACTIVE USE BY THE TARGET SPECIES. Endangered Species: It is a Federal offense to use any pesticide in a manner that results in the death of an endangered species. Use of this product may pose a hazard to endangered or threatened species. When using this product, you must follow the measures contained in the Endangered Species Protection Bulletin for the area in which you are applying the product. To obtain Bulletins, no more than six months before using this product, consult http://www.epa.gov/espp/ or call 1-844-447-3813. You must use the Bulletin valid for the month in which you will apply the product. Please Note: Additional endangered or threatened species obligations are listed under "Endangered Species Considerations" on this label. See additional "Directions for Use" on next page
IF IN EYES: – Hold eye open and rinse slowly and gently with water for 15-20 minutes. – Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. – Call a poison control center or doctor immediately for treatment advice. IF ON SKIN OR CLOTHING: – Take off contaminated clothing. – Rinse skin immediately with plenty of water for 15-20 minutes. – Call a poison control center or doctor immediately for treatment advice. IF SWALLOWED: – Have person sip a glass of water if able to swallow. – Do not give anything by mouth to an unconscious person. – Do not make person vomit unless told to do so by the poison control center or doctor. – Call a poison control center or doctor immediately for treatment advice. IF INHALED and person has no breathing, headache, nausea, dizziness, weakness: – Move person to fresh air. – If person is not breathing, call 911 or an ambulance, give artificial respiration, preferably mouth-to-mouth, if possible. – Call a poison control center or doctor immediately for treatment advice.	STORAGE AND DISPOSAL Do not contaminate water, food or feed by storage or disposal. STORAGE: Store only in original container, in a cool, dry place inaccessible to children and pets and away from fire, heat and direct sunlight. PESTICIDE DISPOSAL: To dispose of unused cartridges, soak in water, crush and bury at least 6 inches (16 centimeters) deep in loose soil. Never place unused product down any indoor or outdoor drain. CONTAINER DISPOSAL: Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available. If recycling is not available, place in trash.
NOTE TO PHYSICIAN If inhaled and respiration is adequate, recovery will be rapid. If breathing has stopped, use artificial respiration. If available, pure oxygen should be given. PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS WARNING Causes substantial but temporary eye injury. Harmful if absorbed through skin. Harmful if swallowed. Do not get in eyes or on clothing. Avoid contact with skin. Wear protective eyewear (goggles, face shield, or safety glasses). Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse. After ignition, cartridge produces toxic gases, such as carbon monoxide. Fumes may be harmful if inhaled. See additional "Precautionary Statements" on Right Panel	UNITED STATES DEPARTMENT OF AGRICULTURE ANIMAL AND PLANT HEALTH INSPECTION SERVICE Riverdale, MD 20737 EPA Est. No. 56228-ID-1 EPA Reg. No. 56228-21 Net Weight: 10.2 oz. (289.2 grams) Batch Code No.: _____



DIRECTIONS FOR USE, continued

APPLICATION DIRECTIONS

General Procedures

Locate and plug all entrances to the burrow system except the entrance selected for treatment. Obtain material needed to plug the entrance selected for treatment before the cartridge is applied.

Using a nail at least 1/8-inch (0.32 centimeter) in diameter, puncture the fuse-end cap of the cartridge at the points marked on it. Insert fuse in the center hole into the cartridge. Insure that there is a minimum of 3 inches (7.6 centimeters) of exposed fuse. NOTE: The minimum burn time for these fuses is 5 seconds.

Hold cartridge away from face and body, then light fuse. Place cartridge, fuse-end first, as far into the burrow as possible. Close entrance to burrow immediately. If burrow is steep, contents of cartridge may flow out of lighted end. If so, place cartridge as deep in burrow as possible with fuse-end up, light, and close burrow. Cover all cracks in soil where smoke escapes.

DEN SELECTION:

Coyotes: First select a den in active use by coyotes for treatment.

Coyote dens are normally found in steep embankments or draws and may be concealed in brush. These dens can easily be distinguished from nontarget animal dens (such as badger and fox) by the large size of the den and coyote sign around its entrance. Coyote dens range in size from 9 to 12 inches (22.9 to 30.5 centimeters) in width and 12 to 18 inches (30.5 to 45.7 centimeters) in height. Typical coyote sign around the entrance includes tracks of the adults before the pups are active outside the den. After the pups become active, their tracks will also be present as well as their scat and the vegetation around the den will be laid flat due to the pups' activity. Active dens may be identified by these signs being fresh and the pups may sometimes be heard upon approaching the entrance. DO NOT use unless the den is occupied by coyotes.

Red Foxes: Determine the den location of particular foxes which are preying on livestock or causing other damage. Such predation occurs during rearing of kits. Fox tracks and drag marks of prey lead to the den, which is usually located in mixed farmlands and woodlots, in the brushy fringe of forests, or along marshes or tilled fields. The dens will be marked by remains of prey in addition to tracks and observations. Active dens may be identified by these signs being fresh and the kits may sometimes be heard upon approaching the entrance.

Skunks: Track individual skunks creating health or safety hazards or deprecating endangered or threatened species. Treat a den which the target skunk has entered based on tracking evidence (e.g., tracks, droppings, odor or carcass remains). Do not treat dens under inhabited structures or buildings where toxic gasses could reach humans, pets, or domestic animals including livestock.

Collect soil and other material to close burrow openings. Treat each burrow opening by lighting fuse and inserting cartridge into burrow, fuse end first (make sure burrow is large enough for easy insertion of cartridge before lighting fuse). Cover burrow immediately, taking care not to smother cartridge with loose soil. Immediately cover all nearby cracks in soil or openings from which smoke escapes. Proceed to nearest open burrow and follow same procedure.

ENDANGERED SPECIES CONSIDERATIONS

General Considerations

NOTICE: It is a Federal offense to use any pesticide in a manner that results in the death of a member of an endangered species.

- The killing of a member of an endangered species due to the use of gas cartridges may result in a fine and/or imprisonment under the Endangered Species Act. All users of this product must determine whether endangered species are known to occur or might occur in the intended use areas.
- Consult the nearest U.S. Fish and Wildlife Service regional office or the appropriate State agency for current information on habitats occupied by endangered species.
- Use this product according to these instructions to protect endangered species.

Additional Considerations

Use this product according to these instructions AND the instructions in the Endangered Species Protection Bulletin (see the "Use Restrictions" found under the "Directions For Use" section) to protect endangered and threatened species.

See additional "Endangered Species Considerations" on Right Panel

DIRECTIONS FOR USE, continued

ENDANGERED SPECIES CONSIDERATIONS, continued

Additional Considerations (continued)

Black-footed ferret (*Mustella nigripes*): To limit risks to the black-footed ferret and to avoid destruction of its prey base, do not use this product within 4.3 miles (7 kilometers) of any prairie dog town unless the colony is an isolated black-tailed prairie dog town less than 80 acres (32.4 hectares) in size or an isolated white-tailed or Gunnison prairie dog town less than 200 acres (81 hectares) in size, or unless the town has been appropriately surveyed, using methods acceptable to the U.S. Fish and Wildlife Service, and found not to contain black-footed ferrets and found by the FWS not to be a suitable site for ferret reintroductions.

Use of this product within the occupied habitats of the organisms listed immediately below is limited to qualified USDA APHIS Wildlife Services individuals who have been trained to distinguish dens and burrows of target species from those of nontarget species.

Fresno kangaroo rat (*Dipodomys nitratoides exilis*) in Fresno and Merced Counties, California;

Giant kangaroo rat (*Dipodomys ingens*) in Fresno, Kern, Kings, Merced, San Luis Obispo, Tulare and Santa Barbara Counties, California;

Stephen's kangaroo rat (*Dipodomys stephensi*) in Riverside, San Bernardino, and San Diego Counties, California;

Tipton kangaroo rat (*Dipodomys nitratoides nitratoides*) in Fresno, Kern, Kings, and Tulare Counties, California;

Point Arena mountain beaver (*Aplodontia rufa nigra*) in Mendocino County, California;

San Joaquin kit fox (*Vulpes macrotis mutica*) unless authorized by the U.S. Fish and Wildlife Service in Alameda, Contra Costa, Fresno, Kern, Kings, Merced, Monterey, San Benito, San Joaquin, San Luis Obispo, Santa Barbara, Santa Clara, Stanislaus, or Tulare Counties, California;

Desert tortoise (*Gopherus agassizii*) in Arizona, southern California, southern Nevada, and southern Utah.

Do not use this product within the occupied habitats of the endangered animals listed immediately below.

Morro Bay kangaroo rat (*Dipodomys heermanni morroensis*) in San Luis Obispo County, California;

Utah prairie dog (*Cynomys parvidens*) in Garfield, Iron, Kane, Piute, Sevier, and Wayne Counties, Utah;

Coachella Valley fringe-toed lizard (*Uma inornata*) in the Coachella Valley area of southern California;

Blunt-nosed leopard lizard (*Gambelia silus*): Do not use this product within the occupied habitat of the blunt-nosed leopard lizard in Fresno, Kern, Kings, Merced, Monterey, San Benito, San Luis Obispo, Santa Barbara, Santa Clara, and Stanislaus Counties, California, from October 1 to April 15 unless a specific blunt-nosed lizard protection plan for this period is approved by the U.S. Fish and Wildlife Service and fully implemented. Use of this product in occupied habitat of this species from April 15 through September 30 is limited to daylight hours when air temperatures are 77-95 degrees F (25-35 degrees C).

San Francisco garter snake (*Thamnophis sirtalis tetrataenia*): Do not use this product within the occupied habitat of the San Francisco garter snake in San Francisco, San Mateo, Santa Clara, and Santa Cruz Counties, California, from November 1 to March 30 unless a specific San Francisco garter snake protection program for this period is approved by the U.S. Fish and Wildlife Service and fully implemented. Use of this product in occupied habitat of this species under such approved programs or from April 1 through October 31 is limited to qualified USDA APHIS Wildlife Services individuals who have been trained to distinguish dens and burrows of target species from those of nontarget species.

Eastern indigo snake (*Drymarchon corais couperi*): Do not use this product within habitat types and locales known to support the eastern indigo snake throughout Florida and the coastal plain of Georgia.

Unless authorized by the U.S. Fish and Wildlife Service, DO NOT use in areas where the below endangered species may have dens:

Red Wolf (*Canis rufus*);

Gray Wolf (*Canis lupus*).