

56228-22

05/30/2012

1/3



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

MAY 30 2012

Ms. Wendy Nelson, Acting Chief
Environmental Services
Policy and Program Development
Animal and Plant Health Inspection Service
U.S. Department of Agriculture
4700 River Road, Unit 149
Riverdale, MD 20737-1237

S914817
300/1155

Dear Ms. Nelson:

Subject: Sodium Fluoroacetate (Compound 1080) Livestock Protection Collar
EPA Registration Number: 56228-22
Container Label Submitted April 3, 2012

The revised container label submitted for this product on April 3, 2012, is accepted under the provisions of the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended. This label plus the label for individual collars and the technical bulletin that were accepted for this product on March 24, 1998, comprise this product's current accepted labeling.

A stamped copy of the container label is enclosed for your records.

Submit two copies of final printed labeling before releasing this product for shipment under the labeling accepted via this letter.

On printed labels, retain the format (including boxed text) used on the label accepted on March 24, 1998, make sure that the signal word ("**DANGER**") and "**KEEP OUT OF REACH OF CHILDREN**" meet or exceed the type size requirements for such text set forth in 40 CFR §156.64.

If you have any questions regarding this letter, you may reach Dr. Jacobs by phone at 703-305-6406, by FAX at 703-308-0029, or via e-mail at jacobs.bill@epa.gov.

Sincerely yours,

A handwritten signature in cursive script that reads "Venus Eagle".

Venus Eagle
Product Manager 01
Insecticide-Rodenticide Branch
Registration Division (7505P)

Enclosure

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER

Fatal if swallowed. Wear waterproof gloves when handling collars. Wash hands after handling collars or animals that have been contaminated with 1080 solution. Do not use contaminated animals for food or feed.

Environmental Hazards

This product is very highly toxic to mammals and other wildlife. Birds and mammals feeding on carcasses of contaminated livestock may be killed. Keep out of any body of water. Apply this product only as specified on the label.

ENDANGERED SPECIES CONSIDERATIONS

Notice: It is a Federal offense to use any pesticide in a manner that results in the death of a member of an endangered species.

The use of Compound 1080 in the Livestock Protection Collar has been determined to pose a hazard to several endangered species. See the technical bulletin (Use Restriction No. 15) for specific areas where the 1080 collar cannot be used or where approval must be obtained from the U.S. Fish and Wildlife Service prior to use.

NOTICE: Seller makes no warranty, expressed or implied, concerning the use of this product other than that indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

UNITED STATES DEPARTMENT OF AGRICULTURE
ANIMAL AND PLANT HEALTH INSPECTION
SERVICE

RIVERDALE, MD 20737
EPA Est. No. 46779-TX-01
EPA Reg. No. 56228-22
U.S. PAT. 3,842,806

Net Contents: 30.4 grams (1.1 oz.) per collar

Batch Code No.: _____

RESTRICTED USE PESTICIDE DUE TO ACUTE ORAL TOXICITY AND NEED FOR HIGHLY SPECIALIZED APPLICATOR TRAINING

Collars shall be sold or transferred only by registrants or their agents and only to certified Livestock Protection Collar applicators. Collars may be used only by specifically certified Livestock Protection Collar applicators or by persons under their direct supervision.

SODIUM FLUOROACETATE (COMPOUND 1080) LIVESTOCK PROTECTION COLLAR

For use on sheep or goats to kill depredating coyotes

| | |
|---------------------------|--------|
| ACTIVE INGREDIENT | 1.0% |
| Sodium Fluoroacetate..... | 99.0% |
| OTHER INGREDIENTS..... | 100.0% |
| TOTAL | |

KEEP OUT OF REACH OF CHILDREN

MAY 30 2012

DANGER-PELIGROSO
POISON
Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, this pesticide registered under:



EPA Reg. No. 56228-22

STATEMENT OF PRACTICAL TREATMENT
IF SWALLOWED OR IF YOU SUSPECT SOMEONE MAY HAVE BEEN EXPOSED, CALL YOUR REGIONAL POISON CENTER IMMEDIATELY AT 1-800-222-1222.

IF SWALLOWED: PROMPT TREATMENT IS MANDATORY. GET MEDICAL ATTENTION IMMEDIATELY. If medical treatment cannot be reached within one hour, induce vomiting.

IF ON SKIN: Flush area with plenty of water, for fifteen minutes.

IF IN EYES: Flush area with plenty of water, for fifteen minutes.

IF ON CLOTHING: Remove contaminated clothing and wash victim with water for fifteen minutes. Dispose of contaminated leather, including shoes, boots, belts and gloves, according to the Pesticide Disposal Section. Other clothing should be washed before re-use.

NOTE TO PHYSICIAN

WARNING SYMPTOMS: 1080 poisoning results from the transformation of fluoroacetate into fluorocitrate within cell mitochondria. Poisoning is characterized by a symptom-free latent period of ½ to 2 hours or longer between ingestion and onset of symptoms (nausea, vomiting, diarrhea and hyperactive behavior leading to convulsions, coma and cyanosis). Ventricular fibrillation is commonly noted and is the primary cause of death. Early symptoms include alteration of heart sounds and premature, weak contractions.

TREATMENT: No effective antidote is known. Symptomatic supportive treatment may be effective. Secure the airway and establish respirations. Gastric lavage may be indicated after recent ingestion; if this is performed in a patient with altered mental status, the airway should first be protected with endotracheal intubation. Administer activated charcoal, if possible. Treat seizures with IV benzodiazepines. Monitor cardiac function closely.

CONSULT YOUR REGIONAL POISON CENTER (Function No. 1222) FOR CURRENT TREATMENT GUIDANCE.

DIRECTIONS FOR USE

It is a violation of State and Federal Law to use this product in a manner inconsistent with its labeling or the Compound 1080 cancellation order. Misuse may result in civil or criminal enforcement action.

DO NOT REMOVE TOXICANT FROM COLLARS. DO NOT USE TORN, DAMAGED OR LEAKING COLLARS. Dispose of damaged collars in accordance with the "Storage and Disposal" instructions on this label.

Put collars on the necks of sheep or goats in fenced pastures where coyote predation is occurring or is expected to occur. Use collars only in accordance with the User Instructions and Use Restrictions contained in the accompanying Technical Bulletin.

Received 4/10/12

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store Livestock Protection Collars only in original container, in a dry, locked place away from food, feed, domestic animals and corrosive chemicals. Do not store in any structure occupied by humans.

When snow or frozen ground make on site disposal impractical, up to one cubic foot of wastes may be stored in a leakproof container, in a dry, locked place for up to 90 days.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of such materials is a violation of Federal Law.

Dispose of collars and other wastes contaminated by 1080 (carcasses, wool, hair, vegetation, soil, leather, clothing and water) under three feet of soil, at a safe location, preferably on property owned and managed by the applicator and at least one half mile from human habitations and water supplies.

Incineration may be used instead of burial for disposal in the field (*preferably on property owned or managed by the applicator*) at least ½ mile from human habitation and water supplies. Place collars and wastes (listed above) in an incinerator or refuse hole, saturate with diesel fuel and ignite. Attend the burn until the contaminated material is completely consumed.

Alternatively, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance in disposing of wastes at approved hazardous waste disposal facilities.

CONTAINER DISPOSAL: Nonrefillable containers. Do not reuse or refill containers. Offer for recycling, if available

Metal Containers: Triple rinse contaminated and uncontaminated containers with water promptly after emptying. If container is not to be recycled, puncture and dispose of contaminated containers and rinsate as above.

Plastic Containers: Triple rinse with water promptly after emptying. If container is not to be recycled, puncture and dispose of contaminated containers and rinsate as above.

COLLAR DISPOSAL: Dispose of punctured or unserviceable collars as above, except that not more than 10 collars may be buried in any one hole. If buried in trench, groups of 10 collars must be at least 10 feet apart.

SEE TECHNICAL BULLETIN FOR ADDITIONAL
STORAGE AND DISPOSAL INSTRUCTIONS