PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER

May be fatal if swallowed. Wear waterproof gloves when handling 1080. Wash hands after handling 1080 or animals that have been contaminated with 1080. Do not use contaminated animals for food or feed.

ENVIRONMENTAL HAZARDS

This pesticide is very highly toxic to wildlife. Birds and mammals feeding on carcasses of contaminated livestock may be killed. Keep out of any body of water. Apply this product only as specified on this label.

ENDANGERED SPECIES CONSIDERATIONS

NOTICE: It is a Federal offense to use any pesticide in a manner that results in the death of a member of an endangered species.

NOTE TO PHYSICIAN

WARNING SYMPTOMS: 1080 poisioning results from the transformation of fluoroacetate into fluorocitrate within cell mitochondria. Poisoning is characterized by a symptom-free latent period of 1/2 to 2 hours or longer between ingestion and onset of symptoms (nausea, vomiting, diarrhea, and hyperactive behavior leading to convulsions, coma, and cyanosis). Ventricular fibrillation is commonly noted and is the primary cause of death. Early symptoms include alteration of heart sounds and premature, weak contractions.

TREATMENT: No effective antidote is known but symptomatic treatment may be effective. Establish respiration; create artificial airway if necessary. Check adequacy of tidal volume. Initiate emesis. If patient is comatose, convulsing, or has lost the gag reflex. endotraches intubation should precede gastric lavage with large bore tube. Administer activated charcoal and magnesium sulfate. Treat seizures with IV diazepam. Monitor cardiac function closely. Treatment with glyceryl monoacetate (monoacetin) may be effective; however, it is experimental and unproven in humans CONSULT NEAREST POISON CONTROL CENTER FOR CURRENT INFORMATION. Symptoms of non-lethal intoxication will usually subside within 12-24 hours.



COMPOUND 1080 (LPC)

Manufacturing-Use Product

For use only for reformulation into Sodium Fluoroacetate solutions for use only in Federally-Registered Livestock Protection collars

ACTIVE INGREDIENT:

Sodium fluoroacetate	90.0%
INERT INGREDIENTS:	10.0%
TOTAL	100.0%

KEEP OUT OF REACH OF CHILDREN DANGER-POISON



STATEMENT OF PRACTICAL TREATMENT IF SWALLOWED: CALL A PHYSICIAN OR POISON CONTROL CENTER **IMMEDIATELY!**

IF SWALLOWED: Induce vomiting at once with an emetic such as syrup of ipecac: use as directed. If emetic is not available, drink 1-2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person. PROMPT TREATMENT IS MANDATORY, GET MEDICAL ATTENTION IMMEDIATELY.

IF ON SKIN - Wash the exposed area twice with soap and water.

IF IN EYES - Wash eyes with plenty of water for at least 15 minutes.

IF ON CLOTHING - Remove contaminated clothing and wash before re-use. Dispose of all contaminated leather, including shoes, boots, and gloves; according to the pesticide Disposal Section. See disposal instruction on side panel.

SEE LEFT SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

UNITED STATES DEPARTMENT OF AGRICULTURE ANIMAL AND PLANT HEALTH INSPECTION SERVICE ANIMAL DAMAGE CONTROL Hyattsville, MD 20782 EPA Est. No. 5217-AL-1 EPA Reg. No. 56228-26

Net Weight: 8 ounces

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store Compound 1080 only in original container, in a dry, looked place away from food, feed. domestic animals and corrosive memicals.

PESTICIDE DISPOSAL. Pasticide wastes are acutely hazardous. Improper disposal of such materials is a violation of Federal Law.

Dispose of unsafe containers or other wastes contaminated by Compand 1980 ender twee feet of soil, at a safe location, at least one ball mile from human habitations and water sepplies.

Alternatively, contact your state pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance in disposing of wastes at approved hazardous waste disposal facilities.

CONTAINER DISPOSAL: Triple rinse contaminated and uncontaminated containers with water. Then puncture and dispose of contaminated containers and nnsate as above.

DIRECTIONS FOR USE

It is a violation of State and Federal Law to use this product in a manner inconsistent with its labeling or the Compound 1080 cancellation order. Misuse may result in civil or criminal enforcement action.

This product may only be used to prepare Sodium Fluoroacetate solutions for injection into toxicant reservoirs of Federally-registered Livestock Protection Collars.

