

056228-00032-042799

i.

ţ

Printed: 13:13:09 Friday, 21 May, 1999 # 74 / 2940

Systems Integration Group, Inc.

# PRECAUTIONARY STATEMENTS HAZARD TO HUMANS AND DOMESTIC ANIMALS

# DANGER

Sodium cyanide may be fatal if swallowed or inhaled. Use only with adequate ventilation and do not breathe the gas or dust. When handling, setting out or checking M-44 cyanide capsules, always have at least six pearls of Amyl-Nitrite readily available in case sodium cyanide is swallowed or inhaled.

While handling sodium cyanide capsules, protect hands with gloves and shield eyes to prevent eye burns and skin irritation. Wash thoroughly before eating or smoking.

Do not use in areas frequented by humans or domestic dogs.

#### ENVIRONMENTAL HAZARDS

This pesticide is TOXIC TO WILDLIFE. Keep out of lakes, ponds or streams. Do not contaminate water by cleaning of equipment or disposing of wastes. The M-44 ejector device may not be used in areas inhabited by endangered canids and felids.

#### CHEMICAL HAZARDS

Contact with acid liberates poisonous and flammable hydrogen cyanide gas.

#### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

For use in specific situations to reduce arctic fox that depredate Federally designated threatened or endangered species. For use in the Aleutian Islands, Alaska only. Do not place in areas where food crops are planted. Do not use within 200 feet of the median high tide.

**IMPORTANT** - Before handling or placing M-44 cyanide capsules or M-44 ejector devices, consult the Use Restriction Bulletin for specific use directions, additional precautions, information on endangered species, warning signs and antidotal measures.

WARNING SIGNS - Bilingual (Spanish/English) warning signs must be posted in the general area and at the application site.

### CRESTRICTED USE PESTICIDE DUE TO INHALATION HAZARD TO HUMANS AND THE NEED FOR HIGHLY SPECIALIZED APPLICATOR TRAINING

For retail sale and distribution to and use only by Certified Applicators who have taken the required additional training to use M-44 Sodium Cyanide Capsules in M-44 ejector units, and for whom the registrant assumes a supervisory role with respect to the use of this product.

# M-44 CYANIDE CAPSULES Arctic Fox

For use in the M-44 ejector device to control arctic fox (*Alopex lagopus*) that depredate Federally designated threatened or endangered species in the Aleutian Islands, Alaska.

#### ACTIVE INGREDIENT:

Sodium Cyanide	91.06%
INERT INGREDIENTS:	8.94%
TOTAL:	.100.00%

#### STORAGE AND DISPOSAL

STORAGE: Store M-44 cyanide capsules under lock and key in a dry place away from food, domestic animals and acids. Do not contaminate feed or food stuffs.

Ю

R

412719

4

**DISPOSAL:** Dispose of defective and used M-44 capsules by burial in a safe location in the field or at a proper landfill site.

Incineration may be used instead of burial for disposal of used capsules. Place capsules in an incinerator or refuse hole and attend the burn until the contaminated material is completely consumed. If burned, stay out of smoke.

#### ENDANGERED SPECIES CONSIDERATIONS


Use of this product is prohibited in areas where such use might jeopardize the continued existence of endangered species. Contact the local office of the U.S. Fish and Wildlife Service to determine the locations of habitats occupied by an endangered species which may be put at risk by use of this product.

# STATEMENT OF PRACTICAL TREATMENT IF SWALLOWED: CALL A PHYSICIAN OR POISON CONTROL CENTER IMMEDIATELY!

KEEP OUT OF THE REACH OF CHILDREN

IF SWALLOWED OR INHALED - Prompt treatment is of the utmost importance. Carry patient to fresh air, have him lie down. Patient should breathe the contents of an Amyl Nitrite pearl 15-30 seconds each minute if necessary, until five pearls have been used. Use artificial respiration if breathing has stopped. Remove contaminated clothing, but keep patient warm. CALL A PHYSICIAN IMMEDIATELY.

IF ON SKIN - Imprediately flush with plenty of water. IF IN EYES - Immediately flush with plenty of water, and call a physician. SEE LEFT SIDE PANELS FOR ADDITIONAL PRECAUTIONARY STATEMENTS



- JUNITED STATES DEPARTMENT OF AGRICULTURE ANIMAL AND PLANT HEALTH INSPECTION SERVICE Riverdale, MD 20737 EPA Est, No. 56228-ID-1 EPA Reg. No. 56228-32

50 Capsules - Net Weight 48.5 grams

5/98

## M-44 Cyanide Capsules M-44 Use Restrictions EPA Registration No. 56228-32 June 2, 1998

ដ

APR 27 1999 <6228-32

- 1. Use of the M-44 device shall conform to all applicable Federar, State, and local laws and regulations.
- 2. Applicators shall be subject to such other regulations and restrictions as may be prescribed from time-to-time by the U.S. Environmental Protection Agency (EPA).
- 3. Each applicator of the M-44 device shall be trained in: (1) safe handling of the capsules and device, (2) proper use of the antidote kit, (3) proper placement of the device, and (4) necessary record keeping.
- 4. M-44 devices and sodium cyanide capsules shall not be sold or transferred to, or entrusted to the care of any person not supervised or monitored, by the Animal and Plant Health Inspection Service (APHIS), Wildlife Services (WS) program or any agency not working under an WS cooperative agreement.
  - 5. The M-44 device shall only be used to take arctic fox suspected of preying on Federally designated threatened or endangered species.

)

j

- 6. The M-44 device shall not be used solely to take animals for the value of their fur.
- 7. The M-44 device shall only be used on or within 7 miles of a ranch unit or allotment where losses due to predation by wild canids are occurring or where losses can be reasonably expected to occur based upon recurrent prior experience of predation on the ranch unit or allotment. Full documentation of livestock depredation, including evidence that such losses were caused by wild canids, will be required before applications of the M-44 are undertaken. This use restriction is not applicable when wild canids are controlled to protect Federally designated threatened or endangered species or are vectors of a communicable disease.
- 8. The M-44 device shall not be used: (1) In areas within national forests or other Federal lands set aside for recreational use, (2) areas where exposure to the public and family and pets is probable, (3) in prairie dog towns, or, (4) except for the protection of federally designated threatened or endangered species, in National and State Parks; National or State Monuments; federally designated wilderness areas; and wildlife refuge areas.
- 9. The M-44 device shall not be used in areas where federally listed threatened or endangered animal species might be adversely affected. Each applicator shall be issued a map, prepared by or in consultation with the U.S. Fish and Wildlife Service, which clearly indicates such areas.
- 10. One person other than the individual applicator shall have knowledge of the exact placement location of all M-44 devices in the field.

# M-44 Cyanide Capsules M-44 Use Restrictions EPA Registration No. 56228-32 June 2, 1998

;

ţ

)

ì

- 11. In areas where more than one governmental agency is authorized to place ivi-44 devices, the agencies shall exchange placement information and other relevant facts to ensure that the maximum number of M-44's allowed is not exceeded.
- 12. The M-44 device shall not be placed within 200 feet of any lake, stream, or other body of water, provided that natural depression areas which catco, and nold rainfall only for short periods of time shall not be considered "bodies of water" for purposes of this restriction.
- 13. The M-44 device shall not be placed in areas where food crops are planted.
- 14. The M-44 device shall be placed at least at a 50-foot distance or at such a greater distance from any public road or pathway as may be necessary to remove it from the sight of persons and domestic animals using any such public road or pathway.
- 15. The maximum density of M-44's placed in any 100 acre pasture land areas shall not exceed 10; and the density in any 1 square mile of open range shall not exceed 12.
- 16. No M-44 device shall be placed within 30 feet of a livestock carcass used as a draw station. No more than four M-44 devices shall be placed per draw station and no more than five draw stations shall be operated per square mile.
- 17. Supervisors of applicators shall check the records, warning signs, and M-44 devices of each applicator at least once a year to verify that all applicable laws, regulations, and restrictions are being strictly followed.
- 18. Each M-44 device shall be inspected at least once every week, weather permitting access, to check for interference or unusual conditions and shall be serviced as required.
- 19. Damaged or nonfunctional M-44 devices shall be removed from the field.
- 20. An M-44 device shall be removed from an area if, after 30 days, there is no sign that a target predator has visited the site.
- 21. All persons authorized to possess and use sodium cyanide capsules and M-44 devices shall store such capsules and devices under lock and key.
- 22. Used sodium cyanide capsules shall be disposed of by deep burial or at a proper landfill site. Incineration may be used instead of burial for disposal. Place the capsules in an incinerator or refuse hole and burn until the capsules are completely consumed. Capsules may be incinerated using either wood or diesel fuel.
- 23. Bilingual warning signs in English and Spanish shall be used in all areas containing M-44 devices. All such signs shall be removed when M-44 devices are removed.


## M-44 Cyanide Capsules M-44 Use Restrictions EPA Registration No. 56228-32 June 2, 1998

475

- a. Main entrances or commonly used access points to areas in which M-44 devices are set shall be posted with warning signs to alert the public to the toxic nature of the cyanide and to the danger to pets. Signs shall be inspected weekly to ensure their continued presence and ensure that they are conspicuous and legible.
- b. An elevated sign shall be placed within 25 feet of each individual M-44 device warning persons not to handle the device.
- 24. Each authorized or licensed applicator shall carry an antidote kit on his person when placing and/or inspecting M-44 devices. The kit shall contain at least six peurls of amyl nitrite and instructions on their use. Each authorized or licensed applicator shall also carry on his person instructions for obtaining medical assistance in the event of accidental exposure to sodium cyanide.
- 25. In all areas where the use of the M-44 device is anticipated, local medical people shall be notified of the intended use. This notification may be through a poison control center, local medical society, the Public Health Service, or directly to a doctor or hospital. They shall be advised of the antidotal and first-aid measures required for treatment of cyanide poisoning. It shall be the responsibility of the supervisor to perform this function.
- 26. Each authorized M-44 applicator shall keep records dealing with the placement of the device and the results of each placement. Such records shall include, but need not be limited to:
  - a. The number of devices placed.
  - b. The location of each device placed.
  - c. The date of each placement, as well as the date of each inspection.
  - d. The number and location of devices which have been discharged and the apparent reason for each discharge.
  - e. Species of animals taken.
  - f. All accidents or injuries to humans or domestic animals.

U.S. Department of Agriculture Animal and Plant Health Inspection Service Riverdale, MD 20737-1237 June 2, 1998

)



.....

ł