_56	2	28-	34
1 : 1			

02-03-201041

44

ese read instructions on i	reverse before complet	ting form.	v	Form Approved	. OMB No. 2070	0-0060, Approval expires 2-28-95	
\$EPA	United States Environmental Protection Agency Washington, DC 20460				Registratio Amendmer Other	OPP Identifier Number	
		Application	n for Pesticid	e - Section		· · · · · · · · · · · · · · · · · · ·	
Company/Product Number Company/Product (Name)	, 56228–34		2. EPA Po Hebe	oduct Manager		3. Proposed Classification None Restricted	
Acetaminophen f 5. Name and Address of Appus USDA APHIS c/o Environment 4700 River Road Riverdale, MD 2 Check if this	olicant (Include ZIP Co. al Services, U	de)	6. Experiments (b)(i), my to: EPA Re			with FIFRA Section 3(c)(3) in composition and labeling	
			Section - II			B10	
Amendment - Explain Resubmission in resp Notification - Explain	onse to Agency letter	dated		Final printed label Agency letter dat "Me Too" Applica Other - Explain be	edation.	NOTIFICATION FEB - 3 20094	
Explanation: Use addition Notification con typographical er	sists of one o			for Use and	one correc	ction of a	
			Section - III	.:			
1. Material This Product Will	Be Packaged in:						
Child-Resistant Packaging Yes No * Certification must	Unit Packaging Yes No If "Yes"	No. per	Water Soluble Par Yes No If "Yes"	No. per	Pia Gl	etal astic ass per	
be submitted 3. Location of Net Contents	Unit Packaging wgt.	container 4. Size(s) Ret	Package wgt	container	cation of Label Di	ther (Specify)	
	ontainer	Lithog Paper Stenci	raph	Other			
			Section - IV		·····	£ •	
1. Contact Point Complete	items directly helow fo	or identificatio			essary, to proces	s this application.)	
1. Contact Point (Complete items directly below for identification Name Stephanie H. Stephens		Title Biological Scientist Telephone No. (Include Area Cod			ephone No. (Include Area Code)		
i certify that the stater i acknowledge that an both under applicable i	y knowlinglly false or i	Certifica this form and misleading sta	all attachments ther	eto are true, accu shable by fine or i	urate and complet imprisonment or	• (Stamped)	
2. Signature Tiplianic &	etaphens)		3. Tide Biologic	al Scientia	st	•••••	
4. Typed Name	ie Stephens		5. Date	17, 2003		*••*	

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Si usted no entiende la etiqueta, busque alguien para que se la explique a usted en detalle (If you do not understand the label, find someone to explain it to you).

READ THE ENTIRE LABEL AND FOLLOW ALL APPLICABLE DIRECTIONS, RESTRICTIONS, AND PRECAUTIONS. THIS LABEL MUST BE IN THE POSSESSION OF THE USER AT THE TIME OF PESTICIDE APPLICATION.

PERSONAL PROTECTIVE EQUIPMENT (PPE):

People who handle the product must wear:

- Long-sleeved shirt and long pants
- Socks and shoes
- Waterproof or rubber gloves

Applicators who handle bait must wear:

- Waterproof or rubber gloves

User Safety Requirements:

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions are provided for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

User Safety Recommendations:

Users should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. Users should remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

Users should remove PFE immediately after handling this product. As soon as possible, wash thoroughly and change into clean clothing.

UNITED STATES DEPARTMENT OF AGRICULTURE

ANIMAL AND PLANT HEALTH INSPECTION SERVICE

4700 River Road, Unit 152 Riverdale, MD 20737

EPA Reg. No. 56228-34 EPA Est. No. 56228-1D-1

Net Contents:

NOTIFICATION in eyes

FEB - 3 2004

eyes - Hole

- Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.

- Call poison control center or doctor for treatment advice.

ACETAMINOPHEN FOR BROWN TREESNAKE CONTROL

ACTIVE INGREDIENT:

Acetaminophen:	. 72.73%
OTHER INGREDIENTS:	. 27.27%
TOTAL:	100.00%

This product may be used only to control brown treesnakes (Boiga irregularis) in non-crop areas in and around military bases, airports, shipping ports, and other areas where brown treesnakes may be present.

KEEP OUT OF REACH OF CHILDREN

CAUTION PRECAUTION

FIRST AID

Have label with you when calling a doctor or poison control center, or obtaining treatment advice

EL .	
If inhaled	 Remove person to fresh air. If not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth to mouth. Call poison contol center or doctor for further treatment advice.
If on skin or clothing	- Remove contaminated clothing Rinse skin immediately with plenty of water for 15-20 minutes Call poison control center or doctor for treatment advice.
lf swallowed	 Call doctor or poison control center immediately. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a doctor or the poison control center. Do not give anything by mouth to an unconscious person.
í !	Joison control center, or obtaining treatment advice.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

For use only by employees of the U.S. State and Federal governments, the Government of Guam or the Commonwealth of the Northern Mariana Islands trained in brown treesnake control, or persons under their direct supervision.

USE RESTRICTIONS -

DO NOT apply this product in a manner that will contaminate food, feed, and water.

DO NOT apply this product in a manner where it is accessible to children or domestic animals.

DO NOT apply treated baits in areas where there is a danger that threatened or endangered species will consume baits unless special precautions are taken to limit such exposures. Such precautions shall include applying treated baits inside bait stations that will exclude threatened or endangered species that otherwise might feed upon baits.

SINGLE BAIT PREPARATION - Manually insert one 80-mg or two 40-mg acetaminophen tablets into the throat of a dead mouse pup (approximate age: 10-15 days).

BAIT STATIONS - Construct bait stations from lengths of PVC pipe that are 2 to 4 inches (5.1 to 10.2 cm) in diameter and 12 to 18 inches (30.5 to 45.8 cm) in length. Alternatively, use wire mesh funnel traps. Hang bait stations in trees and on fences at heights of approximately 4.9 feet (1.5 meters) above ground. Place single mouse baits inside individual bait stations. Place bait stations at intervals of approximately 22 yards (20 meters) or greater in and around forested areas and along fence lines. Bait density must not exceed 15 baits per acre (36 baits per hectare). Bait stations may be restocked at a minimum interval of two days and may be operated continuously throughout the year.

BROADCAST APPLICATION - Baits may be hand broadcast or dropped from helicopters and fixed-winged aircraft. If the desired bait placement is in the forest canopy, attach a small piece of netting or other material to the bait. During one baiting period, apply no more than 90 baits per acre (36 baits per hectare) per drop, with a minimum interval between drops of 2 days. No more than 15 drops may occur in a single baiting periods per acre or hectare may occur in a single year.

ENVIRONMENTAL HAZARDS

Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when cleaning equipment or disposing of equipment washwaters.

STORAGE AND DISPOSAL Do not contaminate water, food, or feed by storage and disposal.

Pesticide Storage: Store only in a closed container in a dry place that is inaccessible to children, pets, and domestic animals.

Pesticide Disposal: If the product cannot be disposed of through use in accordance with product label directions, contact your Territorial Pesticide or Environmental Control agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Container Disposal: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of ir. a sanitary landfill or incinerator, or, if allowed by state and local authorities, burn. If burned, stay out of smoke.

ENDANGERED SPECIES CONSIDERATIONS

NOTICE: It is a Federal offense to use any pesticide in a manner that results in the death of an endangered species. Before undertaking any control operations with the product, consult with local, State, and Federal wildlife authorities to ensure the use of this product presents no hazard to any endangered species.

To reduce the hazard baiting may present to non-target species, consultation and concurrence will be obtained from Federal and local wildlife management authorities (e.g., U.S. Fish and Wildlife Service (FWS) Ecological Services, and Government of Guam Division of Aquatic and Wildlife Resources) prior to use in threatened or endangered species habitat (including habitat of the Mariana crow, Guam rail, or other reintroduced species).

Threatened or endangered Species - Guam:

Bat, Little Mariana fruit (Pteropus tokudae)

Bat, Mariana fruit (Pteropus mariannus mariannus)

Broadbill, Guam (Myiagra freycineti)

Crow, Mariana (Corvus kubaryi)

Kingfisher, Guam Micronesian (Halcyon cinnamonima cinnamomina)

Mallard, Mariana (Anas oustaleti)

Moorhen, Mariana common (Gallinula chloropus guami)

Rail, Guam (Gallirallus owstoni)

Sea turtle, green (Chelonia mydas)

Sea turtle, hawksbill (Eretmochelys imbicata)

Sea turtle, leatherback (Dermochelys coriacea)

Sea turtle, loggerhead (Caretta caretta)

Swiftlet, Mariana gray (Aerodramus vanikorensis bartschi)

Endangered Plants: Iagu, Hayun (Serianthes nelsonii)

ENDANGERED SPECIES CONSIDERATIONS

(continued)

<u>Threatened or endangered Species --</u> <u>Commonwealth of the Northern Mariana Islands:</u>

Crow, Mariana (Corvus kubaryi)

Mallard, Mariana (Anas oustaleti)

Megapode, Micronesian (Megapodius laperouse)

Monarch, Tinian (Monarcha takatsukasae)

Moorhen, Mariana common (Gallinula chloropus guami)

Rail, Guam (Gallirallus owstoni)

Sea turtle, green (Chelonia mydas)

Sea turtle, hawksbill (Eretmochelys imbicata)

Sea turtle, leatherback (Dermochelys coriacea)

Sea turtle, loggerhead (Caretta caretta)

Swiftlet, Mariana gray (Aerodramus vanikorensis bartschî)

Warbler, nightingale reed (Acercephalus luscinia)

Endangered Plants: Iagu, Hayun (Serianthes nelsonii)



United States Department of Agriculture

Animal and Plant Health Inspection Service Policy and Program Development 4700 River Road, Unit 149 Riverdale, MD 20737–1237 Telephone: 301/734–8963

> ENQL 7-1 CY03 PERMANENT Retire 12/08

December 17, 2003

Mr. John Hebert
Insecticide-Rodenticide Branch
Registration Division (Mail Code: 7505C)
Office of Pesticide Programs
U.S. Environmental Protection Agency
Ariel Rios Building
1200 Pennsylvania Avenue, N.W.
Washington, DC 20460

SUBJECT:

Notification of Change to Directions for Use Section on Pesticide Label: Acetaminophen for Brown Treesnake Control (EPA Reg. No. 56228-34) per PR Notice 98-10

Dear Mr. Hebert:

The U.S. Department of Agriculture, Animal and Plant Health Inspection Service is hereby submitting notification of revised labeling for Acetaminophen for Brown Treesnake Control (EPA Reg. No. 56228-34). The revisions to this label slightly change the Directions for Use section but do not affect the dilution ratio or the minimum or maximum use dilutions. The requested changes are highlighted on the enclosed label.

This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of FEB - 3 2003 formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under Sections 12 and 14 of FIFRA.

If you need any additional information, please contact Stephanie Stephens by telephone at (301) 734-4836 or by e-mail at stephanie.h.stephens@aphis.usda.gov.

Sincerely,

Carl Bausch

Chief, Environmental Services Policy and Program Development

Enclosures

APHIS Safeguarding American Agriculture

APHIS is an agency of USDA's Marketing and Regulatory Programs

An Equal Opportunity Provider and Employer