56228-34

09130/2009

16



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

> OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

SEP 3.0 2009

Kenneth R. Seeley, Ph.D. USDA APHIS Environmental Services Unit 149 4700 River Road, Riverdale, MD 20737

Subject: Updates to the Storage and Disposal Statement Language

Dear Dr. Steeley:

The Agency is in receipt of your Application(s) for Pesticide Notification under Pesticide Registration Notice (PRN) 2007-4 dated August 19, 2009 for:

EPA Registration 56228-34

Acetaminophen

The Registration Division (RD) has conducted a review of this request for applicability under PRN 2007-4 and finds that the label change(s) requested falls within the scope of PRN-2007-4. The label has been date-stamped "Notification" and will be placed in our records.

If you have any questions, call me at 703 305-5409 or electronically at daniel.dani@epa.gov.

Sincerely,

Dani Daniel Registration Division (7505P) Insecticide/Rodenticide Branch

Please read instructions on re	verse before com	NOTI	FIC	ATIC		oved.	B No. 2	070-0080	Print Form
≎EPA	Un Environmental	ited States SE	P 2 9 Agen	2009	•		Registra Amendi Other	ation	OPP Identifier Number
	A	pplication	for P	esticio	ie - Sec	tion			
1. Company/Product Number 56228-34			2. EPA Product Manager				3. P	roposed Classification	
4. Company/Product (Name) Acetaminophen				PM# 77 X None Restricted					
5. Name and Address of Applicant <i>(Include ZIP Code)</i> USDA APHIS Environmental Services, Unit 149 4700 River Road, Riverdale, MD 20737			 6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No 						
Check if this is a new address					ct Name .				
			Sect	ion - I					
Amendment - Explain below. Resubmission in response to Agency letter dated				Final printed labels in response to Agency letter dated Me Too® Application. Other - Explain below.					
1. Material This Product Will	Be Packaged In:		Secti	ion - I	11				
Child-Resistant Packaging Yes* No * Certification must be submitted	Unit Packaging Yes No If "Yes" Unit Packaging wgt.	Water Soluble Packaging Yes No If "Yes" No. per Package wgt container			2. Туре о	Metal Plastic Glass Paper	sr (Specify)		
	Location of Net Contents Information 4. Size(s) Retail Container On Label On Label								
6. Manner in Which Label is a	Affixed to Product	Lithograp Paper glu Stenciled	oh Jed	• • • • • • • • • • • • • • • • • • • •	Othe	ir			
			Secti	ion - I	V				
1. Contact Point (Complete	items directly below fo	or identification (of indivi	dual to b	e contacted,	, if nec	essary, to p	rocess th	is application.)
Name Stephanie Stephens		Ti Bi	tie iologica	al Scien [.]	tist, ES				ne No. (Include Area Code) 8-5134
l certify that the stater I acknowledge that an both under applicable	y knowingly false or m		i attachi						6. Date Application Received (Stamped)
annot Acelan			3. Title Chief, Environmental Services						
4. Týpod Name Kenneth R. Seeley, Ph.D.	U	5.	Date 8//	19/0	9				
EPA Form 8570-1 (Rev. 8-94) Previous editions are	obsolete.		1	VA.	hte . E	PA File Cop	v (origina	1) Yallow - Applicant Cop



United States Department of Agriculture

Marketing and Regulatory Programs

Animal and

Plant Health Inspection

Development

Environmental

Riverdale, MD

20737

Service

ENOL 7-1 CY09 PERMANENT Retire 08/14

August 19, 2009

John Hebert Insecticide-Rodenticide Branch Registration Division (7504P) U.S. Environmental Protection Agency Policy and Program Ariel Rios Building 1200 Pennsylvania Ave. N.W. Services, Unit 149 Washington, DC 20460 4700 River Road

> SUBJECT: Notification of Label Change to Comply with PR Notice 2007-4: Acetaminophen Label

Dear Mr. Hebert:

The United States Department of Agriculture (USDA) Animal and Plant Health Inspection Service (APHIS) is hereby submitting materials supporting a notification relating to the following Acetaminophen label:

EPA Reg. No. 56228-34: Acetaminophen for Brown Tree Snake Control (2 • separate labels: container label and full product label)

The enclosed labels have been revised to incorporate disposal language required by EPA's Pesticide Registration Notice 2007-4. No other changes have been made to the labels.

Attached are the following documents in support of this notification:

- EPA Form 8570-1; •
- Two (2) copies of each of the final printed labels for the Acetaminophen registration listed above, with the new label language highlighted for your reference.

This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Safeguarding American Agriculture APHIS is an agency of USDA's Marketing and Regulatory Programs



If you have any questions regarding this submission, please contact Stephanie Stephens at (435) 658-5134 or e-mail Stephanie.H.Stephens@aphis.usda.gov.

Sincerely,

Kenneth R. Seeley, Ph.D. Chief, Environmental Services

Enclosures

. .

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Si usted no entiende la etiqueta, busque alguien para que se la explique a usted en detalle (If you do not understand the label, find someone to explain it to you).

READ THE ENTIRE LABEL AND FOLLOW ALL APPLICABLE DIRECTIONS, RESTRICTIONS, AND PRECAUTIONS. THIS LABEL MUST BE IN THE POSSESSION OF THE USER AT THE TIME OF PESTICIDE APPLICATION.

PERSONAL PROTECTIVE EQUIPMENT (PPE): People who handle the product must wear:

- Long-sleeved shirt and long pants
- Socks and shoes
- Waterproof or rubber gloves

Applicators who handle bait must wear:

- Waterproof or rubber gloves

User Safety Requirements:

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions are provided for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

User Safety Recommendations:

Users should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. Users should remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

Users should remove PPE immediately after handling this product. As soon as possible, wash thoroughly and change into clean ciotiting.

UNITED STATES DEPARTMENTOF AGRICULTURE ANIMALAND PLANT HEAI TH INSPECTION SERVICE 4709 River Road, Unit 152 Riverdale, MD 20737

EPA Reg. No. 56228-34

EPA Est. No. 56228-ID-1 Net Contents:

Batch Code No,: ___

NOTHCETAMINOPHEN FOR SEPBROWN TREESNAKE CONTROL

ACTIVE INGREDIENT:

Acetaminophen:	72.73%
OTHER INGREDIENTS:	27.27%
TOTAL:	. 100.00%

This product may be used only to control brown treesnakes (Boiga irregularis) in non-crop areas in and around military bases, airports, shipping ports, and other areas where brown treesnakes may be present.

KEEP OUT OF REACH OF CHILDREN

CAUTION PRECAUTION

FIRST AID

Have label with you when calling a doctor or poison control center, or obtaining treatment advice.

•	~
lf swallowed	 Call doctor or poison control center immediately. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a doctor or the poison control center. Do not give anything by mouth to an unconscious person.
	 Remove contaminated dothing. Rinse skin immediately with plenty of water for 15-20 minutes Call poison control center or doctor for treatment advice.
If inhaled	 Remove person to fresh air. If not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth to mouth. Call poison contol center or doctor for further treatment advice.
lfineyes	 Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call poison control center or doctor for treatment advice.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

For use only by employees of the U.S. State and Federal governments, the Government of Guam or the Commonwealth of the Northern Mariana Islands trained in brown treesnake control, or persons under their direct supervision.

USE RESTRICTIONS -

DO NOT apply this product in a manner that will contaminate food, feed, and water.

DO NOT apply this product in a manner where it is accessible to children or domestic animals.

DO NOT apply treated baits in areas where there is a danger that threatened or endangered species will consume baits unless special precautions are taken to limit such exposures. Such precautions shall include applying treated baits inside bait stations that will exclude threatened or endangered species that otherwise might feed upon baits.

SINGLE BAIT PREPARATION - Manually insert one 80-mg or two 40-mg acetaminophen tablets into the throat of a dead mouse pup (approximate age: 10-15 days).

BAIT STATIONS - Construct bait stations from lengths of PVC pipe that are 2 to 4 inches (5.1 to 10.2 cm) in diameter and 12 to 18 inches (30.5 to 45.8 cm) in length. Alternatively, use wire mesh funnel traps. Hang bait stations in trees and on fences at heights of approximately 4.9 feet (1.5 meters) above ground. Place single mouse baits inside individual bait stations. Place bait stations at intervals of approximately 22 yards (20 meters) or greater in and around forested areas and along fence lines. Bait density must not exceed 15 baits per acre (36 baits per hectare). Bait stations may be restocked at a minimum interval of two days and may be operated continuously throughout the year.

BROADCAST APPLICATION - Baits may be hand broadcast or dropped from helicopters and fixed-winged aircraft. If the desired bait placement is in the forest canopy, attach a small piece of netting or other material to the bait. During one baiting period, apply no more than 90 baits per acre (36 baits per hectare) per drop, with a minimum interval between drops of 2 days. No more that 15 drops may occur in a single baiting period. No more than two baiting periods per acre or hectare may occur in a single year.

ENVIRONMENTAL HAZARDS

Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when cleaning equipment or disposing of equipment washwaters.

STORAGE AND DISPOSAL Do not contaminate water, food, or feed by storage and disposal.

Pesticide Storage: Store only in a closed container in a dry place that is inaccessible to children, pets, and domestic animals.

Pesticide Disposal: If the product cannot be disposed of through use in accordance with product label directions, contact your Territorial Pesticide or Environmental Control agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Container Disposal: Nonrefillable container. Do not reuse or refill this container. Triple rinse container (or equivalent) promptly after emptying. Offer (or) ecycling, if available. Otherwise, puncture and dispose of in a sanitary landfill or incinerator, or, if allowed by state and local authorities, burn. If burned, stay out of smoke.

ENDANGERED SPECIES CONSIDERATIONS

NOTICE: It is a Federal offense to use any pesticide in a manner that results in the death of an endangered species. Before undertaking any control operations with the product, consult with local, State, and Federal wildlife authorities to ensure the use of this product presents no hazard to any endangered species.

To reduce the hazard baiting may present to nontarget species, consultation and concurrence will be obtained from Federal and local wildlife management authorities (e.g., U.S. Fish and Wildlife Service (FWS) Ecological Services, and Government of Guam Division of Aquatic and Wildlife Resources) prior to use in threatened or endangered species habitat (including habitat of the Mariana crow, Guam rail, or other reintroduced species).

Threatened or endangered Species - Guam:

Bat, Little Mariana fruit (*Pteropus tokudae*)
Bat, Mariana fruit (*Pteropus mariannus mariannus*)
Broadbill, Guam (*Myiagra freycineti*)
Crow, Mariana (*Corvus kubaryi*)
Kingfisher, Guam Micronesian (*Halcyon cinnamonima cinnamomina*)
Mallard, Mariana (*Anas oustaleti*)
Moorhen, Mariana common (*Gallimula chloropus guami*)
Rail, Guam (*Gallirallus owstoni*)
Sea turtle, green (*Chelonia mydas*)
Sea turtle, hawksbill (*Eretmochelys imbicata*)
Sea turtle, loggerhead (*Caretta caretta*)
Swiftlet, Mariana gray (*Aerodramus vanikorensis bartschi*)

Endangered Plants: Iagu, Hayun (Serianthes nelsonii)

ENDANGERED SPECIES CONSIDERATIONS (continued)

<u>Threatened or endangered Species –</u> Commonwealth of the Northern Mariana Islands:

Crow, Mariana (Corvus kubaryi) Mallard, Mariana (Anas oustaleti) Megapode, Micronesian (Megapodius luperouse) Monarch, Tinian (Monarcha takatsukasae) Moorhen, Mariana common (Gallinula chloropus guami) Rail, Guam (Gallirallus owstoni) Sea turtle, green (Chelonia mydas) Sea turtle, hawksbill (Eretmochelys imbicata) Sea turtle, leatherback (Dermochelys coriacea) Sea turtle, loggerhead (Caretta caretta) Swiftlet, Mariana gray (Aerodramus vanikorensis bartschi) Warbler, nightingale reed (Acercephalus luscinia)

Endangered Plants: lagu, Hayun (Serianthes nelsonii)

Amended 08/2009