

UNITED STATES ENVIRONMENTAL PROTECTION NOTIFICATION AGENCY WASHINGTON, D.C. 20460

MAY 08 2012

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

Maria T. Boroja USDA APHIS Environmental and Risk Analysis Services, Unit 149 4700 River Road Riverdale, MD 20737

Subject:

Notification to correct conversion error between in use directions

EPA Registration No. 56228-34

Primary Brand Name: Acetaminophen for Brown Tree Snake Control

Submission Date: April 13, 2012

Dear Ms. Boroja:

The Agency is in receipt of your Application for Pesticide Notification under PRN 98-10 dated <u>April 13, 2012</u> for product <u>EPA Reg No. 56228-34</u> and finds that the action requested falls within the scope of PRN 98-10. The label submitted with the application has been stamped "Notification" and will be placed in our records. If you have any questions, please contact Gene Benbow at (703) 347-0235 or via email at benbow.gene@epa.gov.

Sincerely,

Gene Benbow Wildlife Biologist

Insecticide-Rodenticide Branch Registration Division (7505P)

Print Form

United States

Environmental Protection Agency

	Registration Amendment Other
	Amendment
×	Other

Form Approved. OMB No. 2070-0060, Approvel expires 2-28-

OPP Identifier Number

Was	hington, DC 20460		× Other			
	Application for	Pesticide - Sec	ction I			
1. Company/Product Number 56228-34	2. EPA Product Manager			3. Proposed Classification		
4. Company/Product (Name) Acetaminophen	PM#		×	None	Restricte	
5. Name and Address of Applicant (Include ZIP USDA APHIS Environmental and Risk Analy 4700 River Road Riverdale, MD 20737 Check if this is a new address	sis Services, Unit 149	6. Expedited Re (b)(i), my product to: EPA Reg. No Product Name	is similar or ide	ntical in cor	mposition ar	
	360					
Amendment - Explain below. Resubmission in response to Agency lett X Notification - Explain below.	Final printed labels in repsonse to Agency letter dated "Me Too" Application. NOTIFICATION Other - Explain below. MAY 0 8 2012					
Notification and supporting materials to con			cetaminophen			
	Sec	tion - III				
1. Material This Product Will Be Packaged In: Child-Resistant Packaging Yes No * Certification must be submitted 1. Material This Product Will Be Packaged In: Unit Packaging Yes No If "Yes" Unit Packaging we	No. per If "Ye	Yes Text If "Yes" No. per		pe of Container Metal Plastic Glass Paper Other (Specify)		
3. Location of Net Contents Information Label Container	4. Size(s) Retail Conta	siner	On Lab	ocation of Label Directions On Label On Labeling accompaning product		
6. Manner in Which Label is Affixed to Product	Lithograph Paper glued Stenciled	Othe	er			
	Sec	tion - IV				
Contact Point (Complete items directly below Name Stephanie Stephens	cal Scientist, ERAS	, if necessary, to	Telephone No. (Include Area Code) 435-658-5134			
I certify that the statements I have made I acknowledge that any knowlingly false both under applicable law.	3. Title	hments thereto are tru may be punishable by the Chief, ERAS	ue, accurate and c fine or imprisonme	omplete.	6. Date App Received (Stan	
4. Typed Name (Maria Boroja				ici.		



United States Department of Agriculture

Animal and Plant Health Inspection Service

Policy and Program Development

Environmental and Risk Analysis Services, Unit 149 4700 River Road Riverdale, MD 20737 ENQL 7-1 CY12 PERMANENT Retire 04/17

April 16, 2012

Mr. John Hebert
Insecticide-Rodenticide Branch
Registration Division (7504P)
U.S. Environmental Protection Agency
Ariel Rios Building
1200 Pennsylvania Ave. N.W.
Washington, DC 20460

SUBJECT:

Notification of Label Correction:

Acetaminophen (EPA Reg. No. 56228-34)

Dear Mr. Hebert:

The USDA Animal and Plant Health Inspection Service (APHIS) is hereby submitting materials supporting a notification related to our Acetaminophen label (EPA Reg. No. 56228-34). APHIS is submitting this information to the United States Environmental Protection Agency's Office of Pesticide Programs (EPA) to correct a conversion error on the existing label.

APHIS realized this error on page 1 of the current label in the "Directions for Use" section that has an incorrect conversion rate between acres and hectares. The enclosed label corrects that conversion error. The label has also been reformatted, but no additional text changes have been made aside from the conversion correction.

Attached are the following documents in support of this notification:

- EPA Form 8570-1;
- Two (2) copies of the final printed label for EPA Reg. No. 56228-34 with the conversion correction highlighted for your reference.

This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.



If you have any questions regarding this submission, please contact Stephanie Stephens at (435) 658-5134 or e-mail Stephanie.H.Stephens@aphis.usda.gov.

Sincerely,

Maria T. Boroja

Acting Chief, Environmental and Risk Analysis Services

Attachments

46

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Si usted no entiende la etiqueta, busque alguien para que se la explique a usted en detalle (If you do not understand the label, find someone to explain it to you.)

READ THE ENTIRE LABEL AND FOLLOW ALL APPLICABLE DIRECTIONS, RESTRICTIONS AND PRECAUTIONS. THIS LABEL MUST BE IN THE POSSESSION OF THE USER AT THE TIME OF PESTICIDE APPLICATION.

PERSONAL PROTECTIVE EQUIPMENT (PPE): People who handle the product must wear:

- Long-sleeved shirt and long pants
- Socks and shoes
- Waterproof or rubber gloves

Applicators who handle bait must wear:

Waterproof or rubber gloves

User Safety Requirements:

Follow manufacturer's instructions for cleaning/ maintaining PPE. If no such instructions are provided for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

Use Safety Recommendations:

Users should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. Users should remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

Users should remove PPE immediately after handling this product. As soon as possible, wash thoroughly and change into clean clothing.

UNITED STATES DEPARTMENT OF AGRICULTURE ANIMAL AND PLANT HEALTHUNSPECTION SERVICE 4700 RIVER ROAD, UNIT149 RIVERDALE, MD 20737 NOTIFICATION

> EPA Reg. No. 56228-34 EPA Est. No. 56228-CO-01 Net Contents:

> > Batch Code No.:

MAY 0 8 2012

ACETAMINOPHEN FOR BROWN TREESNAKE CONTROL

ACTIVE INGREDIENT

Acetaminophen......72.73% TOTAL 100.00%

This product may be used only to control brown treesnakes (Boiga irregularis) in non-crop areas in and around military bases, airports, shipping ports, and other areas where brown treesnakes may be present.

KEEP OUT OF REACH OF CHILDREN CAUTION PRECAUTION

FIRST AID

	ith you when calling a doctor or poison control nter, or obtaining treatment advice.
If swallowed	 Call doctor or poison control center immediately. Have person sip a glass of water if able to swallow. Do not induct vomiting unless told to do so by a doctor or the poison control center. Do not give anything by mouth to an unconscious person.
If on skin or clothing	 Remove contaminated clothing, Rinse skin immediately with plenty of water for 15-20 minutes. Call poison control center or doctor for treatment advice.
lf inhaled	 Remove person to fresh air. If not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth. Call poison control center or doctor for further treatment advice.
If in eyes	 Hold eye open and rinse slowly and gently with water for 15-20 minutes.

treatment advice.

Remove contact lenses, if present, after

the first 5 minutes, then continue rinsing

Call poison control center or doctor for

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

For use only by employees of the U.S. State and Federal governments, the Government of Guam or the Commonwealth of the Northern Mariana Islands trained in brown treesnake control, or persons under their direct supervision.

USE RESTRICTIONS:

DO NOT apply this product in a manner that will contaminate food, feed, and water.

DO NOT apply this product in a manner where it is accessible to children or domestic animals.

DO NOT apply treated baits in areas where there is a danger that threatened or endangered species will consume baits unless special precautions are taken to limit such exposures. Such precautions shall include applying treated baits inside bait stations that will exclude threatened or endangered species that otherwise might feed upon baits.

SINGLE BAIT PREPARATION: Manually insert one 80-mg or two 40-mg acetaminophen tablets into the throat of a dead mouse pup (approximate age: 10-15

BAIT STATIONS: Construct bait stations from lengths of PVC pipe that are 2 to 4 inches (5.1 to 10.2 cm) in diameter and 12 to 18 inches (30.5 to 45.8 cm) in length. Alternatively, use wire mesh funnel traps. Hang bait stations in trees and on fences at heights of approximately 4.9 feet (1.5 meters) above ground. Place single mouse baits inside individual bait stations. Place bait stations at intervals of approximately 22 yards (20 meters) or greater in and around forested areas and along fence lines. Bait density must not exceed 15 baits per acre (36 baits per hectare). Bait stations may be restocked at a minimum interval of two days and may be operated continuously throughout the year.

BROADCAST APPLICATION: Baits may be hand broadcast or dropped from helicopters and fixed-wing aircraft. If the desired bait placement is in the forest canopy, attach a small piece of netting or other material to the bait. During one baiting period, apply no more than 15 baits per acre (36 baits per hectare) per drop, with a minimum interval between drops of 2 days. No more than 15 drops may occur in a single baiting period. No more than two baiting periods per acre or hectare may occur in a single year.

Page 1 of 2, EPA Reg. No. 56228-34

ENVIRONMENTAL HAZARDS

Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when cleaning equipment or disposing of equipment washwaters.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

Pesticide Storage: Store only in a closed container in a dry place that is inaccessible to children, pets and domestic animals.

Pesticide Disposal: If the product cannot be disposed of through use in accordance with product label directions, contact your Territorial Pesticide or Environmental Control agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Container Disposal: Nonrefillable container. Do not reuse or refill this container. Triple rinse container (or equivalent) promptly after emptying. Offer for recycling, if available. Otherwise, puncture and dispose of in a sanitary landfill or incinerator, or, if allowed by state and local authorities, burn. If burned, stay out of smoke.

ENDANGERED SPECIES CONSIDERATIONS

NOTICE: It is a Federal offense to use any pesticide in a manner that results in the death of an endangered species. Before undertaking any control operations with the product, consult with local, State, and Federal wildlife authorities to ensure the use of this product presents no hazard to any endangered species.

To reduce the hazard baiting may present to non-target species, consultation and concurrence will be obtained from Federal and local wildlife management authorities (e.g., U.S. Fish and Wildlife Service (FWS) Ecological Services, and Government of Guam Division of Aquatic and Wildlife Resources) prior to use in threatened or endangered species habitat (including habitat of the Mariana crow, Guam rail, or other reintroduced species).

Threatened or endangered Species - Guam:

Bat, Little Mariana fruit (Pteropus tokudae)

Bat, Mariana fruit (Pteropus mariannus mariannus)

Broadbill, Guam (Myiagra freycineti)

Crow, Mariana (Corvus kubaryi)

Kingfisher, Guam Micronesian (Halcyon cinnamomina cinnamomina)

Mallard, Mariana (Anas oustaleti)

Moorhen, Mariana common (Gallinula chloropus guami)

Rail, Guam (Gallirallus owstoni)

Sea turtle, green (Chelonia mydas)

Sea turtle, hawksbill (Eretmochelys imbricata)

Sea turtle, leatherback (Dermochelys coriacea)

Sea turtle, loggerhead (Caretta caretta)

Swiftlet, Mariana gray (Aerodramus vanikorensis bartschi)

Endangered Plants: lagu, Hayun (Serianthes nelsonii)

Threatened or endangered Species – Commonwealth of the Northern Mariana Islands:

Crow, Mariana (Corvus kubarvi)

Mallard, Mariana (Anas oustaleti)

Megapode, Micronesian (Megapodius laperouse)

Monarch, Tinian (Monarcha takatsukasae)

Moorhen, Mariana common (Gallinula chloropus guami)

Rail, Guam (Gallirallus owstoni)

Sea turtle, green (Chelonia mydas)

Sea turtle, hawksbill (Eretmochelys imbricata)

Sea turtle, leatherback (Dermochelys coriacea)

Sea turtle, loggerhead (Caretta caretta)

Swiftlet, Mariana gray (Aerodramus vanikorensis bartschi)

Warbler, nightingale reed (Acrocephalus luscinia)

Endangered Plants: lagu, Hayun (Serianthes nelsonii)

Page 2 of 2, EPA Reg. No. 56228-34 Revised 04/2012