

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

May 6, 2015

David S. Reinhold USDA APHIS Environmental and Risk Analysis Services, Unit 149 4700 River Road Riverdale, MD 20737

Subject: Notification per PRN 98-10 – Add additional application directions to affix the tablets to the outside of dead mouse pups and make a minor revision to the aerial broadcast directions Product Name: Acetaminophen for Brown Treesnake Control EPA Registration Number: 56228-34 Application Date: April 28, 2015 Decision Number: 503986

Dear Mr. Reinhold:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 for the above referenced product. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the action requested falls within the scope of PRN 98-10.

The label submitted with the application has been stamped "Notification" and will be placed in our records.

If you have any questions, you may contact Gene Benbow at 703-347-0235 or via email at <u>Benbow.Gene@epa.gov</u>.

Sincerely,

2, h fr

Mark Suarez, Product Manager 07 Invertebrate & Vertebrate Branch 3 Registration Division (7505P) Office of Pesticide Programs

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Si usted no entiende la etiqueta, busque alguien para que se la explique a usted en detalle (If you do not understand the label, find someone to explain it to you.)

READ THE ENTIRE LABEL AND FOLLOW ALL APPLICABLE DIRECTIONS, RESTRICTIONS AND PRECAUTIONS. THIS LABEL MUST BE IN THE POSSESSION OF THE USER AT THE TIME OF PESTICIDE APPLICATION.

PERSONAL PROTECTIVE EQUIPMENT (PPE): People who handle the product must wear:

- Long-sleeved shirt and long pants
- Socks and shoes
- Waterproof or rubber gloves

Applicators who handle bait must wear:

- Waterproof or rubber gloves

User Safety Requirements:

Follow manufacturer's instructions for cleaning/ maintaining PPE. If no such instructions are provided for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

Use Safety Recommendations:

Users should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. Users should remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

Users should remove PPE immediately after handling this product. As soon as possible, wash thoroughly and change into clean clothing.

UNITED STATES DEPARTMENT OF AGRICULTURE ANIMAL AND PLANT HEALTH INSPECTION SERVICE 4700 RIVER ROAD, UNIT149 RIVERDALE, MD 20737

EPA Reg. No. 56228-34 EPA Est. No. 56228-CO-01 Net Contents:

Batch Code No.: ____

ACETAMINOPHEN FOR BROWN TREESNAKE CONTROL

ACTIVE INGREDIENT

Acetaminophen	72.73%
OTHER INGREDIENTS	27.27%
TOTAL	100.00%

This product may be used only to control brown treesnakes (Boiga irregularis) in non-crop areas in and around military bases, airports, shipping ports, and other areas where brown treesnakes may be present.

KEEP OUT OF REACH OF CHILDREN CAUTION PRECAUTION

FIRST AID

Have label with you when calling a doctor or poison control center, or obtaining treatment advice. If swallowed Call doctor or poison control center • immediately. • Have person sip a glass of water if able to swallow. Do not induct vomiting unless told to do so by a doctor or the poison control center. • Do not give anything by mouth to an unconscious person. If on skin or Remove contaminated clothing, ٠ clothing Rinse skin immediately with plenty of • water for 15-20 minutes. Call poison control center or doctor for • treatment advice. If inhaled Remove person to fresh air. • If not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth. • Call poison control center or doctor for further treatment advice. If in eyes • Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eve. Call poison control center or doctor for treatment advice.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

For use only by employees of the U.S. State and Federal governments, the Government of Guam or the Commonwealth of the Northern Mariana Islands trained in brown treesnake control, or persons under their direct supervision.

USE RESTRICTIONS:

DO NOT apply this product in a manner that will contaminate food, feed, and water.

DO NOT apply this product in a manner where it is accessible to children or domestic animals.

DO NOT apply treated baits in areas where there is a danger that threatened or endangered species will consume baits unless special precautions are taken to limit such exposures. Such precautions shall include applying treated baits inside bait stations that will exclude threatened or endangered species that otherwise might feed upon baits.

SINGLE BAIT PREPARATION: Acetaminophen baits made using dead mouse pups (approximate age: 10-15 days) may be prepared by one of the two following methods: 1) insert one 80-mg or two 40-mg acetaminophen tablets into the throat of a dead mouse pup, or 2) affix one 80-mg or two 40-mg acetaminophen tablets to the outside of a dead mouse pup.

BAIT STATIONS: Construct bait stations from lengths of PVC pipe that are 2 to 4 inches (5.1 to 10.2 cm) in diameter and 12 to 18 inches (30.5 to 45.8 cm) in length. Alternatively, use wire mesh funnel traps. Hang bait stations in trees and on fences at heights of approximately 4.9 feet (1.5 meters) above ground. Place single mouse baits inside individual bait stations. Place bait stations at intervals of approximately 22 yards (20 meters) or greater in and around forested areas and along fence lines. Bait density must not exceed 15 baits per acre (36 baits per hectare). Bait stations may be restocked at a minimum interval of two days and may be operated continuously throughout the year.

DIRECTIONS FOR USE, continued

BROADCAST APPLICATION: Baits may be hand broadcast or dropped from helicopters and fixedwing aircraft. If the desired bait placement is in the forest canopy, use pre-packaged bait designed for aerial broadcast uses, or manually attach a small piece of netting or other material to the bait. During one baiting period, apply no more than 15 baits per acre (36 baits per hectare) per drop, with a minimum interval between drops of 2 days. No more than 15 drops may occur in a single baiting period. No more than two baiting periods per acre or hectare may occur in a single year.

ENVIRONMENTAL HAZARDS

Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when cleaning equipment or disposing of equipment washwaters.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

Pesticide Storage: Store only in a closed container in a dry place that is inaccessible to children, pets and domestic animals.

Pesticide Disposal: If the product cannot be disposed of through use in accordance with product label directions, contact your Territorial Pesticide or Environmental Control agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Container Disposal: Nonrefillable container. Do not reuse or refill this container. Triple rinse container (or equivalent) promptly after emptying. Offer for recycling, if available. Otherwise, puncture and dispose of in a sanitary landfill or incinerator, or, if allowed by state and local authorities, burn. If burned, stay out of smoke.

ENDANGERED SPECIES CONSIDERATIONS

NOTICE: It is a Federal offense to use any pesticide in a manner that results in the death of an endangered species. Before undertaking any control operations with the product, consult with local, State, and Federal wildlife authorities to ensure the use of this product presents no hazard to any endangered species.

To reduce the hazard baiting may present to non-target species, consultation and concurrence will be obtained from Federal and local wildlife management authorities (e.g., U.S. Fish and Wildlife Service (FWS) Ecological Services, and Government of Guam Division of Aquatic and Wildlife Resources) prior to use in threatened or endangered species habitat (including habitat of the Mariana crow, Guam rail, or other reintroduced species).

Threatened or endangered Species – Guam:

Bat, Little Mariana fruit (*Pteropus tokudae*) Bat, Mariana fruit (*Pteropus mariannus mariannus*) Broadbill, Guam (*Myiagra freycineti*) Crow, Mariana (*Corvus kubaryi*) Kingfisher, Guam Micronesian (*Halcyon cinnamomina cinnamomina*) Mallard, Mariana (*Anas oustaleti*) Moorhen, Mariana common (*Gallinula chloropus guami*) Rail, Guam (*Gallirallus owstoni*) Sea turtle, green (*Chelonia mydas*) Sea turtle, hawksbill (*Eretmochelys imbricata*) Sea turtle, leatherback (*Dermochelys coriacea*) Sea turtle, loggerhead (*Caretta caretta*) Swiftlet, Mariana gray (*Aerodramus vanikorensis bartschi*)

NOTIFICATION

56228-34

The applicant has certified that no changes, other than those reported to the Agency have been made to the labeling. The Agency acknowledges this notification by letter dated:

05/06/2015

Endangered Plants: lagu, Hayun (Serianthes nelsonii)

Threatened or endangered Species – Commonwealth of the Northern Mariana Islands:

Crow, Mariana (*Corvus kubaryi*) Mallard, Mariana (*Anas oustaleti*) Megapode, Micronesian (*Megapodius laperouse*) Monarch, Tinian (*Monarcha takatsukasae*) Moorhen, Mariana common (*Gallinula chloropus guami*) Rail, Guam (*Gallirallus owstoni*) Sea turtle, green (*Chelonia mydas*) Sea turtle, nawksbill (*Eretmochelys imbricata*) Sea turtle, leatherback (*Dermochelys coriacea*) Sea turtle, loggerhead (*Caretta caretta*) Swiftlet, Mariana gray (*Aerodramus vanikorensis bartschi*) Warbler, nightingale reed (*Acrocephalus luscinia*)

Endangered Plants: lagu, Hayun (Serianthes nelsonii)

Page 2 of 2, EPA Reg. No. 56228-34 Revised 04/2015