

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

Kenneth R. Seeley USDA APHIS Environmental Services, Unit 149 4700 River Road Riverdale, MD 20737

FEB 5 2009

Subject: Notification of addition of 25 lb net weight statement

Product Name: Diphacinone-50

EPA Reg. No.: 56228-35

Date Submitted: February 4, 2009

Dear Dr. Seeley:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 dated February 4, 2009 for the product Diphacinone-50. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the action(s) requested fall within the scope of PRN 98-10. The Confidential Statement of Formula (CSF) and/or label submitted with the application has (have) been stamped "Notification" and will be placed in our records.

If you have any questions, please call me at 703 306-0415.

Sincerely,

Kable Bo Davis

Entomologist

Insecticide-Rodenticide Branch Registration Division (7505P)

SEPA	EPA Environmental Protection Ager Washington, DC 20460			gis		tion OPP Identifier Number		
		Application	for Pestici	de - Section	1			
1. Company/Product Number 56228-35			2. EPA Product Manager			3. Proposed Classification None X Restricte		
4. Company/Product (Name) Diphacinone-50			PMI					
USDA APHIS Environ 4700 River Road Riverdale, MD 20737	f Applicant (Include ZIP Co mental Services, Unit 14 f this Is a new address		6. Expedited Reveiw. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. Product Name					
Manage - Section			Section -			t (Marchael) i Norron Librarian ann a-Anna		
Amendment · Explain below. Resubmission in response to Agency letter dated Notification - Explain below.				Final printed labels in repsonse to Agency letter dated "Me Too" Application. NOTIFICATION Other - Explain below. FEB 0 5 2009				
			Section -	111				
1. Material This Produc		المرابعة المرابعة والمرابعة والمرابع	Thinks of the last terms	D - +1 !	7	organización delectrica de la compansión d		
Yes X No			Water Soluble Packaging Yes X No		2. Type of Container Motel Plastic Glass			
* Certification must be submitted	If "Yes" Unit Packaging wgt	No. per container	If "Yes" Package wgt	No. per conteiner	9 ments (1779) (177) 9 ments (1779) (177)	Paper Other (S	ipecify)	o rder Conserts — a f. a. a describe
3. Location of Not Contents Information 4. Size(s) X Label Container		4. Size(s) Reta	il Container	ainer 5. Location of Label Directions On Label On Labeling accompaning product				
6. Manner in Which Lu	bei is Affixed to Product	X Lithogra Paper g Stencile	iph lued id	Other			A committee of the state of the	
			Section -	IV				
1. Contact Point ICon	plate items directly below	for identification	of individual to	be contacted, if ne	cassary, to pre	cess this	epplication.)	14:36//whi
Name Stephanie Stephens		ī	•				ephone No. (Include Ares Code 5-658-5134	
	statements I have made o nat any knowlingly false o cable law.		ill attachments t				6. Date Applica Received (Stampe	
2. Signature			3. Titlo					
1 (auctor) & V.			Chief, Environmental Services					

5. Date

02/04/2009

Kenneth R. Seeley, Ph.D.



Department of Agriculture

Marketing and

Animal and

Regulatory Programs

Plant Health inspection Service

Policy and Program Development Environmental

Services, Unit 149 4700 River Road Riverdale, MD 20737

United States

ENOL 7-1 CY09 PERMANENT Retire 02/14

February 4, 2009

John Hebert

Insecticide-Rodenticide Branch Registration Division (7504P)

U.S. Environmental Protection Agency

Ariel Rios Building

1200 Pennsylvania Ave. N.W.

Washington, DC 20460

SUBJECT:

Notification of Label Change:

Diphacinone-50 (EPA Reg. No. 56228-35)

Dear Mr. Hebert:

The United States Department of Agriculture (USDA) Animal and Plant Health Inspection Service (APHIS) is hereby submitting materials supporting a notification relating to our Diphacinone-50 label (EPA Reg. No. 56228-35).

Per your discussion with Bill Lee of EPA Region 9 today, we are submitting a notification of a change to the net weight statement on our Diphaeinone-50 label. Prior to this notification, net weights of 20 pounds and 50 pounds were included on our approved labels. With this notification, we are adding 20 pounds as a net weight for the label.

Attached are the following documents in support of this notification:

- EPA Form 8570-1:
- Two (2) copies of the final printed label for EPA Reg. No. 56228-35 with the 20 pound net weight statement highlighted for your reference.

This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

If you have any questions regarding this submission, please contact Stephanie Stephanie At (435) 658-5134 or e-mail Stephanie.H.Stephens@aphis.usda.gov.

Sincerely,

Kenneth R. Seeley, Ph.D.

Chief, Environmental Services

Enclosures

ENVIRONMENTAL HAZARDS

This product is toxic to mammals and birds. Predatory and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten bait.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. STORAGE: Store only in original closed container in a cool, dry place inaccessible to children and pets. Store separately from fertilizer and away from products with strong odors which may contaminate the bait and reduce acceptability. Spillage should be carefully swept up and collected for disposal.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

PLASTIC CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ THIS LABEL: Read this entire label and follow all use directions and use precautions.

Take all appropriate steps to limit exposure to and impacts on nontarget species, especially those for which special conservation efforts are planned or ongoing. To help to prevent **FEB** 0 5 2009 accidents:

- Store product not in use in a location out of reach of children and pets.
- Apply bait only as specified on this label and in strict accordance with the "USE RESTRICTIONS:" and "APPLICATION DIRECTIONS:". For applications involving bait stations, the bait stations must be tamperresistant. The bait stations must deny access to bait compartments by children, pets, and other non-target species larger in body size than the type(s) of rats or mice being targeted by the bait program. Lock and secure bait stations, as necessary, to exclude such nontarget species. In locations where captive or feral livestock occur, either remove and exclude such animals from the application site prior to treatment or make sure that the bait stations used are capable of denying them access to bait compartments, and
- Dispose of product container, and unused, sociled and unconsumed bait as specified on this label.

USE RESTRICTIONS: This product may be used only to control or eradicate Norway rats (Rattus norvegicus), roof rats (Rattus rattus), Polynesian rats (Rattus exulans), house mice (Mus musculus) or other types of invasive rodents for conservation purposes on islands, grounded vessels or vessels in peril of grounding. This product may be applied only using bait stations, burrow baiting, canopy baiting or aerial and ground broadcast application techniques.

This product is to be used for the protection of State or Federally-listed Threatened or Endangered Species or other species determined to require special protection.

Do not apply this product to food or feed.

Treated areas must be posted with warning signs appropriate to the current rodent control project.

(DIRECTIONS FOR USE continued on right panel of this

RESTRICTED USE PESTICIDE DUE TO HAZARDS TO NON-TARGET SPECIES

For retail sale to and use only by Certified Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicators certification.

For use by or in cooperation with government conservation agencies.

Diphacinone-50: Pelleted Rodenticide Bait for **Conservation Purposes**

Fish Flavored, Weather-resistant Rodenticide for Control or Eradication of Invasive Rodents on Islands or Vessels for Conservation Purposes

ACTIVE INGREDIENT:

Diphacinone: (2-Diphenylacetyl-TOTAL 100.000%

IMPORTANT: Do not expose children or pets to this produNOTIFICATION OF REACH OF CHILDREN CAUTION

PRECAUTIONARY STATEMENTS

HAZARD TO HUMANS AND DOMESTIC ANIMALS

Caution: Keep away from humans, domestic animals and pets. If swallowed, this material may reduce the clotting ability of the blood and cause bleeding. Wear protective gloves when applying or loading bait. With a detergent and hot water, wash all implements used for applying bait. Do not use these implements for mixing, holding or transferring food or feed.

FIRST AID

Have label with you when obtaining treatment advice, Call a poison control center, doctor, or 1-800-222-1222 swallowed immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. If on skin or Take off contaminated clothing. clothing Rinse skin immediately with plenty of water for 15-20

immediately for treatment advice. • Note to Physician: If ingested, administer Vitamin K1, intramuscularly or

Call a poison control center, doctor, or 1-800-222-1222

orally as indicated in bishydroxycoumarin overdose. Repeat as necessary based on monitoring of prothrombin times.

For a medical emergency involving this product, call 1-800-222-1222.

UNITED STATES DEPARTMENT OF AGRICULTURE ANIMAL AND PLANT HEALTH INSPECTION SERVICE 4700 River Road, Unit 149 Riverdale, MD 20737-1237 EPA Reg. No 56228-35

> EPA Est. No. 056228-GU-1 Nel Contents: 25 lbs (11.34 kg)

DIRECTIONS FOR USE

(continued from left panel)

APPLICATION DIRECTIONS:

Bait Stations: Tamper-resistant bait stations must be used when applying this product on grounded vessels or vessels in peril of grounding or when used in areas of human habitation. See Item 2) under "IMPORTANT:" regarding the performance characteristics needed for tamper-resistant bait stations. To bait rats: Apply 4 to 16 ounces (113 to 454 grams) of bait per placement. Space placements at intervals of 5 to 50 meters. Placements should be made in a grid over the area for which rodent control is desired. To bait mice: Apply 0.25 to 0.5 ounces (7 to 14 grams) of bait per placement. Space placements at intervals of 2 to 4 meters. Placements should be made in a grid over the area for which rodent control is desired. Larger placements (up to 2 ounces) may be needed at points of very high mouse activity. For both rat and mouse baiting: Maintain an uninterrupted supply of fresh bait for at least 15 days or until signs of rodent activity cease. Where a continuous source of infestation is present, permanent bait stations may be established and bait replenished as needed.

Burrow-baiting: Place bait in burrows only if this can be done in a way that minimizes potential for ejection of bait and exposure of bait to seed-eating birds and other non-target species. To bait rats: place 3 to 4 ounces (85 to 113 g) of bait inside each burrow entrance. Baits used in burrows may be applied in piles or in cloth or resealable plastic bags. The bags should be knotted or otherwise sealed to avoid spillage and holes should be made in plastic bags to allow the bait odor to escape. To bait mice: place approximately 0.25 ounces (7 grams) of bait in each active burrow. For both rat and mouse baiting: place one such bag or placement in each active burrow opening and push bag into burrow far enough so that its presence can barely be seen. Do not plug burrows. Flag treated burrows and inspect them frequently, daily if possible. Maintain an uninterrupted supply of bait for at least 15 days or until rodent activity ceases. Remove bait from burrows if there is evidence that bags are elected.

Canopy Baiting (bait placement in the canopy of trees and shrubs): In areas where sufficient food and cover are available to harbor populations of rodents in canopies of trees and shrubs, canopy baiting should be included in the baiting strategy. Approximately 4 to 7 ounces (113 g to 200 g) of bait should be placed in a cloth or resealable plastic bag. The bags should be knotted or otherwise sealed to avoid spillage and holes should be made in plastic bags to allow the bait odor to escape. Using long poles (or other devices) or by hand, bait filled bags should be placed in the canopy of trees or shrubs. Baits should be placed in the canopy at intervals of 50 meters or less, depending upon the level of rodent infestation in these habitats. In some vegetation types, bait stations may need to be used to ensure bait will stay in the canopy.

Aerial and Ground Broadcast: Broadcast applications are prohibited on vessels or in areas of human habitation. Broadcast bait pellets by helicopter or manually at a rate of 10 to 12.5 lbs, of bait per acre (11.1 to 13.8 kg/ha) per treatment. Make a second broadcast application typically 5 to 7 days after the first application, depending upon local weather conditions, at a rate no higher than 12.5 lbs. (13.8 g/ha) of bait per acre. In situations where weather or logistics only allow one bait application, a single application may be made at a rate no higher than 20.0 lbs. bail per acre (22.5 kg/ha).

Aerial (helicopter) applications may not be made in winds higher than 35 mph (30 knots). Pilot in command has final authority for determining safe flying conditions. However, aerial applications will be terminated when the following conditions are

Windspeed in excess of 25 knots with an evaluation of the terrain and impact of the wind conditions and not to exceed a steady wind velocity of 30 knots.

If rat activity persists after broadcast application, set up and maintain tamperresistant bait stations or apply bait directly to rodent burrows in areas where rodents remain active. If terrain does not permit use of bait station or burrow bailing, continue with broadcast bailing; limiting such treatments to areas where active signs of rats are seen. Maintain treatments for as long as rodent activity is evident in the area and rodents appear to be accepting bait.

For all methods of bailing, monitor the bailed area periodically and, using gloves, collect and dispose of any dead animals and spilled bait properly. Dead animals and spilled bait may be buried on site if the depth of burial makes excavation by nontarget animals extremely unlikely.

USDA APHIS 01/09 V1App

