



U.S. ENVIRONMENTAL PROTECTION AGENCY

Office of Pesticide Programs
Registration Division (7505P)
1200 Pennsylvania Ave., N.W.
Washington, D.C. 20460

EPA Reg. Number:

56228-65

Date of Issuance:

8/30/23

NOTICE OF PESTICIDE:

☒ Registration
☐ Reregistration
(under FIFRA, as amended)

Term of Issuance:

Unconditional

Name of Pesticide Product:

Bromethalin-100 Conservation
Blocks

Name and Address of Registrant (include ZIP Code):

Jim Warren
USDA-APHIS
4700 River Road
Riverdale, MD 20737

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is unconditionally registered in accordance with FIFRA section 3(c)(5) provided that you:

1. Submit and/or cite all data required for registration/reregistration/registration review of your product when the Agency requires all registrants of similar products to submit such data.

Signature of Approving Official:

DEANNA
COLBY

Digitally signed by
DEANNA COLBY
Date: 2023.08.30
11:39:13 -04'00'

Date:

Deanna (Dee) Colby, Chief
Invertebrate-Vertebrate Branch III, Registration Division (7505T)

8/30/23

EPA Form 8570-6

2. Make the following label changes before you release the product for shipment:

- Revise the EPA Registration Number to read, “EPA Reg. No. 56228-65.”
3. Submit one copy of the revised final printed label for the record before you release the product for shipment.

Should you wish to add/retain a reference to the company’s website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product’s label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA’s Office of Enforcement and Compliance.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6. Your release for shipment of the product constitutes acceptance of these conditions. A stamped copy of the label is enclosed for your records. Please also note that the record for this product currently contains the following CSFs:

- Basic CSF dated 04/04/2022

If you have any questions, please contact Scott Campbell via email at Campbell.Scott@epa.gov.

Enclosure

RESTRICTED USE PESTICIDE

DUE TO HAZARDS TO NON-TARGET SPECIES

For retail sale only to employees of federal agencies working on wildlife management projects for conservation purposes to be used only by Certified Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's certification.

BROMETHALIN-100 CONSERVATION BLOCKS

A mold- and moisture-resistant rodenticide for control or eradication of invasive rodents on Wake Atoll only for conservation purposes.

ACTIVE INGREDIENT:

Bromethalin (CAS No. 63333-35-7):0.01%

OTHER INGREDIENTS*:99.99%

TOTAL:100.00%

*Contains Denatonium Benzoate

ACCEPTED

08/30/2023

Under the Federal Insecticide, Fungicide
and Rodenticide Act as amended, for the
pesticide registered under
EPA Reg. No. 56228-65

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

FIRST AID

IF SWALLOWED:

- Call a physician or poison control center, doctor, or 1-877-854-2494 immediately for treatment advice.
- Have person sip a glass of water if able to swallow.
- Do not give anything by mouth to an unconscious person.
- Do not induce vomiting unless told to do so by a poison control center or doctor.

Have the product container or label with you when calling a poison control center or doctor or going for treatment. For non-emergency information concerning this product, call the National Pesticide Information Center at 1-800-858-7378.

TREATMENT FOR PET POISONING: If pet eats the bait, call a veterinarian or 1-877-854-2494 at once.

NOTE TO PHYSICIAN OR VETERINARIAN: Contains the nerve poison bromethalin. This product is not an anticoagulant type rodenticide. For humans or animals ingesting bait and/or showing poisoning signs (such as muscle tremors, loss of hind limb use, or seizures for animals), limit absorption by either emesis or gastric lavage. Sublethal symptoms, if present, would be the result of cerebral edema and should be treated accordingly through administration of an osmotic diuretic and corticosteroid.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed. Keep away from children, domestic animals, and pets.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Applicators and other handlers must wear:

- Shoes plus socks, and barrier laminate gloves.

Any person who retrieves carcasses or unused bait following application of this product must wear:

- Barrier laminate gloves.

USER SAFETY REQUIREMENTS

Follow the manufacturer's instructions for cleaning/maintaining PPE. If no such instructions are provided for washables, use detergent and hot water. Keep and wash PPE separately from other laundry. Remove PPE immediately after handling this product. Wash the outside of barrier laminate gloves before removing. As soon as possible, wash hands thoroughly after applying the bait and before eating, drinking, chewing gum, using tobacco, or using the toilet, and change into clean clothing.

ENVIRONMENTAL HAZARDS

This product is extremely toxic to mammals and birds. Dogs and other predatory and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten this bait. Do not deliberately apply directly to water, or to areas where surface water is present. Do not deliberately apply to marshes, mangroves, wetlands, or intertidal areas below the mean high-water mark unless utilizing canopy baiting or tethered, floating bait station application methods. Runoff also may be hazardous to aquatic organisms in water adjacent to treated areas. Do not contaminate water when disposing of equipment wash water or rinsate.

Manufactured for:
United States Department of Agriculture
Animal and Plant Health Inspection Service
4700 River Road, Unit 149
Riverdale, MD 20737
EPA Est. 12455-WI-1

Net Weight: 4–50 lbs. (1.81–22.68 kg)

Batch Code: _____

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ THIS LABEL: Read the entire label. This product must be used strictly in accordance with this label's precautionary statements and use directions, as well as with all applicable state and federal laws and regulations.

USE RESTRICTIONS

- **THIS PRODUCT MAY ONLY BE USED ON WAKE ATOLL.**
- **IMPORTANT: DO NOT** expose children, pets, or livestock to this product. Take all appropriate steps to limit exposure to and impacts on nontarget species, especially those for which special conservation efforts are planned or ongoing. To help prevent accidental exposures:
 1. Store this product in a location out of reach of children, pets, livestock, and nontarget wildlife.
 2. Apply bait only as specified on this label and in strict accordance with the **USE RESTRICTIONS** and **APPLICATION DIRECTIONS**.
 3. For applications involving bait stations, the bait stations must be tamper-resistant. Tamper-resistant bait stations must deny access to bait compartments by children, pets, and nontarget species larger in body size than the rodents being targeted by the control or eradication operation. Lock and secure bait stations, as necessary, to exclude nontarget species. In locations where captive or feral livestock occur, either remove or exclude such animals from the application site prior to and during treatment or make sure that the bait stations used are capable of denying them access to bait compartments.
 4. Dispose of the product container and any unused, spoiled, or unconsumed bait as specified under **STORAGE AND DISPOSAL**.
- This product may be used only to control or eradicate Norway rats (*Rattus norvegicus*), roof rats (*Rattus rattus*), Polynesian rats (*Rattus exulans*), Asian house rats (*Rattus tanezumi*), house mice (*Mus musculus*), or other types of non-native or invasive rodents on islands for conservation purposes, or on grounded vessels or vessels in peril of grounding.
- This product is to be used for the protection of state or federally listed threatened or endangered species or other species determined to require special protection.
- **DO NOT** apply this product directly to food or feed crops.
- **DO NOT** contaminate water, food, feedstuffs, food or feed handling equipment, or surfaces that come into direct contact with food.
- **DO NOT** reuse implements used for applying bait for food or feed use.
- **DO NOT** place bait near or inside ventilation duct openings unless they are no longer operational.
- **DO NOT** broadcast bait.
- Treated areas with public access must be posted with warning signs appropriate to the current rodent control or eradication operation.

APPLICATION DIRECTIONS

The active ingredient in this product is different from anticoagulant rodenticides. Individual rats and mice typically feed less or cease feeding altogether after consuming a toxic dose.

Highest bait consumption is expected to occur on the first day or two after treatment begins. Normally, the volume of bait consumed will be significantly less with bromethalin baits than with anticoagulant baits.

Although one night's feeding will usually provide a lethal dose for rats and mice, if possible, maintain bait for at least one week to provide all individuals a chance to feed on the bait or continue baiting until rodent activity has ceased.

Applicators may only use the hand baiting methods at the use sites specified in Table 1.

If rodent activity persists or resumes, continue hand baiting applications as specified in Table 1. Maintain treatments for as long as rodent activity is evident in the area and rodents appear to be accepting bait.

DIRECTIONS FOR USE, continued

APPLICATION DIRECTIONS, continued

Table 1.

Application method	Use sites	Application rates	Additional baiting instructions
Tamper-resistant bait stations	<ul style="list-style-type: none"> Within and around man-made structures and non-operational ventilation ducts on islands All non-crop areas on islands, including canopies of trees and shrubs Uninhabited grounded vessels or vessels in peril of grounding that are safe for applicators to enter and traverse 	<p><u>Rats:</u></p> <ul style="list-style-type: none"> Place 2–12 blocks per bait station. Space stations at intervals of approximately 16–328 feet (5–100 meters) in a grid over the control area. Place along walls and in corners and concealed places where rodents will most likely find and consume the bait. If possible, maintain a continuous bait supply for at least 7 days or until rodent activity has ceased. <p><u>Mice:</u></p> <ul style="list-style-type: none"> Place 1–5 blocks per bait station. Space stations at intervals of approximately 10–65 feet (3–20 meters) in a grid over the control area. Place along walls and in corners and concealed places where rodents will most likely find and consume the bait. If possible, maintain a continuous bait supply for at least 7 days or until rodent activity has ceased. 	<ul style="list-style-type: none"> See Item #3 under USE RESTRICTIONS and "IMPORTANT:" regarding the performance characteristics needed for tamper-resistant bait stations. Tethered, floating bait stations may be utilized in rodent habitat in intertidal zones or subterranean spaces where the water is sufficiently calm. Each tethered floating bait station must be installed, tested, and proven to be durable and resistant to inundation by water for at least 24 hours prior to their use with toxic bait. Do not apply bait to floating bait stations if stormy weather is forecast before any remaining bait can be removed. Where a continuous source of infestation is present, permanent bait stations may be established and bait replenished as needed.
Unsafe vessel and abandoned structure baiting on Wake Atoll	<ul style="list-style-type: none"> Uninhabited grounded vessels or vessels in peril of grounding that are difficult or unsafe for applicators to enter or traverse Uninhabited abandoned man-made structures on islands that are difficult or unsafe for applicators to enter or traverse 	<p><u>Rats:</u></p> <ul style="list-style-type: none"> Place 2–12 blocks per placement. Space placements at intervals of approximately 16–328 feet (5–100 meters) in areas where rodents will most likely find and consume the bait. Generally, these areas are along walls and in corners and concealed places. If possible, check every 7–14 days. Reapply if it appears bait has been removed or until rodent activity has ceased. <p><u>Mice:</u></p> <ul style="list-style-type: none"> Place 1–5 blocks per placement. Space placements at intervals of approximately 10–65 feet (3–20 meters) in areas where rodents will most likely find and consume the bait. Generally, these areas are along walls and in corners and concealed places. If possible, check every 7–14 days. Reapply if it appears bait has been removed or until rodent activity has ceased. 	<ul style="list-style-type: none"> Blocks may be placed in small bags (sachets) made of rodent accessible material. Sachets should be knotted or otherwise sealed to avoid spillage. If using plastic bags, make small holes in the bags to allow the bait odor to escape. Plastic bags may be left unperforated if applied in areas where occasional immersion in water may occur. Throw or drop blocks or sachets into areas that are unsafe for applicators to access. Launching devices, such as slingshots or t-shirt cannons, or payload unmanned aerial vehicles (UAV) may be used to apply sachets to areas that are unsafe for applicators to access.
Canopy baiting	<ul style="list-style-type: none"> Canopy, trunks, or branches of trees and shrubs in uninhabited non-crop areas on islands where sufficient food and cover are available to harbor populations of rodents 	<p><u>Rats and mice:</u></p> <ul style="list-style-type: none"> Place 2–12 blocks per placement. Placements in the canopy are recommended at intervals of ≤160 feet (≤49 meters) in a grid over the control area. If possible, check at least every 7–14 days and reapply if the bait appears to have been removed or until rodent activity has ceased. 	<ul style="list-style-type: none"> Blocks may be placed directly, in bait stations, or in small bags (sachets) made of rodent accessible material. Sachets should be knotted or otherwise sealed to avoid spillage. If using plastic bags, make small holes in the bags to allow the bait odor to escape. Plastic bags may be left unperforated if applied in areas where occasional immersion in water may occur. Place or tie the blocks, bait stations, or sachets in trees or shrubs by hand or use long poles (or other devices). The blocks or sachets may be fitted with line or string to attach them to individual trees or shrubs. Alternately, blocks or sachets may be tied at intervals along a continuous line or string that extends along or through the canopy or shrubs.
Subterranean baiting	<ul style="list-style-type: none"> Subterranean infrastructure on islands, such as sewers or utility tunnels, and other underground spaces 	<p><u>Rats and mice:</u></p> <ul style="list-style-type: none"> Place 2–12 blocks per placement. Space placements at intervals of approximately 16–82 feet (5–25 meters) in areas where rodents will most likely find and consume the bait. Generally, these areas are along walls and in corners and concealed places. If possible, check at least every 7–14 days and reapply if the bait appears to have been removed or until rodent activity has ceased. 	<ul style="list-style-type: none"> Blocks may be placed in small bags (sachets) made of rodent accessible material. Sachets should be knotted or otherwise sealed to avoid spillage. If using plastic bags, make small holes in the bags to allow the bait odor to escape. Plastic bags may be left unperforated if applied in areas where occasional immersion in water may occur. For subterranean spaces containing water or that could be inundated with water during baiting, securely attach blocks or sachets to a stationary subterranean structure, such as the bottom step of a manhole ladder or a sewer grate, or suspend blocks by wire or line a few inches above the high water mark.

DIRECTIONS FOR USE, continued

POSTTREATMENT CLEAN-UP

Monitor the baited area periodically for carcasses during and after bait applications, if conditions or logistical considerations allow. Using barrier laminate gloves, collect and dispose of any carcasses in accordance with federal, state, and local regulations. Carcasses do not need to be collected in areas where non-target animals have naturally high mortality rates and collecting and disposing of carcasses is impractical or unsafe (e.g., some bird breeding areas).

Using barrier laminate gloves, collect and dispose of bait stations, blocks, and sachets at the end of control or eradication operations as specified under **STORAGE AND DISPOSAL**. Bait stations, blocks, and sachets applied in grounded vessels, vessels in peril of grounding, canopies, abandoned structures or infrastructure, or landscape features that are unsafe for applicators to access, do not have to be retrieved.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: Store only in original closed container in a cool, dry place inaccessible to unauthorized people, children, and pets. Store separately from fertilizer and away from products with strong odors that may contaminate the bait and reduce acceptability. Spillage should be carefully swept up and collected for disposal.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of at an approved waste disposal facility.

CONTAINER HANDLING: *Nonrefillable container.* Do not reuse or refill this container. Offer for recycling, if available. Otherwise, dispose of empty container in a sanitary landfill or by incineration if allowed by state and local authorities.

RESTRICTED USE PESTICIDE

DUE TO HAZARDS TO NON-TARGET SPECIES

For retail sale only to employees of federal agencies working on wildlife management projects for conservation purposes to be used only by Certified Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's certification.

BROMETHALIN-100 CONSERVATION BLOCKS

A mold- and moisture-resistant rodenticide for control or eradication of invasive rodents on Wake Atoll only for conservation purposes.

ACTIVE INGREDIENT:

Bromethalin (CAS No. 63333-35-7): 0.01%

OTHER INGREDIENTS*: 99.99%

TOTAL: 100.00%

*Contains Denatonium Benzoate

KEEP OUT OF REACH OF CHILDREN CAUTION

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed. Keep away from children, domestic animals, and pets.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Applicators and other handlers must wear:

- Shoes plus socks, and barrier laminate gloves.

Any person who retrieves carcasses or unused bait following application of this product must wear:

- Barrier laminate gloves.

USER SAFETY REQUIREMENTS

Follow the manufacturer's instructions for cleaning/maintaining PPE. If no such instructions are provided for washables, use detergent and hot water. Keep and wash PPE separately from other laundry. Remove PPE immediately after handling this product. Wash the outside of barrier laminate gloves before removing. As soon as possible, wash hands thoroughly after applying the bait and before eating, drinking, chewing gum, using tobacco, or using the toilet, and change into clean clothing.

ENVIRONMENTAL HAZARDS

This product is extremely toxic to mammals and birds. Dogs and other predatory and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten this bait. Do not deliberately apply directly to water, or to areas where surface water is present. Do not deliberately apply to marshes, mangroves, wetlands, or intertidal areas below the mean high-water mark unless utilizing canopy baiting or tethered, floating bait station application methods. Runoff also may be hazardous to aquatic organisms in water adjacent to treated areas. Do not contaminate water when disposing of equipment wash water or rinseate.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ THIS LABEL: NOTE: This is the container label. See the enclosed full product label for **Bromethalin-100 Conservation Blocks** (EPA Reg. No. 56228-XX) for complete **DIRECTIONS FOR USE** and all other label and use information. Read the entire label. This product must be used strictly in accordance with this label's precautionary statements and use directions, as well as with all applicable state and federal laws and regulations. **A copy of the full product label must be in the possession of the user at the time that the product is applied.**

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: Store only in original closed container in a cool, dry place inaccessible to unauthorized people, children, and pets. Store separately from fertilizer and away from products with strong odors that may contaminate the bait and reduce acceptability. Spillage should be carefully swept up and collected for disposal.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of at an approved waste disposal facility.

CONTAINER HANDLING: **Nonrefillable container.** Do not reuse or refill this container. Offer for recycling, if available. Otherwise, dispose of empty container in a sanitary landfill or by incineration if allowed by state and local authorities.

Manufactured for:
United States Department of Agriculture
Animal and Plant Health Inspection Service
4700 River Road, Unit 149
Riverdale, MD 20737
EPA Est. 12455-WI-1

Net Weight: 4–50 lbs. (1.81–22.68 kg)

Batch Code: _____