UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

- 2x 1 1976

Nortech Water & Energy, Inc. 35 Connecticut Avenue Norwich, CT 06360

Attention: Linda S. Allen

Registration Specialist

Subject: TB-64

EPA Registration Number 56244-3

Your Submission Dated September 27, 1995


EPA Receive Date September 28, 1995

The amendment referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, to update your label will be acceptable provided that you make the labeling changes listed below before you release the product for shipment bearing the amended label.

Under the heading "Environmental Hazards" add the following statements:

"This pesticide is toxic to fish. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other water unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA."

A stamped copy of your labeling is enclosed for your records. Submit one (1) copy of the final printed label prior to release of the product for shipment.



EPA Form 1320-1A (1/90)

Printed on Recycled Paper

4: U.S. GOVERNMENT PRINTING OFFICE 1995 619 457

If you have any questions concerning this letter, please contact Velma Noble at (703) 305-7441.

Sincerely

Marion J. Johnson, Jr. Product Manager (31)

Antimicrobial Program Branch Registration Division (7505C)

TB-64 With College Brown Colle

ACTIVE INGREDIENT:

Potassium dimethyldithiocarbamate

India the Function 20.0%

INERT INGREDIENTS

Tage and and x 10.1 may No... 80.0%

This product contains 1.81 lb. of active ingredient per gallon and weights 9.05 lb. per gallon.

KEEP OUT OF REACH OF CHILDREN

DANGER

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: Corrosive. Causes eye and skin damage. Harmful if swallowed. Do not get in eyes, on skin, or on clothing. Avoid contamination of food. Wear goggles or face shield and rubber gloves when handling. Wash thoroughly after handling.

STATEMENT OF PRACTICAL TREATMENT: In case of skin contact, wash with plenty of soap and water. Remove contaminated clothing and wash before reuse. If product gets in the eyes, flush immediately with copious amounts of clean, cool water for at least 15 minutes. Get medical attention immediately. If product is swallowed, promptly drink 1 or 2 glasses of water. Contact a physician or Poison Control Center immediately. DO NOT INDUCE VOMITING.

Note to physician: Probable mucosal damage may contraindicate gastric lavage.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish. Do not discharge effluent containing this active ingredient into lakes, streams, ponds, estuaries, oceans, or public waters unless this product is specifically identified and addressed in an NPDES permit. Do not discharge effluent containing this product to sewer systems without previously notifying the sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

Maufactured by:
Nortech Water & Energy, Inc.
35 Connecticut Avenue
Norwich, CT 06360

EPA REG. NO. <u>56244-3</u> EPA EST. NO. <u>56244-CT-001</u>

NET CONTENTS

DIRECTIONS FOR US

It is a violation of Federal law to use this product in labeling.

TB-64 is used in industrial and/or commercial recirculand industrial air-washing systems to control microbiof TB-64 in industrial and/or commercial recircular systems should be cleaned to remove algal growth, indeposits. Then make an initial slug addition of 5.7 to 8 of water to provide 50 to 75 ppm of TB-64 based on total Repeat initial dosage until control is evident. Make s to 8.6 fl. oz. of TB-64 per 1000 gal. of water (25 to 75 or as needed. The frequency of addition depends bleedoff and the severity of the microbiological probinade in the sump of recirculating cooling tower systems.

TB-64 is used in industrial air-washing systems; eliminating components. Prior to its use, systems; bacterial slime and other deposits. An initial slug do: 64 per 1000 gai, of water is recommended Repeat evident. Subsequent slug additions of 10.0 to 17.2 fl water should be employed every 1 to 5 days, or as need depends upon the relative amount of bleedoff and se Slug additions may be made to the sump or the water system.

STORAGE AND DISPOS

Do not contaminate water, food, or feed by storage or disposal.

STORAGE: Do not expose to extreme temperatures. Do not stac or damaged drums should be placed in overpack drums for disposa or sand and disposed of in a sanitary landfill. Keep container clos

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. I spray mixture, or rinsate is a violation of Federal Law. If these vaccording to label instructions, contact your State Pesticide or E Hazardous Waste representative at your EPA Regional Office for

CONTAINER DISPOSAL:

- PLASTIC: Triple rinse (or equivalent). Then offer for recyclin dispose of in a sanitary landfill, by incineration, or, if allowed by if burned, stay out of smoke.
- METAL: Triple rinse (or equivalent). Then offer for recycling dispose of in a sanitary landfill, or by other procedures approve